



JUNE 2023

CAPE TOWN 021 5517035 www.brightstarlighting.co.za JOHANNESBURG 011 4448244 sales@brightstarlighting.co.za

CAPE TOWN



JOHANNESBURG



Bright Star Lighting reserves the right to change, discontinue or replace any items that appear in this catalogue.

Specifications, sizes and colours printed in this catalogue, could vary from the actual product and are subject to change.

We regret any errors or omissions that may occur.



Bright Star Lighting started in1995 in a 300 square meter warehouse and showroom in Cape Town. We now have much larger premises in Montague Gardens, Cape Town as well as warehousing in Linbro Business Park, Johannesburg.

Bright Star Lighting is a family run lighting business, owned and run by the Miller family. Together with our loyal staff, we have built and created a lighting brand which has become a household name in the lighting industry.


We specialise in a large variety of quality light fittings which we supply for the domestic market and are continuously keeping up with the ever changing lighting fashion, so as to keep our range fresh and exciting. Over the years the range has developed from domestic lighting, to now include a full range of electrical light bulbs, plugs and switches, as well as emergency rechargeable lighting products.

Bright Star Lighting prides itself on supplying a high level of service, a good quality product and stock availability.

We have sales teams throughout South Africa, namely Port Elizabeth, Free state, Northern Cape, Durban, East London and Eastern Cape and we also export into Africa, throughout Namibia, Swaziland, Botswana and Mozambique.

We thank you for your ongoing support, and are proud that you have made us one of the largest wholesale lighting companies in South Africa.

IVAN MILLER MANAGING DIRECTOR



ſ		
	NDEX	44.00
	Thumb Nail Pages Index	A1-O2 526-535
	EMERGENCY & RECHARGEABLE	1-13
	PLUGS, SWITCHES, COMPONENTS	14-25
	Interchangeable Clip on Cover Plates	15
	Plugs and Switches	16-24
	Components	25
	BULBS	26-51
	Emergency and Rechargeable	27-31
	Candle Bulbs Flame Bulbs	32-33 34
	T-Lamp and Tubular Bulbs	35
	Golfball Bulbs A60 Bulbs	36-37 38-39
	Sensor Bulbs	36-39 40
	Spotlight Bulbs	41
	G80 and G125 Bulbs GU10 and GU10 Size Bulbs	42-43 44
	Shaped Filament Bulbs	45
	G4 and G9 Bulbs LED Conversion Kits	46 47
	T5 and T8 LED Bulbs	47
	R7S and Grow Lighting	49
	LED Strip Lights	50-51
	CEILING FITTINGS & WB	52-97
	Battery Backup Emergency Lighting LED Ceiling Fittings	53 54-75
	Crystal and Acrylic Crystal Ceiling Fittings	76-78
	Ceiling Fittings and Wall Brackets	79-94
	Resin Ceiling Fittings Cheese Fittings	95 96-97
	CHANDELIERS & WB	98-145
	LED Chandeliers	99-101
	Crystal Chandeliers	102-111
	Acrylic Crystal Chandeliers Chrome Chandeliers	112-115 116-121
	Satin Chrome Chandeliers	122-125
	Metal, Resin, Wrought Iron Chandeliers Beaded Chandeliers	126-143 144-145
	DOWNLIGHTERS	146-167
	GU10 Bracket and Lampholder	147
	Polycarbonate Downlighters	148-149
	Blister Packs 12V or 220V-240V Aluminium	150-151
	Splashproof with Glass	152-156 157
	Pressed Metal	158-159
	LED Recessed Downlighters LED Surface and Recessed Downlighters	160-163 164
	LED Deck Lighting	165
	LED Panel Lights	166-167
	FANS	168-185
	Rechargeable Fans Floor and Table Fans	169 170-172
	Ceiling Fans	173-183
	Retractable Blade Ceiling Fans	184-185
	LINEAR LIGHTING	186-207
	T5 and T8 Tubes LED Open Channel Fittings	187 188-190
	LED Undercounder Lights	191-192
	LED Linear Fluorescent Lighting	193-197 198
	LED Outdoor Linear	198-199
	LED Strip Lighting	200-207
	BATHROOM LIGHTING	208-227
	Extractor Fans Mirror Lights	209 210-215
	Splashproof Downlighters	216
	Bathroom Lighting	217-227

OUTDOOR LIGHTING	228-299
Solar Lighting	229-233
String and Deck Lighting Grow Lighting	234 235
Stainless Steel Lanterns & Wall Brackets	236-239
Stainless Steel Bollards Stainless Steel - Half Lanterns	240-241 242
Die Cast Aluminium - Half Lanterns	243-245
Die Cast Aluminium - Up Facing Lanterns Die Cast Aluminium - Down Facing Lanterns	246-248 249-255
Die Cast Aluminium - Down Pacing Lanterns Die Cast Aluminium - Pillar, Pole Lanterns	249-255 256-257
Die Cast Aluminium - Standing Lanterns	258-261
Die Cast Aluminium - Bulkheads PVC - Bulkheads	262-265 266-270
PVC - Lanterns	271-273
PVC - Pillar, Standing Lanterns	274-275
PVC - Up / Down Facing Die Cast Aluminium - Up / Down Lanterns	276-277 278-281
Stainless Steel / Aluminium - Up / Down Lanterns	282-283
LED Lighting Recessed Ground Lighting	284-285 286
	287-289
LED Bollards	290-291
PVC - Garden Lighting Flood Light Stand	292-293 294
LED Flood Lighting with Sensor	295
LED PVC Flood Lighting	296
LED Die Cast Aluminium Flood Lighting LED Flood Lighting for Car Parks	297-298 299
PENDANTS & WB	300-397
Hanging Suspension for LED Tubes	301
Aluminium Cord Pendants	302-303
Metal Pendants Glass Pendants	304-332 333-347
Chrome, Satin Chrome Pendants	348-358
Acrylic Crystal Pendants	359-361
Crystal Pendants LED Pendants	362-369 370-381
Acrylic and PVC Pendants	382-383
Copper Pendants Wood and Wood Finish Pendants	384-385
Cement Pendants	386-388 389
Natural Pendants	390-394
Blister Packs	395-397
SPOTLIGHTS	398-441
Polished Chrome Spotlights Satin Chrome Spotlights	399 400-413
Copper Spotlights	414-415
Satin Brass Spotlights	416-417
Saturn Spotlights Painted Spotlights	418-419 420-441
TABLE & FLOOR LAMPS	442-479
LED Standing Lamps	443-445
Standing Lamps	446-451
Rechargeable LED Table Lamps LED Lamps	452-453 454-457
Desk Lamps	458-460
Clip On Desk Lamps	461
Metal Lamps Satin Chrome Lamps	462-467 468-471
Polished Chrome Lamps	472-473
Resin Lamps Acrylic and Crystal Lamps	474-475 476
Lava Lamps	477
Shades	478-479
TRACK LIGHTING	480-487
Wire Systems - 12V Track Lighting	481 482-487
WALL BRACKETS	488-511
LED Night Light	489
LED Wall Brackets	490-499
Wall Brackets with USB Ports Wall Brackets	499-501 502-511
PARTS	512-525
	020


EMERGENCY / RECHARGEABLE

BULB LED 280 page 4, 30	BULB LED 2 page 4, 30		ED 283 ED 284		ELED 288 Je 4, 30	BUL BUL BUL	B LED 290 B LED 291 B LED 292 B LED 293 e 5, 31, 187	BULB LED 905 page 2, 28
BULB LED 906 page 2, 28	BULB LED 9 page 1, 27		ED 923		1 5 LED 924 3e 2, 28		B LED 925 age 2, 28	BULB LED 930 BULB LED 931 page 5, 31
BULB LED 932 page 3, 29	BULB LED 9 page 3, 29				LED 936 ge 3, 29		CF132 age 6, 53	CF133 page 6, 53
CF134 page 6, 53	FAN015 page 7, 169	FAN016 page 7, 169		N017 7, 169	FAN01 page 7,	8 169	FAN019 page 7, 169	FAN020 page 7, 169
FL076 page 9, 230	FL077 page 9, 230	LS009 page 8, 229) 018 8, 229	PART1 page 13,		PART509 PART510 page 13, 522	TL646
TL647 page 10, 453	TL648 page 10, 453	TL649 page 11, 452		655 11, 452	TL656 page 11,		TL657 page 11, 452	WB318 WB319 page 12, 489

PLUGS, SWITCHES, COMPONENTS



PLUGS, SWITCHES, COMPONENTS



PLUGS, SWITCHES, COMPONENTS



BULBS


BULB 700 page 32	BULB 701 page 32	BULB 702 page 34	BULB 704 page 32	BULB 705 page 36	BULB 707 BULB 708 page 38
BULB 710 BULB 712 page 43	BULB 711 page 43	BULB 713 page 43	BULB 714 page 45	BULB 715 page 45	BULB 716 page 45
BULB 718 page 45	BULB 719 page 41	BULB 720 page 41	BULB 721 page 41	BULB 723 page 46	BULB 724 BULB 725 page 46
BULB 727 page 44	BULB LAVA LAMP page 41	BULB LED 100 BULB LED 101 page 34	BULB LED 102 BULB LED 103 page 34	BULB LED 104 BULB LED 105 BULB LED 262 page 33	BULB LED 106 BULB LED 107 BULB LED 263 page 33
BULB LED 108 BULB LED 109 page 46	BULB LED 110 BULB LED 111 page 46	BULB LED 112 BULB LED 113 page 41	BULB LED 115 BULB LED 116 BULB LED 265 page 39	BULB LED 117 BULB LED 118 BULB LED 266 page 39	BULB LED 119 BULB LED 120 page 37
BULB LED 121 BULB LED 122 page 37	BULB LED 129 page 34	BULB LED 130 page 33	BULB LED 131 page 39	BULB LED 132 page 39	BULB LED 133 BULB LED 134 BULB LED 264 page 33

C 1

BULBS

BULB LED 135 BULB LED 136 page 34	BULB LED 140 page 44	BULB LED 145 BULB LED 146 BULB LED 268 page 44	BULB LED 153 page 37	BULB LED 154 page 37	BULB LED 155 page 37
BULB LED 156 page 46	BULB LED 157 BULB LED 196 page 45	BULB LED 162 BULB LED 164 page 39	BULB LED 163 BULB LED 165 page 39	BULB LED 166 page 43	BULB LED 167 page 43
BULB LED 172 page 41	BULB LED 176 - 181 page 48, 187	BULB LED 184 BULB LED 185 page 48	BULB LED 187 page 49	BULB LED 190 BULB LED 191 page 32	BULB LED 192 BULB LED 193 page 32
BULB LED 194 BULB LED 195 page 32	BULB LED 196 BULB LED 157 page 45	BULB LED 197 - 200 260 - 261 page 44	BULB LED 201 - 204 208, 209, 220 page 48, 187	BULB LED 205 BULB LED 206 page 49, 235	BULB LED 207 page 49, 235
BULB LED 195	BULB LED 157	197 - 200 260 - 261	201 - 204 208, 209, 220	BULB LED 206	





C 3


CF010/12 page 71	CF011/9 page 71	CF012 CF013 CF014 page 54, 220	CF015/5 page 79	CF016/9 page 80	CF017 page 61, 225
CF021 page 93	CF033/6 page 69	CF046 - CF050 page 56, 221	CF052 page 78	CF053 CF054 CF055 page 54, 220	CF056 page 73
CF057/8 page 82	CF058/8 page 82	CF0663 CF0664 CF0665 page 64, 222	CF083 page 59	CF096/5 page 79	CF099 page 96, 223
CF118/24 page 65	CF12005 page 88	CF12009 page 88	CF121 CF122 CF123 page 57, 225	CF124 CF127 page 61, 226	CF125 CF128 page 61, 226
CF126 CF130 page 61, 226	CF1299 page 84	CF131 page 59	CF132 page 6, 53	CF133 page 6, 53	CF134 page 6, 53
CF1361 page 91	CF1362 page 91	CF1550 page 92	CF160 page 67	CF161 page 67	CF162 page 67


CF163	CF164	CF165	CF166	CF170	CF171
page 75	page 74	page 75	page 74	page 60	page 60
CF172 page 60	CF173/13 page 77	CF187 page 89	CF188 page 89	CF189 page 89	CF190 page 89
CF2008 page 88	CF222 page 65	CF246 - CF251 page 55, 221	CF255 CF256 CF257 page 54, 220	CF2826/6 page 71	CF286/6 page 77
CF288 page 72	CF289 page 85	CF293 page 86	CF294 page 70	CF295 page 70	CF296 page 70
CF298 page 77	CF2999 page 85	CF3005 page 92	CF3008 page 92	CF3014 page 93	CF3017 page 94
		p		pugo oo	Pugo or
				A.S.	
CF3031 page 83	CF3040 page 97, 227	CF311 page 76	CF312/5 page 76	CF314/9 page 79	CF315/8 page 72

















DOWNLIGHTERS



DOWNLIGHTERS



DOWNLIGHTERS

DL500	DL513	DL514	DL510	DL511	DL515
page 167	page 166	page 167	page 65, 164	page 65, 164	page 166
DL516	DL517	DL550 - DL555	DL556 - DL558	DL701 - DL705	DL711 - DL715
page 166	page 167	page 162	page 162	page 163	page 163
DL997 page 150	DL999 page 150				


FANS

FAN008/3	FAN010	FAN012	FAN013	FAN014/3	FAN015
page 170	page 172	page 172	page 172	page 171	page 7, 169
FAN016	FAN017	FAN018	FAN019	FAN020	FCF004
page 7, 169	page 173				
<u>~</u> ~	4		<u>۴</u>	>	
FCF007	FCF013	FCF018	FCF031	FCF037	FCF038
page 174	page 177	page 179	page 174	page 176	page 176
	j.				>
FCF040	FCF041	FCF042	FCF043	FCF044	FCF045
page 174	page 174	page 177	page 185	page 178	page 178
<u></u>	<u>></u>				
FCF046	FCF047	FCF048	FCF049	FCF050	FCF051
page 178	page 178	page 175	page 175	page 175	page 175
FCF053	FCF054	FCF055	FCF056	FCF057	FCF059
page 177	page 176	page 184	page 185	page 184	page 179

FANS



LINEAR LIGHTING



LINEAR STRIP LIGHTING

BULB LED 900 BULB LED 902 BULB LED 903 HVS001 **HVS002 BULB LED 901 HVS003 HVS004** page 50, 200 page 51, 201 page 204 page 204 page 204 page 204 **HVS005 HVS006 HVS008 HVS009 HVS010 HVS007** page 204 page 204 page 204 page 204 page 204 page 204 -0 **HVS011 HVS012 HVS120 HVS121 HVS122 HVS123** page 204 page 204 page 205 page 205 page 205 - 207 page 205 **HVS124 HVS231 HVS232 HVS233 HVS234 HVS235** page 205 page 206 page 206 page 206 page 206 page 206 **HVS236 HVS237 HVS238** HVS239 **HVS240** HVS350 HVS351 page 206 page 206 page 206, 207 page 206, 207 page 206 page 207 page 207 HVS352 **HVS400 HVS401 HVS402 HVS403 HVS404 HVS405** page 202 page 203 page 207 page 202 page 202 page 203 page 203

BATHROOM LIGHTING

BULB LED 916 page 40, 219	CF012 CF013 CF014 page 54, 220	CF017 page 61, 225	CF046 - CF050 page 56, 221	CF053 CF054 CF055 page 54, 220	CF0663 CF0664 CF0665 page 64, 222
\bigcirc	CF121				
CF099 page 96, 223	CF122 CF123 page 57, 225	CF124 CF127 page 61, 226	CF125 CF128 page 61, 226	CF126 CF130 page 61, 226	CF246 - CF251 page 55, 221
CF255					
CF256 CF257 page 54, 220	CF3040 page 97, 227	CF335 page 58, 224	CF336 page 58, 224	CF337 page 58, 224	CF338 page 58, 224
CF344 page 58, 224	CF345 page 58, 224	CF346 page 58, 224	CF347 page 58, 224	CF364 CF365 CF366 page 57, 225	CF367 CF368 page 64, 222
CF370 page 61, 225	CF372 page 59, 225	CF375 CF376 CF377 page 64, 222	CF380 page 97, 227	CF564 CF566 page 56, 223	CF565 CF567 page 56, 223
CF673 CF674 page 65, 223	CF728 CF729 page 64, 222	CF730 - CF735 page 55, 221	CH001 page 97, 227	CH002 CH006 page 57, 226	CH003 page 96, 227

BATHROOM LIGHTING



BH013	BH021	BH022	BH023	BH026	BH027
page 263	page 268				
BH028	BH033	BH050	BH051	BH052	BH057/2
page 268	page 267	page 262	page 262	page 262	page 262
BH058/1	BH060	BH061	BH062	BH064	BH066
page 262	page 264	page 264	page 264	page 269	page 269
BH067	BH068	BH074	BH075	BH076	BH082
page 269	page 267	page 265	page 265	page 265	page 265
BH083	BH090	BH091	BH110	BH112	BH113
page 265	page 263	page 263	page 270	page 270	page 270
BH114 page 269	BH120 page 270	BH121 page 270	BH124 page 266	BH125 page 266	BH128 BH129 page 267

BH130 BH131 page 267	BH132 BH133 BH134 BH135 page 266	BH136 BH137 BH138 BH139 page 266	BH2080 page 265	BH2081 page 263	BH408 page 264
BULB LED 205 BULB LED 206 page 49, 235	BULB LED 207 page 49, 235	DL070 page 165, 234	FL005 page 299	FL006 page 299	FL009 page 294
FL010	FL011	FL012	FL013	FL030	FL031
page 296	page 296	page 296	page 296	page 298	page 295
FL032	FL033	FL034	FL035	FL045	FL046
page 298	page 295	page 298	page 298	page 298	page 299
FL047	FL070	FL071	FL072	FL073	FL074
page 299	page 297	page 297	page 297	page 297	page 295
FL075	FL076	FL077	FT004	FT009	FT010
page 295	page 9, 230, 295	page 9, 230	page 287	page 287	page 287

FT013	FT014	FT020	FT021	FT022	FT025
page 287	page 287	page 288	page 288	page 288	page 288
FT027	FT030	FT031	FT032	FT035	FT036
page 289	page 289	page 289	page 289	page 288	page 288
FT038	GL6101	GL6109	GL6110	GS001	GS002
page 289	page 286	page 286	page 286	page 293	page 293
GS004/1	GS005/2	GS006	GS008	GS010	GS011
page 293	page 293	page 293	page 293	page 292	page 292
GS012 page 292	GS013 page 292	GS014 page 292	L004 page 248	L005 page 256	546 L030 page 239
L037	L038	L039	L040	L046	L047
page 238	page 238	page 238	page 238	page 239	page 239

L048	L051	L052	L053	L054	L055
page 239	page 247	page 257	page 285	page 284	page 284
L058	L059	L070	L072	L079	L080
page 240	page 240	page 285	page 284	page 242	page 282
L081	L082	L083	L084	L086	L089
page 236	page 241	page 237	page 237	page 241	page 236
L090	L093	L106	L112	L119	L121
page 237	page 237	page 251	page 282	page 279	page 280
L122	L123	L124	L125	L126	L127
page 280	page 281	page 281	page 280	page 280	page 280
	E				





OUTDOOR LIGHTING



OUTDOOR LIGHTING




OUTDOOR LIGHTING





PEN195/1	PEN201	PEN203	PEN204	PEN206/3	PEN207
page 359	page 328	page 319	page 313	page 316	page 316
PEN208	PEN209	PEN210	PEN211	PEN212	PEN213
page 319	page 379	page 378	page 378, 379	page 378, 379	page 315
PEN214	PEN216	PEN217	PEN218	PEN219	PEN221
page 315	page 305	page 305	page 394	page 394	page 306
PEN223/3	PEN224/3	PEN225/3	PEN227/1	PEN228/1	PEN2298/1
page 331	page 357	page 357	page 302	page 331	page 348
PEN2299/3	PEN2307	PEN2308	PEN2318	PEN2319	PEN2322
page 348	page 302	page 302	page 302	page 302	page 302
PEN2324/1	PEN233	PEN234	PEN235	PEN236	PEN241/1
page 305	page 380	page 484	page 315	page 315	page 316



				8	
PEN307	PEN312	PEN314	PEN320	PEN334/1	PEN336/1
page 387	page 305	page 384	page 320	page 361	page 355
PEN339/1	PEN340/1	PEN341/3	PEN349	PEN350	PEN351
page 353	page 304	page 351	page 389	page 389	page 389
PEN369	PEN371	PEN372	PEN375	PEN376/1	PEN377/4
page 347	page 306	page 306	page 387	page 372	page 372
PEN386	PEN388	PEN393/1	PEN399	PEN414	PEN415
page 387	page 387	page 306	page 313	page 347	page 347
PEN416	PEN420/1	PEN421/1	PEN422/1	PEN429/1	PEN430/1
page 347	page 383	page 383	page 304	page 390	page 390
PEN431/1	PEN433/1	PEN434/3	PEN435/3	PEN442/1	PEN444
page 394	page 360	page 360	page 360	page 305	page 386












PEN807	PEN808	PEN809	PEN810	PEN811	PEN812
page 383	page 392	page 392	page 392	page 392	page 338
PEN813	PEN814	PEN819	PEN820	PEN821	PEN822
page 338	page 338	page 388	page 388	page 388	page 388
PEN825	PEN902	PEN903	PEN9042/8	PEN905	PEN907
page 363	page 356	page 385	page 351	page 385	page 359
PEN908	PEN912	PEN919	PEN920/1	PEN921	PEN922
page 359	page 307	page 343	page 343	page 342	page 342
PEN923 PEN926 page 381	PEN924 PEN927 page 381	PEN925 PEN928 page 381			





K 3

S151/4	S152/1	S152/2	S152/3	S152/4	S156/1
page 406	page 405	page 405	page 405	page 405	page 415, 428
S156/2	S156/3	S161/1	S161/2	S161/3	S161/4
page 415, 428	page 415, 428	page 424	page 424	page 424	page 424
					S164/2
S162/2	S163/1	S163/2	S163/3	S163/3 S164/1 page 404 page 425	
page 426	page 404	page 404	page 404		
S164/3	S165/1	S165/2	S165/3	S166/1	S166/2
page 425	page 440	page 440	page 440	page 441	page 441
S166/3	S167/1	S167/2	S167/3	S168/1	S168/2
page 441	page 436	page 436	page 436	page 400	page 400
S168/3	S169/1	S169/2	S169/3	S170/1	S170/2
page 400	page 423	page 423	page 423	page 437	page 437



STANDING LAMPS




TABLE / DESK LAMPS



TABLE LAMPS



TABLE LAMPS



SHADES



TRACK LIGHTING

PART507 page 483	PART508 page 483	PEN234 page 484	S100/1 page 485, 486	S101/10W page 486	S102/20W page 486
S104/20W S105/30W page 487	106 page 485, 487	S107 page 485, 487	S108/1 S109/1 S110/1 page 485, 487	S111/1 page 485, 486	S112/20W page 484
S113/20W S115/30W page 487	S116/1 page 484	S117/1 S118/1 page 484, 486	S551 Type I page 483	S552 Type L page 483	S553 Type I page 483
S554 Type L page 483	S555 page 483	S556 page 483	S570/1M page 482	S571/2M page 482	S572/1M page 482
S573/2M page 482	WSC001 page 481	WSC003 page 481	WSC007 page 481		

N 1



WB1470/2	WB167/1	WB169/1	WB171/2	WB172/2	WB173/1
page 128	page 124	page 511	page 501	page 501	page 501
WB174/1	WB177	WB178	WB180	WB182	WB184
page 501	page 493	page 493	page 495	page 493	page 505
WB185	WB186	WB187	WB188	WB194	WB195
page 505	page 217	page 217	page 217	page 491	page 491
WB196	WB197	WB198	WB2008	WB2022	WB2023
page 495	page 491	page 491	page 88	page 505	page 504
WB204	WB205	WB206	WB207	WB212	WB214
	page 500	page 491	page 379, 493	page 500	page 494
page 500	page Juu	page 431			






PARTS

CHAIN page 523	DL GU10 BRACKET page 147, 517	DL GU10 LAMPHOLDER page 147, 517	PART001 - 005 PART022 page 513	PART006 - 010 PART023 page 513	PART011 - 015 PART024 page 513
PART016 page 514	PART017 PART018 page 514	PART019 PART020 page 516	PART021 page 514	PART025 page 514	PART026 PART027 PART028 page 516
PART029 PART030 PART031 page 516	PART032 PART033 PART034 page 516	PART035 PART036 PART037 page 516	PART038 PART039 page 515	PART040 page 515	PART041 page 516
PART042 page 515	PART043 page 515	PART044 PART045 page 515	PART100 page 514	PART101 page 514	PART102 page 514
PART103 PART104 page 514	PART105 PART108 page 514	PART106 PART107 page 514	PART109 page 519	PART110 page 381, 515	PART111 page 381, 515
PART112 page 515	PART113 page 13, 515	PART200 page 515	PART201 page 516	PART500 page 521	PART501 page 521

01

PARTS

PART502 page 521	PART503 page 521	PART504 page 521	PART505 page 521	PART506 page 521	PART507 PART508 page 483	PART509 page 13, 522
PART510 page 13, 522	PART511 page 521	PART512 page 521	PART513 page 521	PART514 page 521	PART600 page 520	PART601 page 520
PART602 page 520	PART603 page 520	PART604 PART605 PART606 PART607 page 519	PART608 PART609 page 151, 517	PART610 page 519	PART611 page 520	PART612 page 520
PART613 page 519	PART650 PART651 page 519	PART684 PART685 PART686 PART687 page 519	PART703 PART704 PART705 page 518	PART706 page 518	PART707 page 519	PART801 page 517
PART802 page 517	PART803 page 517	WIRE 001 - 007 page 524	WIRE 008 WIRE 009 page 523	WIRE 010 WIRE 011 WIRE 012 page 524	WIRE 13 page 523	WIRE 14 page 523
WIRE 051-3M WIRE 071-5M page 525	WIRE 052-3M WIRE 072-5M page 525	WIRE 053-3M WIRE 073-5M page 525	WIRE 054-3M WIRE 074-5M page 525	WIRE 055-3M WIRE 075-5M page 525	WIRE 056-3M WIRE 076-5M page 525	WIRE 057-3M WIRE 077-5M page 525
WIRE 060-3M WIRE 080-5M page 525	WIRE 061-3M WIRE 081-5M page 525	WIRE 062-3M WIRE 082-5M page 525	WIRE 2 CORE page 523	WIRE 3 CORE page 523		



PORTABLE, EMERGENCY RECHARGEABLE TORCHES



BULB LED 923

T5 Portable Emergency Rechargeable Torch with USB Cable for Charging Magnetic Attachment Easy to carry and can be hung anywhere

> Material: PC Colour Temp: 6500K

Beam Angle: 120 Degrees RA: >70 Battery: 3600mA Lithium Battery Discharging Time: 3-5 Hours

3 Modes for Brightness: High Brightness: 3 Hours Low Brightness: 5 Hours Flashing: 3 Hours BULB LED 922 Lumen: 500 16 Pieces LED CCT Chips

Width: 25mm Length: 170mm

BULB LED 923 Lumen: 1050 56 Pieces LED CCT Chips

> Width: 25mm Length: 520mm











Includes: Flashlight Emergency Light Warning Light USB Charging Cable Portable Charging Source

Product Features:

Magnetic Impact Resistant 3 grade dimmable for brightness: Cool White, Warm White, Daylight 5V USB Powerbank Funtion Mobile phone Charging function 30 Hours of working hours

> Width: 35mm Length: 223mm

PORTABLE, EMERGENCY RECHARGEABLE TORCHES





BULB LED 905 WHITE LED Emergency Rechargeable Torch 2 Pin plug with 500mm connection cable

- 3W LED

Material: ABS Colour Temp: 6000K 40 Pieces LED Bulbs Battery: 2400mA Lead Acid Battery Beam Angle: 180 degrees 2 Levels Brightness Lumen: 100 / 200 Charging time: 15 Hours Discharge time: 4-8 Hours

> Width: 90mm Length: 270mm



BULB LED 925

LED Emergency Rechargeable Torch with slide handle 2 Pin plug with 500mm connection cable

- 2W + 10W LED

Material: ABS Colour Temp: 6000K Lumen: 200 / 500

48 Pieces LED Bulbs 2 Level Brightness Battery: 1200mA Lead Acid Battery Charging Time: 15 Hours Discharging Time: 1.5 - 8 Hours

> Width: 68mm Length: 215mm



1

P

BULB LED 906 WHITE

LED Emergency Rechargeable Torch with slide handle 2 Pin plug with 500mm connection cable

- 3W LED

Material: ABS Colour Temp: 6000K 60 Pieces LED Bulbs Battery: 1200mA Lead Acid Battery Discharging time: 3-5 Hours

> Width: 70mm Length: 245mm



BULB LED 924

LED Emergency Rechargeable Torch with slide handle 2 Pin plug with 500mm connection cable

- 6W LED

Material: ABS Colour Temp: 6000K Lumen: 100 / 300

30 Pieces LED Bulbs 2 Level Brightness Battery: 1200mA Lead Acid Battery Charging Time: 10 - 15 Hours Discharging Time: 4 - 10 Hours

> Width: 58mm Length: 154mm

PORTABLE, EMERGENCY RECHARGEABLE TORCHES



BULB LED 932 LED Rechargeable Emergency Light USB Charging Cable

- 5W LED

Material: ABS Colour Temp: 6000K Lumen: 50/250 1+20 Pieces LED Bulbs Battery: 1200mA Lithium Battery Charging Time: 5 Hours Discharging Time: Energy Saving Lamp: 3 Hours Focus Lamp: 8 Hours

> Width: 60mm Length: 145mm



BULB LED 936

LED Rechargeable Emergency Light with handle 12V DC Input Charging Jack 5V USB Output for Mobile Charging 2 pin plug with connection cord

> - 1 x 1W LED - 24 x 0.5W LED

Material: ABS Colour Temp: 6000K Lumen: 400/800 1+24 Pieces LED Bulbs 2 Level Brightness Battery: 4000Mah Lead Acid Battery Charging Time: 16 Hours Discharging Time: Strong Light: 15 Hours Soft Light: 30 Hours Focus Lamp: 80 Hours

> Width: 75mm Length: 180mm

BULB LED 935

LED Rechargeable Emergency Light 2 Pin Plug with Connection Cord stored in the back of the fitting

- 6W LED

Material: ABS Colour Temp: 6000K Lumen: 200/400 60 Pieces LED Bulbs 2 Level Brightness Battery: 1800mA Lithium Battery Charging Time: 12 Hours Discharging Time: Full Mode: 3 Hours Low Mode: 6 Hours

> Width: 56mm Length: 350mm



BULB LED 934 LED Rechargeable Emergency Light 2 Pin Plug with Connection Cord stored in the back of the fitting

- 3W LED

Material: ABS Colour Temp: 6000K Lumen: 100/300 30 Pieces LED Bulbs 2 Level Brightness Battery: 1200mA Lithium Battery Charging Time: 24 Hours Discharging Time: Full Mode: 3 Hours Low Mode: 6 Hours

> Width: 56mm Length: 192mm



EMERGENCY RECHARGEABLE LED BULBS

GU10 LED Emergency Rechargeable Bulb

- 5W GU10 LED

Material: Plastic with Aluminium Lumen: 400

Beam Angle: 120 Degrees Battery: 500mA Lithium Battery Emergency Power lasts for 3 Hours: Wattage: 0.5W Lumen: 50

> Width: 50mm Height: 82mm

BULB LED 282 Colour Temp: 3000K BULB LED 283 Colour Temp: 4000K BULB LED 284 Colour Temp: 6000K



BULB LED 280 A60 Emergency Rechargeable Bulb

- 5W ES LED

Lampholder: ES Material: PC with Aluminium

> Colour Temp: 4000K Lumen: 375

16 Pieces SMD LED Beam Angle: 180 Degrees Battery: 1200mA Lithium Battery

Emergency Power lasts for 3 Hours: Wattage: 1.5W Lumen: 105

> Width: 60mm Height: 108mm



BULB LED 281 A60 Emergency Rechargeable Bulb

- 5W B22 LED

Lampholder: B22 Material: PC with Aluminium

> Colour Temp: 4000K Lumen: 375

16 Pieces SMD LED Beam Angle: 180 Degrees Battery: 1200mA Lithium Battery

Emergency Power lasts for 3 Hours: Wattage: 1.5W Lumen: 105

> Width: 60mm Height: 108mm



BULB LED 288 Replacement bulb for LS009/1 Solar Conversion Kit

- 12V DC LED E27 A60 Bulb

Colour Temp: 4000K Lumen: 400

> Width: 60mm Height: 110mm

EMERGENCY RECHARGEABLE LED BULBS



T8 LED Rechargeable Emergency Tube Not Dimmable Built-in Non-Isolated Battery

Material: Aluminium Lampbody with PC Cover Colour Temp: 6000K PF: >0.9 Beam Angle: 180 degrees Emergency Wattage: 3-4W Emergency Time: 2.5 - 3 Hours

- 9W LED

Lumen: 810

Length: 590mm Width: 26mm

- 13W LED Lumen: 1170 Length: 895mm

Width: 26mm

BULB LED 291

BULB LED 292 - 18W LED Lumen: 1620

Length: 1200mm Width: 26mm BULB LED 293 - 22W LED Lumen: 1980

Length: 1500mm Width: 26mm

Also Available: FTL015 WHITE

MAGNETIC LED MODULE EMERGENCY KIT



BULB LED 930 Magnetic LED Module Emergency Kit

- 12W

Colour Temp: 4000K Lumen: 1200

Emergency Power: 2W 200 Lumen Battery: LI 3.7V 1800mAh Charging Time: 6-8 Hours Emergency Time: 3 Hours

Diameter: 200mm



BULB LED 931 Magnetic LED Module Emergency Kit

- 20W

Colour Temp: 4000K Lumen: 2000

Emergency Power: 3W 300 Lumen Battery: LI 3.7V 2000mAh Charging Time: 6-8 Hours Emergency Time: 3 Hours

Diameter: 250mm

BATTERY BACKUP EMERGENCY CEILING FITTINGS

CF132 EMERGENCY Emergency Light, IP54

- 18W LED (Included) - 3W When Emergency

Material: ABS Colour Temp: 6000K

Features:

Emergency and Automatic Light Up Can be used as both emergency fitting as well as general lighting During normal use the emergency lamp is connected to the power supply Must have a permanent live wire to charge the battery In the case of a power outage it will turn on automatically When product is in emergency mode, battery backup on/off switch

> Wall mounted, ceiling or suspended installations Rechargeable Battery: Lithium 3.6V Emergency Duration Time: 1.5 Hours Charging Time: 18-24 Hours Overcharge and over-discharge protection

> > Diameter: 280 Height: 90mm



CF133 EMERGENCY Emergency Light, IP30

- 1.5W LED (Included)

Colour Temp: 6000K Lumen: 100 Material: ABS

Features:

Emergency and Automatic Light Up Can only be used as an emergency fitting Not for normal general lighting Must have a permanent live wire to charge the battery In the case of a power outage it will turn on automatically and will switch off when power is restored.

Wall mounted, ceiling or suspended installations Rechargeable Battery: Lithium 3.6V Emergency Duration Time: 3 Hours Charging Time: 20 Hours Overcharge and over-discharge protection Red Light Charge Indicator

> Length: 359mm Width: 137mm Depth: 82mm



CF134 EMERGENCY Emergency Light, IP30

- 3W LED (Included)

Colour Temp: 6000K Lumen: 104 Material: Cream White ABS

Features:

Emergency and Automatic Light Up Can only be used as an emergency fitting Not for normal general lighting Must have a permanent live wire to charge the battery In the case of a power outage it will turn on automatically and will switch off when power is restored.

Wall mounted, ceiling or suspended installations Rechargeable Battery: Ni-CD 3.6V Emergency Duration Time: 3 Hours Charging Time: 18-24 Hours Overcharge and over-discharge protection

> Length: 285mm Width: 120mm Depth: 50mm

FAN019 WHITE White with White Blades

FAN020 BLACK Black with Black Blades

3 Speed Rechargeable Table Fan with USB Cable, Portable Fan Power: 7W Lithium Battery: 1800mAh Material: Plastic Height: 116mm

Charging Time: 3 Hours Discharging Time: 2 - 4 Hours



RECHARGEABLE FANS






FAN016

12" Rechargeable Table Fan Fan Power: 12W Battery: 2600mAh Voltage: AC220V/DC12V Material: Metal with Metal Blades Colour: Black

> Width: 400mm Height: 370mm

Charging Time: 3 Hours Discharging Time: 3 - 5 Hours



FAN018 PANEL

Solar Panel for Rechargeable Fans with 5 Meter Cable Voltage: 18V Peak Power: 20W

> Width: 350mm Height: 450mm

Solar Panel for FAN015 Solar Panel for FAN016 Solar Panel for FAN017

FAN015

Fan Power: 10W Battery: 2600mAh Voltage: AC220V/DC12V Material: Plastic Colour: White

> Width: 350mm Height: 1000mm Base: 340mm

Charging Time: 3 Hours Discharging Time: 3 - 5 Hours

FAN017 12" Rechargeable Oscillating Floor Fan 16" Rechargeable Oscillating Floor Fan 3 Speed Fan Power: 15W Battery: 2600mAh Voltage: AC220V/DC12V Material: Plastic Colour: White and Black

> Width: 430mm Height: 1200mm Base: 370mm

Charging Time: 3 Hours Discharging Time: 2.5 - 5 Hours

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT. THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



LS009/1 BLACK

Converts your E27 Fitting to Solar Must use the supplied 12V DC Bulb which is Included

- 3W Polycrystalline Solar Panel - 1 x 12V DC LED E27 A60 Bulb (Included)

> Colour Temp: 4000K Lumen: 400

Solar Panel: Width: 170mm Height: 140mm Cable: 2.8 meters 3.7V Li-ion 4000MAH Rechargeable Battery (Included)

Features:

Select switch - Two modes: OFF: First use, leave the switch in the OFF position and charge 8-12 hours in full sunlight to allow the rechargeable battery to reach maximum capacity AUTO: First 6 Hours 200 lumen output, then 4 Hours 50 lumen output MANUAL: First 2 Hours 400 lumen output, then 8 Hours 100 lumen output

> Also Available: BULB LED 288 (replacement bulb)





LS018 SOLAR Portable Solar Charging Light 5V USB Port for charging Mobile Phones Lithium Battery Capacity: 3.7V/4500MAH

Color temperature: 6000K Solar Panel, Polysilicon 3.5W/6V, size: 215mm x 130mm Output: 5.0V/2.0A USB discharge : 5V/2.1A Lighting Function: 3 Levels of Brightness / Flashing Light

> Height: 240mm Width: 140mm Depth: 25mm

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT. THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



Solar Panel: 3.7V 2000MAH Battery Running Time: 1.5 hours Width: 180mm Height: 150mm (Excluding Bracket) Cable: 5 meters



FL076 BLACK

10W LED Floodlight
 3W Solar Panel

Width: 115mm Height: 155mm (Excluding Bracket) Depth: 110mm

Features: Colour Temp: 6000K Lumen: 600 Power Factor: > 0.9 Beam Angle: 120 degrees Detected Distance Maximum: 5M Time Delay: 5 Seconds – 5 Minutes (Adjustable)

FL077 SOLAR

50W LED Aluminium Floodlight with Tempered Glass Lens and Solar Panel, IP65 Includes Remote Control



Flood Light: - 50W LED (Included) Colour Temp: 6000K Lumen: 500

Beam Angle: 90 degrees Width: 177mm Height: 211mm Depth: 50mm

Solar Panel:

5V 8W Solar Panel Battery: 3.2V 6000mAH Charging Time: 4-6 Hours

> Width: 350mm Height: 230mm Depth: 17mm Cable: 1.8 Metres

Brightness Levels: Constant Light for 12 hours 100% Brightness in the first 4 Hours 70-80% Brightness in the next 3 Hours 40-50% Brightness in the following 3 Hours 30% Brightness in the last 2 Hours Timing Function: 3H, 5H, 8H

Fixing Instructions:

The light fixture should be installed on a flat and stable surface. Avoid installing the light near an air conditioner, heater, or high voltage system. The solar charger board should be set in a sunny area where maximum sunlight can be collected. The solar board requires at least 3 hours per day or 5 hours per day if behind glass. Charge the light for 24 hours before first use. Charging time afterwards is 4-6 hours. Use a soft wet cloth to periodically (at least once a year) clean the charger board to avoid the reduction of power output due to accumulated dust.

RECHARGEABLE LED TABLE LAMPS

TL647 WHITE

Rechargeable LED Table Lamp, IP20 Touch Switch with 3 step brightness USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included) - 5V Power Supply Adapter and USB (Included)

> Material: ABS Colour Temp: 4000K Lumen: 250 CRI: >80 PF: >0.5 Lithium Battery 1200mA

Charging Time: 2-3 hours Discharging Time: 2.5 hours

Height: 540mm Base: 170mm x 115mm

TL648 BLACK Rechargeable LED Table Lamp, IP20 Dimmable and CCT USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included) - 5V Power Supply Adapter and USB (Included)

> Material: ABS Colour Temp: 3000K - 6000K Lumen: 280 CRI: >80 PF: >0.5

Features: Dimmable and CCT Display with Time, Calender, Temperature and Alarm Settings Touch Front Silver Switch to switch on and off and for brightness Press Front Silver Switch for CCT

Time and Calender Setting: Push the button "M", then push button "S", when the figure start flashing, using up and down button to set, push "S" to next figure.

Alarm Setting: Push the button "M" twice, when the display top shows "Alarm", Push button "S", when the figure start flashing, using up and down button to set. "SNOOZE" time is 60 seconds, push "S" to shut snooze.

Temperature: Push "Down" Button to change degree from Celsius to Fahrenheit

Lithium Battery 1200mA Charging Time: 2-3 hours Discharging Time: 2.5 hours

> Height: 480mm Base: 95mm x 75mm

TL646 BLACK

Rechargeable LED Table Lamp, IP20 Touch Switch with 3 step brightness USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included) - 5V Power Supply Adapter and USB (Included)

> Material: ABS Colour Temp: 4000K Lumen: 250 CRI: >80 PF: >0.5 Lithium Battery 1200mA

Charging Time: 2-3 hours Discharging Time: 2.5 hours

> Height: 540mm Base: 150mm

RECHARGEABLE LED TABLE LAMPS

TL655 BLACK

Rechargeable Mini LED Table Lamp with Touch Control Switch and USB Charging Cable 40 Degree Rotation Head

- 4W LED

Material: ABS Colour Temp: CCT - 3 Temperatures Battery: 1200mAh Charging Time: 4 Hours Discharging Time: 4-10 Hours

> Width: 139mm Height: 195mm

Also Available: TL656 WHITE

TL656 WHITE

Rechargeable Mini LED Table Lamp with Touch Control Switch and USB Charging Cable 40 Degree Rotation Head

- 4W LED

Material: ABS Colour Temp: CCT - 3 Temperatures Battery: 1200mAh Charging Time: 4 Hours Discharging Time: 4-10 Hours

> Width: 139mm Height: 195mm

Also Available: TL655 BLACK

TL657 GREY Rechargeable LED Table Lamp with Touch Control Switch

and USB Charging Cable

Material: PMMA Colour Temp: CCT - 3 Temperatures Battery: 1200mAh Charging Time: 4 Hours Discharging Time: 3-10 Hours

> Width: 151mm Height: 275mm

TL649 WHITE Rechargeable LED Table Lamp, IP20 Dimmable and CCT, USB Charging Port

- 10W LED (Included) - 5V Power Supply Adapter and USB (Included)

> Material: ABS Colour Temp: 3000K – 6000K Lumen: 500 CRI: >80 PF: >0.5

Features:

Touch Switch to switch the light on and off Touch "M" to change colour temperatures Touch "M" over 3 seconds to change brightness

> Lithium Battery 1200mA Charging Time: 2-3 hours Discharging Time: 2.5 hours

> > Height: 550mm Base: 150mm

RECHARGEABLE LED TABLE LAMPS

LED NIGHT LIGHT



WB318 PIR

Polycarbonate Night Light with Day / Night Motion Sensor

- 0.8W LED

Colour Temp: 3000K Lumen: 50

1 x PIR Sensor (Included) Detecting Angle: 120 degrees Detecting Distance: 3 – 5M Time Delay: 30 seconds 3 x AAA Batteries (Not Included)

> Width: 90mm Height: 90mm Depth: 38mm





WB319 ON/OFF Polycarbonate Night Light with ON/OFF Switch

- 0.8W LED

Colour Temp: 3000K Lumen: 50

ON/OFF Switch (Included) 3 x AAA Batteries (Not Included)

> Width: 90mm Height: 90mm Depth: 38mm



EMERGENCY RECHARGEABLE PARTS



PART509 EMERGENCY Connect to Permanent Live Wire to Charge Battery Emergency Power Kit Replacement Light Fitting must have an External Driver

To Convert Light Source:

5 - 40W LED Downlight, Panel and Ceiling to Emergency Light

- 30% of Power Output when the power goes down Emergency Duration: 180 minutes @ 3Watts approximately

Includes: Pilot light and push button tester 2 x Connectors to Driver and LED Lamps

> Length: 180mm Width: 42mm



PART113 - 3.7V Lithium Battery

1800 mAh with Protection IC Board

Width: 20mm Height: 70mm



PART510 EMERGENCY Connect to Permanent Live Wire to Charge Battery Emergency Power Kit Replacement

> To Convert up to 20W LED Downlight or LED Tube to Emergency Light

Same Power Output as Original Light Source (Less than 20W) Light Source: 5 – 20W LED Lamp Power: 20W Emergency Duration: 60 – 90 minutes

> Length: 215mm Width: 42mm




PLUGS, SWITCHES & COMPONENTS



INTERCHANGEABLE CLIP ON COVER PLATES



ECP610 POL CHROME Polished Chrome Cover - 2 X 4 (Component)



ECP616 POL CHROME Polished Chrome Cover - 4 X 4 (Component)



ECP611 POL GOLD Polished Gold Cover - 2 X 4 (Component)



ECP617 POL GOLD Polished Gold Cover - 4 X 4 (Component)



ECP612 BRUSHED SIL Brushed Silver Cover - 2 X 4 (Component)



ECP618 BRUSHED SIL Brushed Silver Cover - 4 X 4 (Component)



ECP613 BRUSHED GOLD Brushed Gold Cover - 2 X 4 (Component)



ECP619 BRUSHED GOLD Brushed Gold Cover - 4 X 4 (Component)



ECP614 MATT BLACK Matt Black Cover - 2 X 4 (Component)



ECP620 MATT BLACK Matt Black Cover - 4 X 4 (Component)



ECP615 MATT SILVER Matt Silver Cover - 2 X 4 (Component)



ECP621 MATT SILVER Matt Silver Cover - 4 X 4 (Component)

DUO = CHAMPAGNE AND CHARCOAL





ESW071/2 DUO

ESW001 WHITE ESW071 DUO 1 Lever 1 Way Switch - 2 X 4

ESW001/2 WHITE

1 Lever 2 Way Switch - 2 X 4

Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100





ESW002 WHITE ESW072 DUO 2 Lever 1 Way Switch - 2 X 4

ESW002/2 WHITE **ESW072/2 DUO**

2 Lever 2 Way Switch - 2 X 4

Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100





ESW003 WHITE ESW073 DUO

3 Lever 1 Way Switch - 2 X 4

ESW003/2 WHITE ESW073/2 DUO

3 Lever 2 Way Switch - 2 X 4

Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100





ESW004 WHITE

ESW074 DUO

4 Lever 1 Way Switch - 2 X 4

ESW004/2 WHITE **ESW074/2 DUO**

4 Lever 2 Way Switch - 2 X 4

Length: 126mm Width: 80mm

DUO = CHAMPAGNE AND CHARCOAL



ESW005 WHITE ESW075 DUO

1 Lever Switch - 4 X 4

Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50





ESW006 WHITE ESW076 DUO

2 Lever 1 Way Switch - 4 X 4

Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50





ESW007 WHITE ESW077 DUO

3 Lever 1 Way Switch – 4 X 4

Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50





ESW008 WHITE ESW078 DUO

4 Lever 1 Way Switch - 4 X 4

Length: 126mm Width: 126mm







ESW037 WHITE ESW087 DUO Door Bell Switch - 2 X 4

> Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100





ESW042 WHITE

HITE ESW092 DUO Fan Speed Control Light Switch - 2 X 4

Length: 126mm Width: 80mm

Inner Box Quantity: 5 Outer Box Quantity: 50



ESW033 WHITE ESW083 DUO Telephone Socket - 2 X 4 Length: 126mm Width: 80mm

> Inner Box Quantity: 10 Outer Box Quantity: 100





ESW041 WHITE ESW091 DUO Fan Speed Control - 2 X 4

Length: 126mm Width: 80mm

Inner Box Quantity: 5 Outer Box Quantity: 50



ESW043 WHITE Push Dimming Switch - 2 X 4

> Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100

Also Available: ECP642 DUO (Component)





ESW034 WHITE ESW084 DUO Computer Socket - 2 X 4 Length: 126mm Width: 80mm





ESW032 WHITE ESW082 DUO TV Socket - 2 X 4 Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100





ESW038 WHITE

ESW088 DUO

Satellite Socket - 2 X 4 Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100





ESW035 WHITE

ESW085 DUO

Double TV Socket - 2 X 4 Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100





ESW039 WHITE

ESW089 DUO

Double Satellite Socket - 2 X 4 Length: 126mm Width: 80mm

> Inner Box Quantity: 10 Outer Box Quantity: 100



ESW040 WHITE ESW090 DUO TV + Satellite Socket - 2 X 4 Length: 126mm Width: 80mm



ESW030 WHITE

ESW080 DUO

Blank Plate - 2 X 4

Length: 126mm Width: 80mm

Inner Box Quantity: 20 Outer Box Quantity: 200



ESW031 WHITE




ESW081 DUO

Blank Plate - 4 X 4

Length: 126mm Width: 126mm

PLUGS WITH USB PORTS



EPL323 WHITE EPL353 DUO 16 AMP Plug + 2 USB - 4 X 4

Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50





EPL324 WHITE EPL354 DUO

16 AMP Plug New RSA Socket + 2 USB - 4 X 4

> Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50





EPL331 WHITE EPL361 DUO

Schuko Plug - 4 X 4 16 AMP Plug, New RSA Socket + USB

> Length: 126mm Width: 126mm






EPL301 WHITE EPL349 DUO

16 AMP Plug - 2 X 4

Length: 80mm Width: 126mm

Inner Box Quantity: 10 Outer Box Quantity: 100





EPL320 WHITE EPL350 DUO

16 AMP Single Plug - 4 X 4

Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50





EPL321 WHITE EPL351 DUO

16 AMP Double Plug - 4 X 4

Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50






EPL322 WHITE EPL352 DUO

16 AMP Plug New RSA Socket - 4 X 4

> Length: 126mm Width: 126mm





EPL325 WHITE EPL355 DUO

16 AMP Plug 3 New RSA Sockets - 4 X 4

> Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50





EPL332 WHITE EPL362 DUO

Schuko Plug - 4 X 4 16 AMP Plug + New RSA Socket

> Length: 126mm Width: 126mm

Inner Box Quantity: 4 Outer Box Quantity: 40





EPL334 WHITE EPL364 DUO

Schuko Plug - 4 X 4 2 New RSA Sockets with 3 Switches

> Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50





EPL333 WHITE EPL363 DUO

2 New RSA Sockets with 2 Switches - 2 X 4

Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100



PLUGS, SWITCHES, COMPONENTS 3





EPL358 DUO



Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50





EPL327 WHITE EPL357 DUO 32A Double Pole Isolator - 2 X 4

Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100



EPL328 WHITE

16 AMP Dedicated Plug - 2 X 4

Length: 80mm Width: 126mm

Inner Box Quantity: 10 Outer Box Quantity: 100



ESW093 DUO 20 AMP Double Pole Isolator - 2 X 4

> Length: 126mm Width: 80mm

Inner Box Quantity: 10 Outer Box Quantity: 100

Also Available: ECP624 WHITE (Component)



EPL330 WHITE 16 AMP Double Dedicated Plug - 4 X 4

> Length: 126mm Width: 126mm

Inner Box Quantity: 5 Outer Box Quantity: 50



EPL329 WHITE EPL359 DUO 16 AMP Dedicated Plug - 4 X 4

> Length: 126mm Width: 126mm



ECP601 WHITE 1 Lever 1 Way Switch (Component)

ECP601/2 WHITE 1 Lever 2 Way Switch (Component)

> Length: 32mm Width: 22mm Box Quantity: 500



ECP635 DUO 1 Lever 1 Way Switch (Component)

ECP635/2 DUO 1 Lever 2 Way Switch (Component)

> Length: 32mm Width: 22mm Box Quantity: 100



ECP624 WHITE Double Pole Isolator Switch (Component)

> Length: 32mm Width: 22mm Box Quantity: 100



ECP640 DUO Double Pole Isolator Switch (Component)

> Length: 32mm Width: 22mm Box Quantity: 100



ECP641 WHITE Push Dimmer (Component)

Length: 32mm Width: 22mm Box Quantity: 100



ECP642 DUO Push Dimmer (Component)

> Length: 32mm Width: 22mm Box Quantity: 100

5					Ε,	J
					1	1
	E		_	5	1	
	P.	14		٩.		ļ
		1	П		1	

ECP606 WHITE Computer Plug (Component)

Length: 28mm Width: 20mm Box Quantity: 200



ECP637 DUO Computer Plug (Component)

> Length: 28mm Width: 20mm Box Quantity: 100



ECP605 WHITE TV Plug (Component)

Length: 22mm Width: 22mm Box Quantity: 200



ECP636 DUO TV Plug (Component)

> Length: 22mm Width: 22mm Box Quantity: 100

ECP622 WHITE Surface Mount Box

- 4 X 4 (Component)

Length: 126mm Width: 126mm Box Quantity: 60 ECP623 WHITE Surface Mount Box

- 2 X 4 (Component)

Length: 126mm Width: 80mm Box Quantity: 80



PORTABLE, EMERGENCY RECHARGEABLE TORCHES



BULB LED 923

T5 Portable Emergency Rechargeable Torch with USB Cable for Charging Magnetic Attachment Easy to carry and can be hung anywhere

> Material: PC Colour Temp: 6500K

Beam Angle: 120 Degrees RA: >70 Battery: 3600mA Lithium Battery Discharging Time: 3-5 Hours

3 Modes for Brightness: High Brightness: 3 Hours Low Brightness: 5 Hours Flashing: 3 Hours BULB LED 922 Lumen: 500 16 Pieces LED CCT Chips

Width: 25mm Length: 170mm

BULB LED 923 Lumen: 1050 56 Pieces LED CCT Chips

> Width: 25mm Length: 520mm











Includes: Flashlight Emergency Light Warning Light USB Charging Cable Portable Charging Source

Product Features:

Magnetic Impact Resistant 3 grade dimmable for brightness: Cool White, Warm White, Daylight 5V USB Powerbank Funtion Mobile phone Charging function 30 Hours of working hours

> Width: 35mm Length: 223mm

PORTABLE, EMERGENCY RECHARGEABLE TORCHES





BULB LED 905 WHITE LED Emergency Rechargeable Torch 2 Pin plug with 500mm connection cable

- 3W LED

Material: ABS Colour Temp: 6000K 40 Pieces LED Bulbs Battery: 2400mA Lead Acid Battery Beam Angle: 180 degrees 2 Levels Brightness Lumen: 100 / 200 Charging time: 15 Hours Discharge time: 4-8 Hours

> Width: 90mm Length: 270mm



BULB LED 925

LED Emergency Rechargeable Torch with slide handle 2 Pin plug with 500mm connection cable

- 2W + 10W LED

Material: ABS Colour Temp: 6000K Lumen: 200 / 500

48 Pieces LED Bulbs 2 Level Brightness Battery: 1200mA Lead Acid Battery Charging Time: 15 Hours Discharging Time: 1.5 - 8 Hours

> Width: 68mm Length: 215mm



1

BULB LED 906 WHITE

LED Emergency Rechargeable Torch with slide handle 2 Pin plug with 500mm connection cable

- 3W LED

Material: ABS Colour Temp: 6000K 60 Pieces LED Bulbs Battery: 1200mA Lead Acid Battery Discharging time: 3-5 Hours

> Width: 70mm Length: 245mm



BULB LED 924

LED Emergency Rechargeable Torch with slide handle 2 Pin plug with 500mm connection cable

- 6W LED

Material: ABS Colour Temp: 6000K Lumen: 100 / 300

30 Pieces LED Bulbs 2 Level Brightness Battery: 1200mA Lead Acid Battery Charging Time: 10 - 15 Hours Discharging Time: 4 - 10 Hours

> Width: 58mm Length: 154mm

PORTABLE, EMERGENCY RECHARGEABLE TORCHES



BULB LED 932 LED Rechargeable Emergency Light USB Charging Cable

- 5W LED

Material: ABS Colour Temp: 6000K Lumen: 50/250 1+20 Pieces LED Bulbs Battery: 1200mA Lithium Battery Charging Time: 5 Hours Discharging Time: Energy Saving Lamp: 3 Hours Focus Lamp: 8 Hours

> Width: 60mm Length: 145mm



BULB LED 936 LED Rechargeable Emergency Light with handle 12V DC Input Charging Jack 5V USB Output for Mobile Charging 2 pin plug with connection cord

> - 1 x 1W LED - 24 x 0.5W LED

Material: ABS Colour Temp: 6000K Lumen: 400/800 1+24 Pieces LED Bulbs 2 Level Brightness Battery: 4000Mah Lead Acid Battery Charging Time: 16 Hours Discharging Time: Strong Light: 15 Hours Soft Light: 30 Hours Focus Lamp: 80 Hours

> Width: 75mm Length: 180mm

BULB LED 935

LED Rechargeable Emergency Light 2 Pin Plug with Connection Cord stored in the back of the fitting

- 6W LED

Material: ABS Colour Temp: 6000K Lumen: 200/400 60 Pieces LED Bulbs 2 Level Brightness Battery: 1800mA Lithium Battery Charging Time: 12 Hours Discharging Time: Full Mode: 3 Hours Low Mode: 6 Hours

> Width: 56mm Length: 350mm



BULB LED 934 LED Rechargeable Emergency Light 2 Pin Plug with Connection Cord stored in the back of the fitting

- 3W LED

Material: ABS Colour Temp: 6000K Lumen: 100/300 30 Pieces LED Bulbs 2 Level Brightness Battery: 1200mA Lithium Battery Charging Time: 24 Hours Discharging Time: Full Mode: 3 Hours Low Mode: 6 Hours

> Width: 56mm Length: 192mm





EMERGENCY RECHARGEABLE LED BULBS



- 5W GU10 LED

Material: Plastic with Aluminium Lumen: 400

Beam Angle: 120 Degrees Battery: 500mA Lithium Battery Emergency Power lasts for 3 Hours: Wattage: 0.5W Lumen: 50

> Width: 50mm Height: 82mm

BULB LED 282 Colour Temp: 3000K **BULB LED 283** Colour Temp: 4000K

BULB LED 284

Colour Temp: 6000K



BULB LED 280 A60 Emergency Rechargeable Bulb

- 5W ES LED

Lampholder: ES Material: PC with Aluminium

> Colour Temp: 4000K Lumen: 375

16 Pieces SMD LED Beam Angle: 180 Degrees Battery: 1200mA Lithium Battery

Emergency Power lasts for 3 Hours: Wattage: 1.5W Lumen: 105

> Width: 60mm Height: 108mm



BULB LED 281 A60 Emergency Rechargeable Bulb

- 5W B22 LED

Lampholder: B22 Material: PC with Aluminium

> Colour Temp: 4000K Lumen: 375

16 Pieces SMD LED Beam Angle: 180 Degrees Battery: 1200mA Lithium Battery

Emergency Power lasts for 3 Hours: Wattage: 1.5W Lumen: 105

> Width: 60mm Height: 108mm



BULB LED 288 Replacement bulb for LS009/1 Solar Conversion Kit

- 12V DC LED E27 A60 Bulb

Colour Temp: 4000K Lumen: 400

> Width: 60mm Height: 110mm

EMERGENCY RECHARGEABLE LED BULBS



T8 LED Rechargeable Emergency Tube Not Dimmable Built-in Non-Isolated Battery

Material: Aluminium Lampbody with PC Cover Colour Temp: 6000K PF: >0.9 Beam Angle: 180 degrees Emergency Wattage: 3-4W Emergency Time: 2.5 - 3 Hours

BULB LED 290 - 9W LED

Lumen: 810

Length: 590mm Width: 26mm

Lumen: 1170 Length: 895mm

BULB LED 291

- 13W LED

Lumen: 1620 Length: 1200mm

Width: 26mm

BULB LED 292

- 18W LED

BULB LED 293 - 22W LED

Lumen: 1980

Length: 1500mm Width: 26mm

Length: 895mn Width: 26mm

Also Available: FTL015 WHITE

MAGNETIC LED MODULE EMERGENCY KIT



BULB LED 930 Magnetic LED Module Emergency Kit

- 12W

Colour Temp: 4000K Lumen: 1200

Emergency Power: 2W 200 Lumen Battery: LI 3.7V 1800mAh Charging Time: 6-8 Hours Emergency Time: 3 Hours

Diameter: 200mm



BULB LED 931 Magnetic LED Module Emergency Kit

- 20W

Colour Temp: 4000K Lumen: 2000

Emergency Power: 3W 300 Lumen Battery: LI 3.7V 2000mAh Charging Time: 6-8 Hours Emergency Time: 3 Hours

Diameter: 250mm

DIMMABLE CANDLE BULBS



BULB 700 - 42W C35 Energy Efficient Halogen Bulb Equivalent to 60W

E14 (SES) Lampholder 220V – 240V Material: Clear Glass Colour Temp: 2700K Lumen: 629

> Width: 35mm Height: 98mm



- 40W C35 **Carbon Filament Bulb** E14 (SES) Lampholder 220V - 240V Material: Amber Glass Colour Temp: 2200K

> Width: 35mm Height: 98mm



BULB 704

- 40W C35 Carbon Filament Twisted Bulb E14 (SES) Lampholder 220V – 240V Material: Amber Glass Colour Temp: 2200K

> Width: 35mm Height: 98mm



E14 (SES) Lampholder

BULB LED 190 Colour Temp: 4000K **BULB LED 191** Colour Temp: 2700K

> **Also Available:** BULB LED 130



E27 (ES) Lampholder

BULB LED 192 Colour Temp: 4000K **BULB LED 193** Colour Temp: 2700K



- 4.5W LED Filament Candle Bulb Dimmable 220V – 240V Material: Clear Glass Lumen: 400 PF: >0.9

Width: 35mm

Height: 91mm

BULB LED 194

Colour Temp: 4000K **BULB LED 195**

B22 Lampholder

Colour Temp: 2700K



E14 (SES) Lampholder

BULB LED 230 Colour Temp: 4000K

BULB LED 231 Colour Temp: 2700K



E27 (ES) Lampholder

BULB LED 232 Colour Temp: 4000K

BULB LED 233 Colour Temp: 2700K **B22 Lampholder**

BULB LED 234 Colour Temp: 4000K

BULB LED 235 Colour Temp: 2700K

- 4.5W LED Candle Bulb Dimmable 220V - 240V Material: Opal Glass Lumen: 400 PF: >0.9

> Width: 35mm Height: 100mm

CANDLE BULBS



- 5W LED Candle Bulb E14 (SES) Lampholder Not Dimmable 220V – 240V Material: Frosted Cover Lumen: 400

> Width: 37mm Height: 100mm

BULB LED 104 Colour Temp: 4000K

BULB LED 105 Colour Temp: 3000K

BULB LED 262 Colour Temp: 6000K



- 5W LED Candle Bulb E27 (ES) Lampholder Not Dimmable 220V – 240V Material: Frosted Cover Lumen: 400

> Width: 37mm Height: 100mm

BULB LED 133 Colour Temp: 3000K

BULB LED 134 Colour Temp: 4000K

BULB LED 264 Colour Temp: 6000K



 5W LED Candle Bulb B22 Lampholder Not Dimmable 220V – 240V
 Material: Frosted Cover Lumen: 400

> Width: 37mm Height: 100mm

BULB LED 106 Colour Temp: 4000K

BULB LED 107 Colour Temp: 3000K

BULB LED 263 Colour Temp: 6000K

BULB LED 130

- 4W Warm White LED Filament Candle Bulb E14 (SES) Lampholder Not Dimmable 220V – 240V Material: Clear Glass Colour Temp: 2700K Lumen: 400 Width: 35mm

Height: 100mm

Also Available: BULB LED 190 BULB LED 191

FLAME BULBS



- 5W LED Flame Bulb E14 (SES) Lampholder Not Dimmable 220V – 240V Material: Frosted Cover Lumen: 400

> Width: 37mm Height: 135mm

BULB LED 100 Colour Temp: 4000K

BULB LED 101 Colour Temp: 3000K



- 5W LED Flame Bulb E27 (ES) Lampholder Not Dimmable 220V – 240V Material: Frosted Cover Lumen: 400

> Width: 37mm Height: 135mm

BULB LED 135 Colour Temp: 3000K

BULB LED 136 Colour Temp: 4000K



- 5W LED Flame Bulb B22 Lampholder Not Dimmable 220V – 240V Material: Frosted Cover Lumen: 400

> Width: 37mm Height: 135mm

BULB LED 102 Colour Temp: 4000K

BULB LED 103 Colour Temp: 3000K



BULB LED 129

- 4W Warm White LED Filament Flame Bulb E14 (SES) Lampholder Not Dimmable 220V – 240V Material: Clear Glass Colour Temp: 2700K Lumen: 400

> Width: 35mm Height: 122mm



BULB 702

- 42W C35 Energy Efficient Halogen Flame Bulb Equivalent to 60W E14 (SES) Lampholder 220V – 240V Material: Clear Glass Colour Temp: 2700K Lumen: 629

> Width: 35mm Height: 120mm

T-LAMP AND TUBULAR BULBS











- 5W LED Bulb Lumen: 450

Width: 50mm Height: 96mm

- 9W LED Bulb Lumen: 810

Width: 60mm Height: 115mm BULB LED 223 - 13W LED Bulb Lumen: 1170

E27 (ES) Lampholder Material: PP and PBT Colour Temp: 4000K

> Width: 70mm Height: 122mm

BULB LED 224 - 24W LED Bulb Lumen: 2160

> Width: 100mm Height: 173mm

BULB LED 225 - 38W LED Bulb Lumen: 3420

> Width: 125mm Height: 215mm



- 7W Tubular LED

Material: PC with Aluminium Lumen: 560 Power Factor: >0.5 RA: >80

> Width: 37mm Height: 116mm

BULB LED 285 Colour Temp: 3000K

BULB LED 286 Colour Temp: 4000K

BULB LED 287 Colour Temp: 6000K



BULB LED 267 Energy Saving High-Bay LED Lamp

- 150W E40 Lampholder

Not Dimmable Do not use under a reflector 220V – 240V

Material: PP and Aluminium Colour Temp: 6000K Lumen: 12000 CRI: 80Ra

> Width: 170mm Height: 280mm

Also Available: BULB LED 273



BULB LED 273 Energy Saving High-Bay LED Lamp

- 100W E40 Lampholder

Not Dimmable Do not use under a reflector 220V – 240V

Material: PC and Aluminium Colour Temp: 6000K Lumen: 8330 CRI: 80Ra

> Width: 152mm Height: 265mm

Also Available: BULB LED 267

DIMMABLE G45 GOLFBALL BULBS



- 4.5W LED G45 Golf Ball E14 (SES) Lampholder Dimmable 220V – 240V Material: Clear Glass Lumen: 400 PF: >0.9

> Width: 45mm Height: 82mm

BULB LED 236 Colour Temp: 4000K BULB LED 237 Colour Temp: 2700K



BULB LED 242

- 4.5W LED G45 Golf Ball E14 (SES) Lampholder Dimmable 220V – 240V Material: Opal Glass Colour Temp: 4000K Lumen: 400 PF: >0.9

> Width: 45mm Height: 82mm



- 4.5W LED G45 Golf Ball E27 (ES) Lampholder Dimmable 220V – 240V Material: Clear Glass Lumen: 400 PF: >0.9

> Width: 45mm Height: 73mm

BULB LED 238 Colour Temp: 4000K BULB LED 239 Colour Temp: 2700K



BULB LED 243 - 4.5W LED G45 Golf Ball E27 (ES) Lampholder Dimmable 220V – 240V Material: Opal Glass Colour Temp: 4000K Lumen: 400 PF: >0.9

> Width: 45mm Height: 73mm

BULB 705

- 42W G45 Energy Efficient Halogen Frosted Golf Ball Bulb Equivalent to 60W E14 (SES) Lampholder Dimmable 220V – 240V Material: Frosted Glass Colour Temp: 2700K Lumen: 629

> Width: 45mm Height: 76mm



- 4.5W LED G45 Golf Ball B22 Lampholder Dimmable 220V – 240V Material: Clear Glass Lumen: 400 PF: >0.9

> Width: 45mm Height: 73mm

BULB LED 240 Colour Temp: 4000K BULB LED 241 Colour Temp: 2700K



BULB LED 244

- 4.5W LED G45 Golf Ball B22 Lampholder Dimmable 220V – 240V Material: Opal Glass Colour Temp: 4000K Lumen: 400 PF: >0.9

> Width: 45mm Height: 73mm

G45 GOLFBALL BULBS



BULB LED 153 - 4W LED G45 Golf Ball E14 (SES) Lampholder Not Dimmable 220V – 240V Material: Clear Glass Colour Temp: 2700K Lumen: 360

> Width: 45mm Height: 84mm



BULB LED 154 - 4W LED G45 Golf Ball E27 (ES) Lampholder Not Dimmable 220V – 240V Material: Clear Glass Colour Temp: 2700K Lumen: 360

> Width: 45mm Height: 81mm



BULB LED 155

- 4W LED G45 Golf Ball B22 Lampholder Not Dimmable 220V – 240V Material: Clear Glass Colour Temp: 2700K Lumen: 360

> Width: 45mm Height: 80mm



 - 5W LED Frosted Golf Ball E14 (SES) Lampholder Not Dimmable 220V – 240V
 Material: PVC and Aluminium with Frosted Cover Lumen: 400

> Width: 45mm Height: 79mm

BULB LED 119 Colour Temp: 4000K

BULB LED 120 Colour Temp: 2700K



- 5W LED Frosted Golf Ball E27 (ES) Lampholder Not Dimmable 220V – 240V Material: PVC and Aluminium with Frosted Cover Lumen: 400

> Width: 45mm Height: 73mm

BULB LED 121 Colour Temp: 4000K

BULB LED 122 Colour Temp: 3000K



DIMMABLE A60 BULBS



- 8W LED A60 Filament Bulb E27 (ES) Lampholder Dimmable 220V – 240V

> Material: Clear Glass Lumen: 800 PF: >0.9

> > Width: 60mm Height: 106mm

BULB LED 245 Colour Temp: 4000K

BULB LED 246 Colour Temp: 2700



- 8W LED A60 Filament Bulb B22 Lampholder Dimmable 220V – 240V

> Material: Clear Glass Lumen: 800 PF: >0.9

> > Width: 60mm Height: 106mm

BULB LED 247 Colour Temp: 4000K

BULB LED 248 Colour Temp: 2700K



BULB LED 249 - 8W LED A60 Bulb E27 (ES) Lampholder Dimmable 220V - 240V

Material: Opal Glass Colour Temp: 4000K Lumen: 800 PF: >0.9

> Width: 55mm Height: 106mm



BULB LED 250

- 8W LED A60 Bulb B22 Lampholder Dimmable 220V – 240V

Material: Opal Glass Colour Temp: 4000K Lumen: 800 PF: >0.9

> Width: 60mm Height: 106mm

Energy Efficient Halogen Bulb Equivalent to 60W E27 (ES) Lampholder Dimmable 220V – 240V Material: Clear Glass Colour Temp: 2700K

> Width: 60mm Height: 106mm

BULB 707 - 42W A60 Lumen: 629

BULB 708 - 70W A60 Lumen: 1177

A60 BULBS



- 9W LED A60 Frosted Bulb E27 (ES) Lampholder 220V – 240V Material: Plastic Lumen: 806 PF: >0.5

> Width: 60mm Height: 112mm

BULB LED 115 Colour Temp: 4000K

BULB LED 116 Colour Temp: 2700K

BULB LED 265 Colour Temp: 6000K



- 9W LED A60 Frosted Bulb B22 Lampholder 220V – 240V Material: Plastic Lumen: 806 PF: >0.5

> Width: 60mm Height: 112mm

BULB LED 117 Colour Temp: 4000K

BULB LED 118 Colour Temp: 2700K

BULB LED 266 Colour Temp: 6000K



Full Vision LED Bulb E27 (ES) Lampholder Not Dimmable 220V – 240V Material: Ceramic and Frosted Glass Beam Angle: 360 degrees

> Width: 60mm Height: 105mm

BULB LED 162 - 6W Warm White Colour Temp: 2700K Lumen: 500

BULB LED 164 - 8W Cool White Colour Temp: 4000K Lumen: 700



Full Vision LED Bulb B22 Lampholder Not Dimmable 220V – 240V Material: Ceramic and Frosted Glass Beam Angle: 360 degrees

> Width: 60mm Height: 105mm

BULB LED 163

- 6W Warm White Colour Temp: 2700K Lumen: 500

BULB LED 165 - 8W Cool White Colour Temp: 4000K Lumen: 700



BULB LED 131

- 4W Warm White LED Filament Bulb E27 (ES) Lampholder Not Dimmable 220V – 240V Material: Clear Glass Colour Temp: 2700K Lumen: 400

> Width: 60mm Height: 98mm



BULB LED 132

- 4W Warm White LED Filament Bulb B22 Lampholder Not Dimmable 220V – 240V Material: Clear Glass Colour Temp: 2700K Lumen: 400

> Width: 60mm Height: 98mm

SENSOR BULBS

DAY/NIGHT LIGHT SENSOR



BULB LED 251

- 9W LED A60 Bulb with Day/Night Light Sensor E27 (ES) Lampholder 220V – 240V

Material: Opal Plastic Colour Temp: 4000K Lumen: 800 Beam Angle: 240 Degrees PF: >0.5 CRI: >80

> Width: 60mm Height: 110mm

BULB LED 252

- 9W LED A60 Bulb with Day/Night Light Sensor B22 Lampholder 220V – 240V

Material: Opal Plastic Colour Temp: 4000K Lumen: 800 Beam Angle: 240 Degrees PF: >0.5 CRI: >80

> Width: 60mm Height: 110mm



MOTION SENSOR

BULB LED 253 - 9W LED A60 Bulb

with Motion Sensor E27 (ES) Lampholder 220V – 240V

Material: Opal Plastic Colour Temp: 4000K Lumen: 800 Beam Angle: 240 Degrees PF: >0.5 CRI: >80 Delay Time: 30-45s

> Width: 60mm Height: 110mm



BULB LED 254

- 9W LED A60 Bulb with Motion Sensor B22 Lampholder 220V – 240V

Material: Opal Plastic Colour Temp: 4000K Lumen: 800 Beam Angle: 240 Degrees PF: >0.5 CRI: >80 Delay Time: 30-45s

> Width: 60mm Height: 110mm





BULB LED 916 LED Toilet Light with Motion and Light Sensor Fits any Toilet

- 0.1W LED (Included)

Lightbowl only works in the dark when it detects movement It will turn on and stay on for 2 minutes after last movement The lightbowl will work best if facing the door 8 Colours in One Device. One button control to set single colour or colour rotation

3 x AAA batteries (Not Included)

Width: 65mm Height: 100mm

SPOTLIGHT BULBS



BULB 719

- 42W R50 Energy Efficient Halogen Bulb Equivalent to 60W E14 (SES) Lampholder 220V – 240V Material: Mirror Glass Colour Temp: 2700K Lumen: 375

> Width: 50mm Height: 84mm



BULB 720 - 70W R63 Energy Efficient Halogen Bulb Equivalent to 90W E27 (ES) Lampholder 220V – 240V Material: Mirror Glass Colour Temp: 2700K Lumen: 717

> Width: 63mm Height: 100mm



BULB 721

- 70W R80 Energy Efficient Halogen Bulb Equivalent to 90W E27 (ES) Lampholder 220V – 240V Material: Mirror Glass Colour Temp: 2700K Lumen: 717

> Width: 80mm Height: 114mm



BULB LAVA LAMP - 20W

- 25W - 25W Material: Mirror Glass Colour Temp: 4000K

> Width: 37mm Height: 84mm



- 4.5W R50 LED Bulb E14 (SES) Lampholder Not Dimmable 220V – 240V Material: Plastic Lumen: 360

> Width: 50mm Height: 85mm

BULB LED 112 Colour Temp: 4000K

BULB LED 113 Colour Temp: 2700K



BULB LED 172 - 10W LED ES Retrofit Lamp

220V – 240V Material: Metal and Plastic Colour Temp: 2700K Lumen: 650

> Width: 156mm Height: 142mm

DIMMABLE G80 AND G125 BULBS



BULB LED 269 - 8W G80 E27 (ES) Lampholder Dimmable 220V - 240V

Material: Opal Glass Colour Temp: 4000K Lumen: 800

> Width: 80mm Height: 120mm



BULB LED 270 - 8W G80

B22 Lampholder Dimmable 220V – 240V

Material: Opal Glass Colour Temp: 4000K Lumen: 800

> Width: 80mm Height: 120mm



BULB LED 271

- 8W G125 E27 (ES) Lampholder Dimmable 220V – 240V

Material: Opal Glass Colour Temp: 4000K Lumen: 800

> Width: 125mm Height: 175mm



BULB LED 272

- 8W G125 B22 Lampholder Dimmable 220V – 240V

Material: Opal Glass Colour Temp: 4000K Lumen: 800

> Width: 125mm Height: 175mm

G80 AND G125 BULBS

- 9W Cool White LED Filament Bulb

E27 (ES) Lampholder 220V – 240V Material: Clear Glass Colour Temp: 4000K Lumen: 950

> Width: 125mm Height: 165mm

BULB LED 167

- 9W Cool White LED Filament Bulb B22 Lampholder 220V – 240V Material: Clear Glass Colour Temp: 4000K Lumen: 950

> Width: 125mm Height: 165mm

BULB 710 - 60W G80

Carbon Filament Bulb E27 (ES) Lampholder 220V – 240V Material: Amber Glass Colour Temp: 2200K

> Width: 80mm Height: 120mm

BULB 712

- 60W G125 Carbon Filament Bulb E27 (ES) Lampholder 220V – 240V Material: Amber Glass Colour Temp: 2200K

> Width: 125mm Height: 175mm

BULB 711 - 70W G80

Energy Efficient Halogen Bulb Equivalent to 90W E27 (ES) Lampholder 220V – 240V Material: Opal Glass Colour Temp: 2700K Lumen: 1177

> Width: 80mm Height: 120mm

BULB 713

- 70W G125 Energy Efficient Halogen Bulb Equivalent to 90W E27 (ES) Lampholder 220V – 240V Material: Opal Glass Colour Temp: 2700K Lumen: 1177

> Width: 125mm Height: 175mm

G80 AND G125 BULBS

GU10 AND GU10 SIZE BULBS



BULB LED 140

- 5W LED Bulb (E27) ES Lampholder Not Dimmable 220V – 240V Material: Plastic Colour Temp: 4000K Lumen: 400

> Width: 50mm Height: 75mm

GU10 Lampholder Not Dimmable 220V – 240V Material: PVC with Frosted Cover

> Width: 50mm Height: 57mm

- 5W LED Bulb Lumen: 400

BULB LED 197 Colour Temp: 3000K

BULB LED 198 Colour Temp: 4000K

BULB LED 260 Colour Temp: 6000K over

- 7W LED Bulb Lumen: 560

BULB LED 199 Colour Temp: 3000K

BULB LED 200 Colour Temp: 4000K

BULB LED 261 Colour Temp: 6000K

GU10 DIMMABLE BULBS



8 6

- 5W LED Bulb GU10 Lampholder Dimmable 220V – 240V Material: Plastic Lumen: 400

Width: 50mm Height: 53mm

BULB LED 145 Colour Temp: 4000K

BULB LED 146 Colour Temp: 3000K

BULB LED 268 Colour Temp: 6000K



BULB 727

2 in 1 Blister Pack GU10 Lampholder Closed Diacroic Dimmable 220V - 240

- 50W GU10

Material: Aluminium Colour Temp: 2700K Lumen: 550

LED



- 6W ST64 Warm White LED Filament Bulb E27 (ES) Lampholder 220V – 240V Material: Amber Glass Colour Temp: 2700K Lumen:600 PF: >0.5

> Width: 64mm Height: 143mm

BULB LED 157 Not Dimmable

BULB LED 196 Dimmable

SHAPED FILAMENT BULBS



BULB 714 - 60W ST58 Carbon Filament Bulb E27 (ES) Lampholder 220V – 240V Material: Amber Glass Colour Temp: 2200K

> Width: 58mm Height: 131mm



BULB 715 - 60W ST64 Carbon Filament Nipple Lantern Bulb E27 (ES) Lampholder 220V – 240V Material: Amber Glass Colour Temp: 2200K

> Width: 65mm Height: 140mm



BULB 716 - 40W T45 Carbon Filament Lantern Bulb E27 (ES) Lampholder 220V – 240V Material: Amber Glass Colour Temp: 2200K

> Width: 45mm Height: 111mm



BULB 718

- 60W T30 Carbon Filament Bulb E27 (ES) Lampholder 220V – 240V Material: Amber Glass Colour Temp: 2200K

> Width: 30mm Height: 185mm

G4 AND G9 BULBS





BULB 723 - 40W G9 Halogen Lamp 2 in 1 Blister Pack 220V - 240V Material: Frosted Glass Colour Temp: 2700K Lumen: 340

> Width: 13mm Height: 43mm





- 3.5W G9 LED Bulb Dimmable 220V - 240V Lumen: 250

> Width: 18mm Height: 48mm

BULB LED 110 Colour Temp: 4000K

BULB LED 111 Colour Temp: 2700K





BULB LED 156 - 3W G9 Warm White LED Bulb Not Dimmable 220V - 240V Material: Plastic Colour Temp: 2700K Lumen: 300

> Width: 16mm Height: 49mm





- 1.5W G4 LED Bulb 2 in 1 Blister Pack 12V Dimmable Material: Silicon Lumen: 80 Beam Angle: 360 degrees

> Width: 8mm Height: 36mm

BULB LED 108 Colour Temp: 6000K

BULB LED 109 Colour Temp: 3000K



Halogen Lamp 2 in 1 Blister Pack 12V Material: Frosted Glass Colour Temp: 2700K

> Width: 8mm Height: 32mm

BULB 724 - 10W G4 Lumen: 80

BULB 725 - 20W G4 Lumen: 180



LED CONVERSION KITS

MAGNETIC CONVERSION KIT CONVERTS YOUR CEILING FITTING TO LED



- 12W LED Lumen: 950

Width: 65mm

BULB LED 913 Colour Temp: 3000K

BULB LED 907 Colour Temp: 4000K

BULB LED 910 Colour Temp: 6000K



- 24W LED Lumen: 1900

Width: 65mm Height: 120mm

BULB LED 915 Colour Temp: 3000K

BULB LED 909 Colour Temp: 4000K

BULB LED 912 Colour Temp: 6000K



- 18W LED Lumen: 1400

Width: 80mm

BULB LED 914 Colour Temp: 3000K

BULB LED 908 Colour Temp: 4000K

BULB LED 911 Colour Temp: 6000K



- 36W LED Lumen: 2800

Width: 80mm Height: 160mm

BULB LED 918 Colour Temp: 3000K

BULB LED 919 Colour Temp: 4000K

BULB LED 920 Colour Temp: 6000K

T5 AND T8 BULBS

2

Lumen: 1200

T5 FLUORESCENT TUBE

- 14W Length: 550mm
- 24W Length: 550mm
- 28W Length: 1105mm
- 55W Length: 1105mm



Standby Mode: No Light without Detecting Moving Object

LED Starter Included

Installation Distance: At least 2M between each Tube

T5 AND T8 BULBS

(Emms

they.

-9

R7S BULBS



BULB LED 187 - 7.5W LED R7S Bulb Dimmable

Material: Aluminium and PC CRI>80 Beam Angle: 360°

> Colour Temp: 4000K Lumen: 830

> > Length: 118mm Width: 25mm



BULB R7S

- 24W Cool White Energy Saving Bulb to replace a 300W and 500W Halogen Tube Can be used with Sensor Not Dimmable Material: Plastic and Glass

> Lumen: 1200 Lamp Holder: 118mm

GROW LIGHTING BULBS



Due to the size of these tubes, they are perfect to fit Grow Shelves. They can also be used in conjunction with PEN014 to hang tubes between the plants. These tubes are perfect for leafy greens and vegetables.

BULB LED 205

- 9W T8 Full Spectrum LED Grow Tube, IP20 Not Dimmable Input Voltage: 220-240V Material: Glass Tube

> PPF: >13.5umol@0.5M Par/W: 0.5mW@0.5M PPE: >1.5umol/s/W PF: >0.9 @10cm: PPFD 60

> > Length: 590mm Width: 26mm

BULB LED 206

- 18W T8 Full Spectrum LED Grow Tube, IP20 Not Dimmable Input Voltage: 220-240V Material: Glass Tube

> PPF: >35umol@0.5M Par/W: 0.5mW@0.5M PPE: >1.9umol/s/W PF: >0.9 @10cm: PPFD 120

> > Length: 1199mm Width: 26mm

BULB LED 207

This bulb is mainly for residential use. It is ideal for all phases of small indoor plant growth LED PAR38 Grow Bulb, Red and Blue Wavelength, IP65

- 15W ES (E27) LED and Driver (Included) Not Dimmable

Material: Die Cast Aluminium and High Light Transmission Lens, Rubber Seal LED Quantity: 24 Pieces 3030 SMD Lumen: 30 LM/W Beam Angle: 30 degrees

Full Spectrum of Ratio: 620-630nm/650-670nm/730-750nm/390-410nm/430-450nm/460-470nm Par Value (PPFD): 154umol@0.3M, 62umol@0.5M Lighting Coverage: 0.3M@0.31m2, 0.5M@0.65m2

Width: 120mm Height: 127mm

LED STRIP LIGHTS




BULB LED 900

5 Meter Flexible LED Strip Light with self adhesive backing Min. cutting length every 3rd LED (5cm apart) Lumen: 3-4W/LED 12V DC IP20 SMD: 3528 60 LED

> Colour: White Colour Temp: 4000K Length of Strip: 5000mm Width of Strip: 8mm LED per Meter: 60 pieces Beam Angle: 270 degrees 10 000 Hours

Includes: 1 x 5000mm Flexible Strip Light 1 x 18W Wall Mounted Driver



BULB LED 901 5 Meter Flexible Silicon Gel Insulated LED Strip Light with self adhesive backing Min. cutting length every 3rd LED (5cm apart) Lumen: 3-4W/LED 12V DC

IP65 SMD: 3528 60 LED

Colour: White Colour Temp: 4000K Length of Strip: 5000mm Width of Strip: 8mm LED per Meter: 60 pieces Beam Angle: 270 degrees 10 000 Hours

Includes: 1 x 5000mm Flexible Strip Light 1 x 18W Wall Mounted Driver

LED STRIP LIGHTS



BULB LED 902

5 Meter Flexible LED RGB Strip Light with self adhesive backing Min. cutting length every 3rd LED (10cm apart) 12V DC IP20 SMD: 5050 30 LED

> Colour: RGB Colour Temp: 4000K Length of Strip: 5000mm Width of Strip: 10mm LED per Meter: 30 pieces Beam Angle: 270 degrees 10 000 Hours

Includes: 1 x 5000mm Flexible Strip Light 1 x RGB Remote Control 1 x RGB Control Box 1 x 36W Wall Mounted Driver 1 X AC/DC Adapter





CEILING FITTINGS & WALL BRACKETS



BATTERY BACKUP EMERGENCY LIGHTING



Emergency Light, IP54

 - 18W LED (Included)
 - 3W When Emergency Material: ABS
 Colour Temp: 6000K

Features:

Emergency and Automatic Light Up Can be used as both emergency fitting as well as general lighting During normal use the emergency lamp is connected to the power supply Must have a permanent live wire to charge the battery In the case of a power outage it will turn on automatically When product is in emergency mode, battery backup bypasses on/off switch

> Wall mounted, ceiling or suspended installations Rechargeable Battery: Lithium 3.6V Emergency Duration Time: 1.5 Hours Charging Time: 18-24 Hours Overcharge and over-discharge protection

> > Diameter: 280 Height: 90mm



- 1.5W LED (Included) Colour Temp: 6000K Lumen: 100 Material: ABS

Features:

Emergency and Automatic Light Up Can only be used as an emergency fitting Not for normal general lighting Must have a permanent live wire to charge the battery In the case of a power outage it will turn on automatically and will switch off when power is restored.

Wall mounted, ceiling or suspended installations Rechargeable Battery: Lithium 3.6V Emergency Duration Time: 3 Hours Charging Time: 20 Hours Overcharge and over-discharge protection Red Light Charge Indicator

> Length: 359mm Width: 137mm Depth: 82mm

CF134 EMERGENCY

Emergency Light, IP30

- 3W LED (Included) Colour Temp: 6000K Lumen: 104 Material: Cream White ABS

Features:

Emergency and Automatic Light Up Can only be used as an emergency fitting Not for normal general lighting Must have a permanent live wire to charge the battery In the case of a power outage it will turn on automatically and will switch off when power is restored.

Wall mounted, ceiling or suspended installations Rechargeable Battery: Ni-CD 3.6V Emergency Duration Time: 3 Hours Charging Time: 18-24 Hours Overcharge and over-discharge protection

> Length: 285mm Width: 120mm Depth: 50mm

LED

STARLIGHT PATTERNED POLYCARBONATE COVERS

LED Hexagonal Polycarbonate Fitting with Starlight Patterned Polycarbonate Cover Bayonet Lock, 1 x LED Driver (Included), IP20

CF255 COOL

- 12W LED (Included) Colour Temp: 4000K Lumen: 800

> Diameter: 260mm Height: 60mm

CF256 COOL

- 18W LED (Included) Colour Temp: 4000K Lumen: 1200

> Diameter: 360mm Height: 70mm

CF257 COOL

- 24W LED (Included) Colour Temp: 4000K Lumen: 1700

> Diameter: 395mm Height: 72mm



LED Polycarbonate Fitting with Starlight Patterned Polycarbonate Cover Bayonet Lock, IP20 1 x Electronic Driver (Included) Colour Temp: 6000K

CF012

- 12W LED (Included) Lumen: 800mm Diameter: 260mm

CF013

- 18W LED (Included) Lumen: 1200mm Diameter: 330mm

CF014

- 24W LED (Included) Lumen: 1700mm Diameter: 385mm LED Aluminium Fitting with Starlight Patterned Polycarbonate Cover 1 x Electronic Driver (Included) Bayonet Lock Colour Temp: 6000K

CF053 ALUMINIUM

- 12W LED (Included) Lumen: 1260 Diameter: 215mm Height: 60mm

CF054 ALUMINIUM

- 18W LED (Included) Lumen: 1890 Diameter: 262mm Height: 60mm

CF055 ALUMINIUM

- 24W LED (Included) Lumen: 2520 Diameter: 320mm Height: 60mm

LED



LED Metal Base with Polycarbonate PC Cover, Bayonet Lock 1 x LED Driver (Included) IP20

- 12W LED (Included) Lumen: 800 Diameter: 260mm Height: 58mm

CF246 WARM Colour Temp: 2700K

CF249 COOL Colour Temp: 4000K - 18W LED (Included) Lumen: 1200 Diameter: 330mm Height: 60mm

CF247 WARM Colour Temp: 2700K

CF250 COOL Colour Temp: 4000K - 24W LED (Included) Lumen: 1700 Diameter: 380mm Height: 60mm

CF251 COOL Colour Temp: 4000K

LED, Polycarbonate Cheese Fitting, IP20 CRI > 70 PF > 0.9

- 10W LED (Included) Lumen: 700 Diameter: 125mm Height: 24mm

CF730 WARM Colour Temp: 3000K - 15W LED (Included) Lumen: 1000 Diameter: 153mm Height: 24mm

CF731 WARM Colour Temp: 3000K

CF734 COOL Colour Temp: 4000K - 20W LED (Included) Lumen: 1400 Diameter: 200mm Height: 29mm

CF732 WARM Colour Temp: 3000K

CF735 COOL Colour Temp: 4000K

LED

EASY INSTALLATION CEILING FITTING

Polycarbonate Fitting 1 x Electronic Driver (Included) Colour Temp: 4000K CRI >70 PF >0.5



Height: 40mm

CF046/9 - 9W LED (Included) - 1 Lumen: 810 Diameter: 95mm

CF047/13 - 13W LED (Included) Lumen: 1170 Diameter: 120mm Height: 40mm

CF048/18 - 18W LED (Included) Lumen: 1620

Diameter: 150mm

Height: 40mm

CF049/24

- 24W LED (Included) Lumen: 2160 Diameter: 180mm Height: 40mm



- 36W LED (Included) Lumen: 3240 Diameter: 230mm Height: 40mm



LED, ABS Ceiling Fitting, IP33 1 x Electronic Driver (Included) Material: ABS Colour Temp: 4000K CRI: 70 PF: >0.5

CF564 MATT BLACK

- 38W LED (Included) Lumen: 3240 Diameter: 400mm Height: 25mm

CF566 MATT BLACK

- 48W LED (Included) Lumen: 4320 Diameter: 500mm Height: 25mm

Also Available: CF565 MATT WHITE CF567 MATT WHITE LED, ABS Ceiling Fitting, IP33 1 x Electronic Driver (Included) Material: ABS Colour Temp: 4000K CRI: 70 PF: >0.5

CF565 MATT WHITE

- 38W LED (Included) Lumen: 3240 Diameter: 400mm Height: 25mm

CF567 MATT WHITE

- 48W LED (Included) Lumen: 4320 Diameter: 500mm Height: 25mm

Also Available: CF564 MATT BLACK CF566 MATT BLACK

LED

LED Polycarbonate Fitting Bayonet Lock, IP20 1 x Electronic Driver (Included) Colour Temp: 6000K

CF364


- 12W LED (Included) Lumen: 800 Diameter: 260mm

CF365 - 18W LED (Included) Lumen: 1200 Diameter: 330mm

CF366

- 24W LED (Included) Lumen: 1700 Diameter: 385mm

Also Available: CF121, CF122, CF123



CF121 ES

- 1 x ES (E27) LED Only Diameter: 260mm Height: 85mm

CF122 ES

- 2 x ES (E27) LED Only Diameter: 325mm Height: 105mm

CF123 ES

- 2 x ES (E27) LED Only Diameter: 375mm Height: 105mm

Also Available: CF364, CF365, CF366

LED, Metal base with Polycarbonate Cover - 12W LED Lumen: 750 Diameter: 260mm Height: 70mm

> CH002 SMALL COOL Colour Temp: 4000K

CH006 SMALL WARM Colour Temp: 2700K LED, Metal base with Polycarbonate Cover - 18W LED Lumen: 1100 Diameter: 340mm Height: 75mm

CH002 LARGE COOL Colour Temp: 4000K

CH006 LARGE WARM Colour Temp: 2700K

LED





CF344 LED

LED, Opal PVC Fitting, IP20

- 24W LED (Included)

Colour Temp: 6000K Lumen: 1700 CRI: >80 PF: >0.5 Beam Angle: 120 degrees

> Diameter: 380mm Height: 50mm

CF345 LED

CF347 LED



CF335 LED

- 12W LED (Included)

Colour Temp: 6000K Lumen: 780 CRI: >70 PF: >0.5 Beam Angle: 120 degrees

> Diameter: 260mm Height: 90mm

CF336 LED

CF338 LED Diameter: 260mm Height: 55mm



LED

WITH BLUETOOTH SPEAKER



CF131 CCT ABS Ceiling Fitting with Blue Backlight Includes a Remote Control

> - 80W LED (Included) Electronic Driver (Included) Colour Temp: 3000K – 6000K Lumen: 4800 CR: >80 PF: >0.9

> > Diameter: 460m Height: 70mm

CF083 LED

Metal Ceiling Fitting with Opal Polycarbonate Cover and Bluetooth Speaker

> - 24W LED (Included) 1 x Electronic Bluetooth Driver Colour Temp: 4000K Lumen: 1700 Beam Angle: 120 degrees PF: >0.5

> > Diameter: 380mm Height: 100mm



CF569 WHITE

LED Ceiling Fitting with Infinity Mirror

 80W LED (Included)
 2 x Electronic Drivers (Included)
 Material: Aluminium and Acrylic Colour Temp: 4000K

> Diameter: 500mm Height: 75mm

CF372 CCT LED

LED, Metal Base with PVC Cover, with CCT Switch on Driver Bayonet Lock

- 48W LED (Included) - 1 x LED Driver (Included) Colour Temp: 3000K, 4000K, 6000K Lumen: 3120

> Diameter: 480mm Height: 50mm

LED



CF170 WHITE Metal Ceiling Fitting with Brown and White Acrylic Cover

> - 24W LED (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 1500 CRI > 70, PF > 0.8

> > Base: 355mm Width: 415mm Depth: 75mm



with White Acrylic Cover

- 24W LED 1 x Electronic Transformer (Included) Colour Temp: 4000K Lumen: 1500 CRI > 70, PF > 0.8

> Base: 355mm Width: 400mm Depth: 75mm

CF172 WHITE Metal Ceiling Fitting with White Acrylic Cover

- 24W LED 1 x Electronic Transformer (Included) Colour Temp: 4000K Lumen: 1500 CRI > 70, PF > 0.8

> Base: 350mm Width: 400mm Depth: 75mm



CF723

LED Ceiling Fitting with Metal Base Frosted Glass and Chrome Clips Colour Temp: 3500K

- Large: 34W LED (Included) Lumen: 1600 Width: 300mm
- Small: 16W LED (Included) Lumen: 900 Width: 250mm



CF725

LED Ceiling Fitting with Metal Base Patterned Frosted Glass and Chrome Clips Colour Temp: 3500K

> Large: - 34W LED (Included) Lumen: 1600 Width: 300mm

Small: - 16W LED (Included) Lumen: 900 Width: 250mm

LED



Polycarbonate Ceiling Fitting

Bayonet Lock, IP54

Colour Temp: 4000K

CRI: >80

PF: >0.85

CF124 WHITE

- 15W LED

Lumen: 1800

Diameter: 160mm

Height: 60mm

CF127 WHITE

- 20W LED

Lumen: 2400

Diameter: 220mm

Height: 65mm



Polycarbonate Ceiling Fitting Bayonet Lock, IP54

> Colour Temp: 4000K CRI: >80 PF: >0.85

CF125 LIGHT WOOD

- 15W LED Lumen: 1800 Diameter: 160mm Height: 60mm

CF128 LIGHT WOOD

- 20W LED Lumen: 2400 Diameter: 220mm Height: 65mm Polycarbonate Ceiling Fitting Bayonet Lock, IP54

> Colour Temp: 4000K CRI: >80 PF: >0.85

CF126 WOOD

- 15W LED Lumen: 1800 Diameter: 160mm Height: 60mm

CF130 WOOD

- 20W LED Lumen: 2400 Diameter: 220mm Height: 65mm

CF370 LED, Polycarbonate Fitting

- 24W LED (Included)

Colour Temp: 6300K Lumen: 1800

Diameter: 340mm

CF017 WHITE

LED, Metal Ceiling Fitting with Polycarbonate Cover Bayonet Lock

1 x LED Power Supply (Included)

Colour Temp: 6000K

Large: - 24W LED Lumen: 1600 Diameter: 370mm

Small: - 18W LED Lumen: 1200 Diameter: 320mm

LED



Aluminium with PC Cover 1 x Electronic Driver (Included) Colour Temp: 4000K

CF535

- 6W LED (Included) Lumen: 400 Diameter: 120mm Height: 32mm

CF536

- 12W LED (Included) Lumen: 780 Diameter: 170mm Height: 32mm

Colours Available: Chrome, Matt Black, Satin, White

2 IN 1 - EITHER SURFACE OR RECESSED





Polycarbonate 2 in one Design Surface Mounted or Recessed Fitting

1 x Built in Electronic Driver (Included) Material: PC and PS Colour Temp: 4000K

CF537

- 9W LED (Included) Lumen: 760 Diameter: 120mm Height: 43mm Cut out: 90mm

CF538

- 18W LED (Included) Lumen: 1530 Diameter: 170mm Height: 43mm Cut out: 140mm

Colours Available: Matt Black, Silver, White





LED



CF545 LED

Polished Chrome with PC Cover Can Convert to Dimmable 1 x Electronic Driver (Included) Temp: 4000K

- Large: 24W LED (Included) Lumen: 1680 Width: 300mm Height: 40mm
- Small: 18W LED (Included) Lumen: 1260 Width: 225mm Height: 40mm

CF546 LED

Satin Chrome with PC Cover Can Convert to Dimmable 1 x Electronic Driver (Included)

Large: - 24W LED (Included) Lumen: 1680 Width: 300mm Height: 40mm

Small: - 18W LED (Included) Lumen: 1260 Width: 225mm Height: 40mm



CF544 LED

White Aluminium with PC Cover

Can Convert to Dimmable

1 x Electronic Driver (Included)

Temp: 4000K

Large: - 24W LED (Included)

Lumen: 1680

Width: 300mm

Height: 40mm

Small: - 18W LED (Included)

Lumen: 1260

Width: 225mm

Height: 40mm

CF550 BLACK

Black Aluminium with PC Cover Can convert to Dimmable 1 x Electronic Driver (Included) Colour Temp: 4000K

Large: - 24W LED (Included) Lumen: 1680 Width: 295mm Height: 32mm

Small: - 18W LED (Included) Lumen: 1260 Width: 220mm Height: 32mm

CF548 LED

White Aluminium Alloy with Polycarbonate Cover 1 x Electronic Driver (Included) Temp: 4000K and Blue LED

> Large: - 24W LED (Included) Lumen: 1260 Width: 248mm Height: 40mm

> Small: - 16W LED (Included) Lumen: 840 Width: 198mm Height: 40mm

On Wall Switch: Press Once: Outer Blue LED switch on Press Twice: Inner White LED switch on Press 3 times: Both Outer Blue & Inner White LED switch on



LED Polycarbonate Fitting Includes LED Power Supply Colour Temp: 6300K

CF367

- 16W LED (Included) Lumen: 1200 Diameter: 350mm

CF368 - 22W LED (Included) Lumen: 1650 Diameter: 390mm LED, Polycarbonate Fitting Colour Temp: 6300K

CF375

- 12W LED (Included) Lumen: 840 Diameter: 292mm

CF376

- 18W LED (Included) Lumen: 1080 Diameter: 350mm

CF377 - 24W LED (Included) Lumen: 1440 Diameter: 410mm



Metal with PC Cover Colour Temp: 6300K

- 24W LED (Included) Lumen: 900

> Width: 320mm Height: 50mm

CF729

- 36W LED (Included) Lumen: 1600

> Width: 375mm Height: 50mm

6 CEILING FITTINGS - LED

Aluminium, Iron and Acrylic Ceiling Fitting Bayonet Lock

CF0663 ALUMINIUM

- 1 x 60W ES (E27) LED or Energy Saver Only

Diameter: 215mm Height: 82mm

CF0664 ALUMINIUM

- 1 x 60W ES (E27) LED or Energy Saver Only

Diameter: 260mm Height: 90mm

CF0665 ALUMINIUM

- 2 x 60W ES (E27) LED or Energy Saver Only

Diameter: 325mm Height: 105mm

LED



CF222 LED LED Metal and Acrylic Ceiling Fitting Bayonet Lock

> - 12W LED (Included) 1 x Electronic Driver

Colour Temp: 3000K Lumen: 960

> Width: 280mm Height: 90mm



LED Brushed Aluminium and Polycarbonate Fitting Includes LED Power Supply Colour Temp: 6300K

> CF673 - 11W LED (Included) Lumen: 565

> > Width: 270mm Height: 75mm

CF674 - 22W LED (Included) Lumen: 1400

> Width: 370mm Height: 75mm



CF118/24 LED LED Ceiling Fitting with Glass and Crystals

- 48W LED (Included)

1 x Remote Control Colour Temp: 3000K - 4000K Lumen: 5040

> Width: 480mm Height: 150mm

DL510 WHITE Die Cast Aluminium Ceiling Fitting with Polycarbonate Cover

- 18W LED (Included) 1 x Electronic LED Driver (Included) Colour Temp: 4000K

> Width: 240mm Height: 35mm

DL511 WHITE

Die Cast Aluminium Ceiling Fitting with Polycarbonate Cover

- 18W LED (Included) 1 x Electronic LED Driver (Included) Colour Temp: 4000K

> Width: 240mm Height: 35mm

LED



CF334 LED Polished Chrome with White Patterned Glass and Crystals Colour Temp: 3000K

> Large: - 15W LED 1 x LED Power Supply Lumen: 930 Width: 400mm

> Small: - 12W LED 1 x LED Power Supply Lumen: 740 Width: 320mm

> > Also Available: WB334 LED



CF543 LED Polished Chrome with White Glass and Crystals Colour Temp: 3000K

> Large: - 15W LED (Included) 1 x Electronic Driver (Included) Lumen: 930 Width: 400mm Height: 70mm

> Small: - 12W LED (Included) 1 x Electronic Driver (Included) Lumen: 740 Width: 320mm Height: 70mm

e and an and a second a

WB334 LED White Patterned Glass with Crystals and Polished Chrome Clips Colour Temp: 3000K

> - 6W LED (Included) 1 x LED Power Supply Lumen: 400 2 x 3W LED Strips

> > Width: 300mm Height: 160mm Depth: 95mm

> > Also Available: CF334 LED

CF541 LED Polished Chrome with White Glass and Crystals Colour Temp: 3000K

> Large: - 15W LED (Included) 1 x Electronic Driver (Included) Lumen: 930 Width: 400mm Height: 70mm

> Small: - 12W LED (Included) 1 x Electronic Driver (Included) Lumen: 740 Width: 320mm Height: 70mm

LED

CF160 LED LED, Polished Chrome and PVC Ceiling Fitting

- 27W LED (Included) 1 x LED Driver (Included) Colour Temp: 3000K Lumen: 1890

Length: 1090mm Width: 105mm Depth: 140mm Ceiling Cup: 400mm x 80mm ting

CF162 LED LED, Polished Chrome and PVC Ceiling Fitting

> - 24W LED (Included) 1 x LED Driver (Included) Colour Temp: 3000K Lumen: 1680

> > Width: 700mm Height: 155mm

CF161 LED LED, Polished Chrome and PVC Ceiling Fitting

> - 37W LED (Included) 1 x LED Driver (Included) Colour Temp: 3000K Lumen: 2590

> > Width: 545mm Height: 305mm



CF570/6 GOLD LED, Aluminium and PVC Ceiling Fitting Colour: Matt Gold

- 48W LED (Included)

Colour Temp: 4000k Lumen: 3840 CRI: >80 PF: >0.8

> Width: 580mm Height: 185mm

CF727 CHROME LED, Polished Chrome and PVC Ceiling Fitting

> - 80W LED Max. (Included) LED Power Supply (Included) Colour Temp: 4000K Lumen: 3200

> > Width: 675mm Length: 945mm Depth: 120mm

LED



CF331 Polished Chrome LED Ceiling Fitting with Glass and Crystals

- 21W LED (Included) 1 x Electronic LED Driver (Included) 1 x LED Remote Control Changer 1 x Remote Control (Included)

> Width: 600mm Height: 190mm



CF333 LED Polished Chrome LED Ceiling Fitting with Glass and Crystals Rods



- 48W LED (Included) 2 x Electronic LED Drivers 1 x LED Remote Control Changer 1 x Remote Control (Included) Press Once: Cool White LED Switch on Press Again: Warm White LED Switch on Press Again: Cool White and Warm White LED Switch on

> Width: 600mm Height: 165mm

LED

CF573 LED Polished Chrome with Crystals

- 54W White LED - Outer Square (Included)
 - 36W White LED - Inner Square (Included)
 - 12W White LED - Centre (Included)
 5 x LED Electronic Drivers

Width: 630mm Height: 234mm



CF320 CHROME

Polished Chrome LED Ceiling Fitting with Frosted Patterned Glass and Amber Crystal Rods

> - 5 x 40W ES - White LED (Included)

1 x LED One Colour Controller 1 x Digital Remote Control Switch

1 x Remote Control Press A: LED switch on Press B: ES lamps switch on Press D: LED and ES switch on

> Width: 550mm Height: 153mm



CF033/6+LED ALU Polished Chrome Flush Mount with glass Rods and Drops

> - 6 x 20W G4 - 32 Blue LED - 46 Light Blue LED 1 x 120W Electronic Transformer (Included) 2 x 220V LED Transformers (Included) 1 x Digital Remote (Included)



Press A: 6 x 20W G4 on – Press Again to Switch off Press B: 32 Outer Blue LED on – Press Again to Switch off Press C: 46 Inner Light Blue LED on – Press Again to Switch off Press D: All of the Above Switch On – Press Again to Switch off

> Width: 420mm x 640mm Height: 110mm

LED

CF294 LED

Stainless Steel LED Ceiling Fitting with Glass and Acrylic Crystals

- 18W LED (Included) Temp: 4000K Lumen: 1500 1 x Electronic LED Driver

> Width: 360mm Height: 220mm

CF295 LED Stainless Steel LED Ceiling Fitting with Glass and Acrylic Crystals

STATES STATES

- 21W LED (Included) Temp: 4000K Lumen: 1750 1 x Electronic LED Driver

> Width: 360mm Height: 220mm

LL

CF296 LED Stainless Steel LED Ceiling Fitting with Glass and Acrylic Crystals

- 21W LED (Included) Temp: 4000K Lumen: 1850 1 x Electronic LED Driver

> Width: 365mm Height: 225mm

LED



CF010/12 CHROME LED, Metal Ceiling Fitting with Glass and Crystals

> - 12 x 3W LED (Included) 2 x LED Drivers (Included) Colour Temp: 3000K and 6000K

1 x Remote Control **Press On:** Cool White LED Switch On Press Off

Press On again: Warm White LED Switch On Press Off

Press On again: Both Cool White LED and Warm White LED Switch On

> Width: 600mm Height: 260mm

CF011/9 CHROME LED, Metal Ceiling Fitting with Glass and Crystals

> - 9 x 3W LED (Included) 2 x LED Drivers (Included) Colour Temp: 3000K and 6000K

1 x Remote Control **Press On:** Cool White LED Switch On Press Off

Press On again: Warm White LED Switch On Press Off

Press On again: Both Cool White LED and Warm White LED Switch On

> Width: 400mm Height: 230mm

CF2826/6 LED

Polished Chrome Flush Mount Ceiling Fitting with Clear and Amber Crystals

- 6 x 40W SES - White LED (Included) 1 x 2 Group Section Switch (Included) 1 x LED Transformer (Included)

Press once: LED switch on Press twice: SES switch on Press 3 times: LED and SES switch on

> Width: 600mm Height: 220mm



LED

CF318 CHROME Polished Chrome LED Ceiling Fitting with Frosted Patterned Glass and Acrylic Crystals

> - 5 x 40W ES - White LED (Included) 1 x LED One Colour Controller 1 x Digital Remote Control Switch

1 x Remote Control Press A: LED switch on Press B: ES lamps switch on Press D: LED and ES switch on

> Width: 500mm Height: 248mm

CF315/8 + LED Polished Chrome LED Ceiling Fitting with Glass and Acrylic Crystals

- 8 x 40W SES - 49 x 0.1W Blue LED (Included)

1 x LED Colour Controller 1 x 2 Group Section Switch

Press once: LED switch on Press twice: SES lamps switch on Press 3 times: LED and SES switch on

> Width: 520mm Height: 380mm





CF288 LED Polished Chrome LED Ceiling Fitting with Crystals

> - 6 x 40W SES - 21 x 0.3W White LED (Included) 2 x Electronic Drivers (Included) Press once: SES switch on Press twice: LED switch on Press 3 times: all lamps switch on

> > Width: 500mm Height: 370mm

LED



CF056 LED Stainless Steel LED Ceiling Fitting with K9 Crystals

- 56W LED (Included) 2 x LED Drivers (Included)

Colour Temp: 4000K Lumen: 3300 Width: 600mm Height: 250mm

CF520 LED Stainless Steel LED Ceiling Fitting with Glass and Crystals

- 21W LED (Included) 1 x LED Power Supply (Included) Temp: 4000K Lumen: 1386

> Width: 370mm Height: 280mm





CF721/10 LED Polished Chrome Flush Mount Ceiling Fitting

Polished Chrome Flush Mount Ceiling Fitting with Glass and Crystals

- 10 x 40W G9 (Included)
- 64 x 0.03W White LED (Included)
1 x LED Controller
1 x Wireless Switch
1 x Digital Remote Control

Press A: Outside G9 lamps switch on Press B: Inner G9 lamps switch on Press C: LED switch on Switch on: All Lamps switch on

> Width: 600mm Height: 300mm

CEILING FITTINGS - LED 37

RGB COLOUR CHANGING LED CEILING FITTINGS



- 36W LED (Included) Colour Temp: 3000K – 6000K LED Drivers (Included)

1 x Remote Control (Included)

Press A:	RGB Light On/Off
Press B:	Central Light with CCT Function
	(Warm White, Cool White, Daylight)
Press C:	Side Lights On/Off
Press D:	Main Light On/Off
Press E:	Sleep Mode
	(Automatically Power-Off after 10 Second

Width: 500mm Height: 160mm

RGB COLOUR CHANGING LED CEILING FITTINGS





RGB Colour Changing Warm White, Cool White, Daylight

> - 18W LED (Included) 1 x LED Driver (Included) IncludesRemote Control

> > Width: 420mm Height: 140mm





CF165 RGB

RGB Colour Changing Ceiling Fitting with Acrylic and Frosted Patterned Glass Colour: Polished Brass


> - 40W LED (Included) Colour Temp: 3000K – 6000K LED Drivers (Included)

1 x Remote Control (Included) Press A: RGB Light On/Off Press B: Central Light with CCT Function (Warm White, Cool White, Daylight) Press C: Side Lights On/Off Press D: Main Light On/Off Press E: Sleep Mode (Automatically Power-Off after 10 Seconds)

Width: 600mm Height: 170mm







11111

CF311 CRYSTAL Stainless Steel and Crystal Ceiling Fitting - 14 x 50W GU10 (Not Included)

> Length: 1190mm Width: 580mm Height: 800mm

11111

CF312/5 CRYSTAL

Polished Chrome with Glass and Crystals

- 5 x 25W G9 (Included)

Width: 490mm Height: 150mm

9 CRYSTAL CF

CRYSTAL

CF173/13 CRYSTAL Stainless Steel and Crystal Ceiling Fitting - 13 x 50W GU10 (Not Included)

> Width: 850mm Height: 480mm

CF298 CHROME Polished Chrome Ceiling Fitting with Glass and Crystals

- 7 x 9W SES

Width: 450mm Height: 290mm





CF286/6 CHROME

Polished Chrome with Glass and Crystals

- 6 x 40W SES

Width: 450mm Height: 250mm

ACRYLIC CRYSTAL



CF642/3 CHROME Polished Chrome with Clear Acrylic Crystals

- 3 x 40W SES

Width: 380mm Height: 270mm



CF643/3 CHROME Polished Chrome with Clear Acrylic Crystals

- 3 x 40W SES

Width: 260mm Height: 260mm



CF722/5 CHROME Polished Chrome with Stippled Glass and Clear Acrylic Crystals

- 5 x 40W SES

Width: 420mm Height: 340mm

A ACRYLIC CRYSTAL CF

CF052 CHROME Polished Chrome with Acrylic Crystals

- 4 x 60W SES

Width: 340mm Height: 200mm



CF096/5 CHR Polished Chrome with White Glass

- 5 x 40W SES

Width: 500mm Height: 255mm CF015/5 CHROME Polished Chrome with White Glass

- 5 x 35W G9 (Not Included)

Width: 250mm Height: 305mm



- 8 x 60W ES

Width: 750mm Height: 350mm Ceiling Cup: 150mm

CF314/9 CRYSTAL Polished Chrome with Crystals

- 9 x 40W G9 (Not Included)

Width: 560mm Height: 400mm

CF468/5 SMOKE

Satin Chrome Ceiling Fitting with Smoke Colour Glass

- 5 x 5W G9 LED (Not Included) Length: 640mm Width: 210mm Height: 175mm CF016/9 CHROME Polished Chrome with Clear Glass - 9 x 35W G9 (Not Included) Width: 800mm Height: 480mm Ceiling Cup: 140mm Also Available: CH240/12 CHROME **CF469/3 SATIN** Satin Chrome Ceiling Fitting with White Glass

- 3 x 40W SES

Width: 430mm Height: 225mm

Also Available: CF469/4 SATIN

CF469/4 SATIN Satin Chrome Ceiling Fitting with White Glass

- 4 x 40W SES

Width: 445mm Height: 225mm

Also Available: CF469/3 SATIN



CF562/8 GD/SM

Satin Gold Metal Ceiling Fitting with Smoke Colour Glass

- 8 x 40W ES (Not Included)

Length: 1200mm Width: 400mm Height: 450mm

Also Available: CF560/4 GD/SM CH508/6 GD/SM



CF561/4 SATIN

Satin Chrome Ceiling Fitting with Clear Glass

- 4 x 40W ES (Not Included)

Length: 880mm Width: 150mm Height: 450mm

Also Available: CF563/8 SATIN

CF563/8 SATIN Satin Chrome Ceiling Fitting with Clear Glass

- 8 x 40W ES (Not Included)

Length: 1200mm Width: 400mm Height: 450mm

Also Available: CF561/4 SATIN

CF057/8 SATIN CHROME

Black and Satin Chrome Ceiling Fitting - 8 x 60W ES Length: 780mm Width: 630mm Height: 220mm

CF058/8 SATIN BRASS

Black and Satin Brass Ceiling Fitting - 8 x 60W ES

> Length: 780mm Width: 630mm Height: 220mm

> > CF384/5 BLACK Metal Ceiling Fitting

> > > - 5 x 60W ES

Width: 600mm Height: 380mm Ceiling Cup: 120mm

CF328 CHROME Metal Base with Patterned Frosted Glass and Chrome Clips

> Large: 400mm - 3 x 60W ES Small: 300mm - 2 x 60W ES

WB328 CHROME Metal Base with Patterned Frosted Glass and Chrome Clips

- 1 x 60W ES

Width: 300mm Height: 150mm Depth: 90mm



Large: 400mm - 3 x 60W ES Small: 300mm - 2 x 60W ES WB330 CHROME Metal Base with Patterned Frosted Glass and Chrome Clips

- 1 x 60W ES

Width: 300mm Height: 150mm Depth: 90mm

CF3031 SATIN White / Opaque Glass

with Satin Chrome Skew Clips

Large: - 320mm - 2 x 60W ES Small: - 250mm - 1 x 60W ES WB3031 SATIN White / Opaque Glass with Satin Chrome Skew Clips

- 1 x 60W ES

Width: 290mm Height: 160mm Depth: 95mm CF AND WB M



CF327 Metal Base with Patterned Frosted Glass and Chrome Clips

> Large: 400mm - 3 x 60W ES Small: 300mm - 2 x 60W ES

WB327 CHROME

Metal Base with Patterned Glass and Chrome Clips

- 1 x 60W ES

Width: 300mm Height: 150mm Depth: 90mm



CF1299 WHITE Patterned White Glass with White clips

Large:	- 400mm
	- 3 x 60W ES
Small:	- 300mm
	-2x60W ES

WB1299/1 WHITE Patterned Glass with White Clips

- 1 x 60W ES

Width: 300mm Height: 150mm Depth: 190mm

CF326 CHROME

Metal Base with Patterned Frosted Glass and Chrome Clips

> Large: 400mm - 3 x 60W ES Small: 300mm - 2 x 60W ES



CF AND WB



CF289 Patterned White Glass with White Clips

> Large: - 400mm - 3 x 60W ES Small: - 300mm - 2 x 60W ES



CF3505 CHROME **Frosted Patterned Speckled Glass**

> Large: - 400mm - 2 x 60W ES Small: - 300mm - 1 x 60W ES



CF3507 CHROME Patterned Glass with Polished Chrome Clips

> Large: - 300mm - 2 x 60W ES Small: - 250mm -1 x 60W ES



with Polished Chrome Clips

Large: - 300mm - 2 x 60W ES Small: - 250mm - 1 x 60W ES



Large: - 400mm - 2 x 60W ES Small: - 300mm - 1 x 60W ES

CF AND WB 85

CF3509 **Frosted Glass** with Polished Chrome Clips

> Large: - 300mm - 2 x 60W ES Small: - 250mm - 1 x 60W ES

CF293 Patterned White Glass with White Clips

Large: - 400mm - 3 x 60W ES Small: - 300mm - 2 x 60W ES

CF3402 CHR

Frosted Patterned Glass with Polished Chrome Clips

Large: - 300mm

- 2 x 60W ES

Small: - 250mm - 1 x 60W ES CF3403 CHR Frosted Patterned Glass with Polished Chrome Clips

CF3401 CHR

Frosted Patterned Glass

with Polished Chrome Clips

Large: - 300mm - 2 x 60W ES

Small: - 250mm - 1 x 60W ES

Large: - 300mm - 2 x 60W ES Small: - 250mm - 1 x 60W ES

CF3404 CHR Frosted Patterned Glass with Polished Chrome Clips

> Large: - 300mm - 2 x 60W ES Small: - 250mm - 1 x 60W ES

CF414 WH Patterned Frosted Glass with Chrome Clips

> Large: - 300mm - 2 x 60W ES Small: - 250mm - 1 x 60W ES

CF AND WB

CF493 Metal Base with Patterned Glass Polished Chrome Clips

> Large: - 2 x 60W ES Width: 300mm Small: - 1 x 60W ES Width: 250mm

CF494

Metal Base with Patterned Glass Polished Chrome Clips

> Large: - 2 x 60W ES Width: 300mm Small: - 1 x 60W ES Width: 250mm

CF495 Metal Base with Patterned Glass Polished Chrome Clips

> Large: - 2 x 60W ES Width: 300mm Small: - 1 x 60W ES Width: 250mm

CF496 Metal Base with Patterned Glass Polished Chrome Clips

> Large: - 2 x 60W ES Width: 300mm Small: - 1 x 60W ES Width: 250mm

WB513 CHROME Frosted Patterned Glass with Polished Chrome Clips

- 1 x 60W ES

Width: 293mm Height: 160mm Depth: 85mm

CF AND WB 7

CF513 CHROME

Frosted Patterned Glass with Polished Chrome Clips

Large: - 320mm - 2 x 60W ES Small: - 300mm - 1 x 60W ES

CF12005 GOLD Metal Base with Alabaster Glass and Gold Clips

> Large: - 400mm - 3 x 60W ES Small: - 300mm - 2 x 60W ES

WB12005 GOLD Metal Base with Alabaster Glass and Gold Clips

- 1 x 60W ES

Width: 300mm Height: 150mm Depth: 80mm

WB12009 WHITE Metal Base with Alabaster Glass and White Clips

- 1 x 60W ES

Width: 300mm Height: 150mm Depth: 80mm

WB2008 SILVER Metal Base with Alabaster Glass and Silver Clips

- 1 x 60W ES

Width: 300mm Height: 150mm Depth: 80mm

CF12009 WHITE Metal Base with Alabaster Glass and White Clips

> Large: - 400mm - 3 x 60W ES Small: - 300mm - 2 x 60W ES

CF2008 SILVER

Metal Base with Alabaster Glass

and Silver Clips

Large: - 400mm - 3 x 60W ES

Small: - 300mm

- 2 x 60W ES

SOLD PER BOX OF 10 PIECES



CF187 TYPE A Metal and Frosted Glass with Clear Plastic Clips Sold per Box of 10 Pieces

- 1 x 60W (11W) ES

Width: 250mm Height: 80mm



CF188 TYPE B Metal and Patterned Frosted Glass with Clear Plastic Clips Sold per Box of 10 Pieces

- 1 x 60W (11W) ES

Width: 250mm Height: 80mm



CF189 TYPE C Metal and Patterned Frosted Glass with Clear Plastic Clips Sold per Box of 10 Pieces

- 1 x 60W (11W) ES

Width: 250mm Height: 80mm



CF190 TYPE D

Metal and Patterned Frosted Glass with Clear Plastic Clips Sold per box of 10 Pieces

- 1 x 60W (11W) ES

Width: 250mm Height: 60mm



CF360 CHROME Polished Chrome with Frosted Glass and Crystals

> Large: 420mm - 3 x 60W ES Small: 320mm - 2 x 60W ES

CF361 CHROME


Polished Chrome with Frosted Glass and Crystals

> Large: 420mm - 3 x 60W ES Small: 320mm - 2 x 60W ES



CF362 Frosted Patterned Glass with Crystals and Polished Chrome Clips

> - 2 x 60W ES Width: 300mm



CF631 Frosted Patterned Glass with Clear Acrylic Crystals

> Large: - 400mm - 2 x 60W ES Small: - 300mm - 1 x 60W ES

CF634/4 WHITE

White Patterned Glass with Clear Acrylic Crystals

- 4 x 60W ES

Width: 200mm Length: 600mm








CF322 Metal Base with Frosted Glass and Crystals

LARGE

Large: 340mm - 2 x 40W ES Small: 250mm - 1 x 40W ES



CF1362 CHROME Mirror and Frosted Glass with Polished Chrome Clips

> - 1 x 60W ES Width: 250mm



CF1361 CHROME Mirror and Frosted Glass with Polished Chrome Clips

> - 1 x 60W ES Width: 240mm



CFD37 Frosted Patterned Glass with Chrome Clips

> Large: - 300mm - 2 x 60W ES Small: - 250mm - 1 x 60W ES



CF383/4 CHROME White and Clear Glass

white and Clear Glass with Polished Chrome Clips

- 4 x 40W ES

Width: 310mm Length: 580mm Height: 80mm



CF3005 SATIN Satin Chrome Base with Frosted Glass

> Large: - 410mm - 2 x 60W ES Small: - 315mm - 1 x 60W ES



WB3005 SATIN Satin Chrome Base with Frosted Glass

- 1 x 60W ES

Width: 320mm Height: 155mm Depth: 80mm

CF3008 SILVER Silver Metal Base with White Glass

> Large: - 315mm - 2 x 60W ES Small: - 260mm - 1 x 60W ES

CF1550 SATIN Satin Chrome with White Glass

> Large: - 300mm - 2 x 40W ES Small: - 255mm - 1 x 40W ES



CF3014 SATIN

Satin Chrome Base with White Glass

Large: - 290mm - 2 x 60W ES Small: - 237mm - 1 x 60W ES



CF021 FR/WH Metal Base with Alabaster Glass

Large: - 380mm

- 3 x 60W ES Small: - 320mm - 2 x 60W ES



CF8206 ANTIQUE Metal Base with Frosted Glass

Large: - 390mm - 3 x 60W ES Small: - 320mm - 2 x 60W ES



CF8207 FRENCH WHITE

Metal Base with Frosted Glass

Large: 390mm - 3 x 60W ES Small: 320mm - 2 x 60W ES CF AND WB 93



CF3017 SATIN Metal Base with Clear Perspex Rings and Frosted Glass

> - 2 x 60W ES Width: 350mm

Colours Available: Brass, Satin



CF3017 BRASS Metal Base with Clear Perspex Rings and Frosted Glass

> - 2 x 60W ES Width: 350mm

Colours Available: Brass, Satin

Metal Base with Clear Acrylic Crystals and Patterned Glass

CF480/3 GOLD

- 3 x 60W SES Width: 380mm Height: 160mm

CF481/4 GOLD

- 4 x 60W SES Width: 480mm Height: 160mm

CF497 GOLD

Metal Base with Clear Acrylic Beads and Patterned Glass

> Large: - 5 x 40W SES Width: 440mm Height: 150mm Small: - 3 x 40W SES Width: 340mm Height: 135mm

RESIN



CF430/2 DK/GOLD Resin Base with Alabaster Glass

> - 2 x 60W ES Width: 330mm

CF427/4 BK/GD Resin Base with Alabaster Glass

> - 4 x 60W ES Width: 550mm

> > CF432/2 BK/GREY Resin Base with Alabaster Glass

> > > - 2 x 60W ES Width: 320mm

CF816/4 French White Resin Base

with Alabaster Glass

- 4 x 60W ES Width: 500mm Height: 180mm

CF484/2 FOSSIL WHITE Resin Base with Alabaster Glass

- 2 x 60W ES Width: 330mm

POLYCARBONATE CHEESE FITTINGS



CH004 Metal Base with Alabaster Polycarbonate Cover Bayonet Lock

> Large: - 250mm - 1 x 60W ES Small: - 200mm - 1 x 60W ES



Polycarbonate Colour Base with Opal Polycarbonate Cover

- 1 x 15W ES CFL

Width: 270mm

Colours Available: Black, Silver, White

CH003

Polycarbonate Cheese Fitting Energy Saver or LED Bulb Only Bayonet Lock, IP20

> Large: - 250mm - 2 x 11W ES Small: - 200mm - 1 x 11W ES

CH005

Metal Base with Alabaster Polycarbonate Cover Energy Saver or LED Bulb only, IP20

> Large: 250mm - 2 x 11W ES CFL Small: 190mm - 1 x 11W ES CFL

GLASS CHEESE FITTINGS





CF3040 STONE

Stone Finish Base with Alabaster Glass

Large: - 300mm - 2 x 60W ES Small: - 230mm - 1 x 60W ES

CF380

Satin Chrome with Alabaster Glass, Bayonet Lock

> Large: - 300mm - 2 x 60W ES Small: - 230mm - 1 x 60W ES



CH001 Metal Base with White Glass

> Large: - 230mm - 1 x 60W ES Small: - 180mm - 1 x 60W ES

CHANDELIERS & WALL BRACKETS

LED



CH517 BLACK Aluminium and Acrylic LED Fitting

- 95W LED (Included) Electronic Driver (Included) Colour: Sand Black Colour Temp: 4000K Lumen: 6420 CR: >80 PF: >0.9

Length: 910mm Height: 465mm Cord: 1000mm (Adjustable) Ceiling Cup: 760mm x 90mm





Colour Temp: 4000K Lumen: 4000

Width: 650mm Height: 650mm Ceiling Cup: 150mm

Lumen: 1900 CR: >80 PF: >0.6

Width: 400mm Height: 100mm Cord: 900mm Ceiling Cup: 160mm

LED



mm

Lumen: 2500

Width: 450mm Height: 540mm Cord: 1000mm Ceiling Cup: 180mm



CH392/5 CHROME Polished Aluminium and Polycarbonate LED Fitting

> - 85W LED (Included) LED Power Supply (Included) Colour Temp: 4000K Lumen: 5100

> > Width: 560mm Height: 420mm



CH469/10 LED Polished Chrome LED Chandelier with K9 Crystals

> - 10 x 3W White LED (Included) 1 x Electronic Driver (Included)

Width: 250mm Length: 660mm Height: 250mm Cord: 1100mm Ceiling Cup: 300mm x 130mm

CRYSTAL



CRYSTAL

CH343 CHROME Polished Chrome Chandelier


with Crystals

- 4 x 40W (11W) SES

Width: 450mm Height: 800mm Chain: 500mm Ceiling Cup: 120mm CH255 CRYSTAL Stainless Steel with Crystals

- 3 x 5W GU10 (Not Included)

Base: 250mm Height: 610mm



CH236/6 CRYSTAL Stainless Steel with Crystals

- 6 x 50W GU10 (Not Included)

Length: 915mm Width: 240mm Height: 830mm CH235/10 CRYSTAL Stainless Steel with Crystals

- 10 x 50W GU10 (Not Included)

Base: 600mm Height: 1000mm



CH233/10 CRYSTAL Stainless Steel with Crystals

- 10 x 50W GU10 (Not Included)


Base: 800mm Height: 2400mm CRYSTAL



CH234/11 CRYSTAL Stainless Steel with Crystals

- 11 x 50W GU10 (Not Included)

Base: 800mm Height: 2100mm



CRYSTAL CHANDELIERS 5

CRYSTAL



CRYSTAL

CH267/5 CHROME Polished Chrome Chandelier with Crystals

- 5 x 40W SES (Not Included)

Width: 570mm Height: 820mm Chain: 1000mm Ceiling Cup: 110mm

CH267/12+6 CRYSTAL Polished Chrome Chandelier with Crystals

- 18 x 40W SES (Not Included)

Width: 1000mm Height: 1370mm Chain: 1800mm Ceiling Cup: 140mm CH267/8+4 CRYSTAL Polished Chrome Chandelier with Crystals

- 12 x 40W SES (Not Included)

Width: 800mm Height: 900mm Chain: 1500mm Ceiling Cup: 110mm

CRYSTAL CHANDELIERS 7

CRYSTAL

CH104/3 CHROME Polished Chrome Chandelier with Crystals

- 3 x 60W (9W) E14 (Not Included)

Width: 500mm

Height: 500mm

Chain: 1000mm

Ceiling Cup: 110mm

Also Available: CH104/5 CHROME CH104/8+4 CHROME

CH104/5 CHROME Polished Chrome Chandelier with Crystals - 5 x 60W (9W) E14 (Not Included) Width: 500mm Height: 500mm Chain: 1000mm Ceiling Cup: 110mm

> Also Available: CH104/3 CHROME CH104/8+4 CHROME

CH104/8+4 CHROME Polished Chrome Chandelier

with Crystals

- 12 x 60W (9W) E14 (Not Included)

Width: 750mm Height: 650mm Chain: 1000mm Ceiling Cup: 115mm

Also Available: CH104/3 CHROME CH104/5 CHROME

CRYSTAL



CRYSTAL CHANDELIERS 9

CRYSTAL

WB3054/2 CRYSTAL **Crystal Wall Bracket** CH3054/6 CRYSTAL **Crystal Chandelier** - 2 x 40W SES - 6 x 40W SES Width: 440mm Height: 200mm Width: 550mm Height: 560mm Also Available: CH3050/24 CRYSTAL CH3050/12 CRYSTAL CH3054/6 CRYSTAL CH3052/6 CRYSTAL CH3052/12 CRYSTAL Chain: 800mm Cup: 93mm Also Available: WB3054/2 CRYSTAL CH266/5 CRYSTAL Polished Chrome Chandelier with Crystals - 5 x 40W (9W) E14 (Not Included) Width: 600mm Height: 600mm Chain: 1000mm Ceiling Cup: 110mm

CRYSTAL

CH388/5 CHROME Polished Chrome Chandelier with Crystals

> CH388/3 CHROME CH388/5 CHROME

WB388/2 CHROME



Also Available: CH388/3 CHROME CH388/5 CHROME CH388/9 CHROME

ACRYLIC CRYSTAL



ACRYLIC CRYSTAL



ACRYLIC CRYSTAL

CH521/3 FS Metal Chandelier with Clear Acrylic Crystals

- 3 x 60W SES

Width: 385mm Height: 470mm Chain: 600mm Ceiling Cup: 95mm

Also Available: CH521/5 FS CH521/9 FS CH521/5 FS Metal Chandelier with Clear Acrylic Crystals

- 5 x 60W SES

Width: 400mm Height: 470mm Chain: 600mm Ceiling Cup: 95mm

Also Available: CH521/3 FS CH521/9 FS

CH521/9 FS Metal Chandelier with Clear Acrylic Crystals

- 9 x 60W SES

Width: 580mm Height: 580mm Chain: 1000mm Ceiling Cup: 95mm

Also Available: CH521/3 FS CH521/5 FS

A ACRYLIC CRYSTAL CHANDELIERS

ACRYLIC CRYSTAL



CH522/3 CHROME Polished Chrome with Clear Acrylic Crystals

- 3 x 60W ES

Width: 380mm Height: 450mm Chain: 600mm Ceiling Cup: 120mm

Also Available:

CH522/5 CHROME PEN433/1 CHROME PEN434/3 CHROME PEN435/3 CHROME TL812 CHROME WB522/1 CHROME

WB522/1 CHROME **Polished Chrome Wall Fitting** with Clear Acrylic Crystals

- 1 x 60W ES

Width: 120mm Height: 300mm Depth: 200mm

Also Available: CH522/3 CHROME CH522/5 CHROME PEN433/1 CHROME PEN434/3 CHROME PEN435/3 CHROME **TL812 CHROME**





CH522/5 CHROME

Polished Chrome with Clear Acrylic Crystals

- 5 x 60W ES

Width: 400mm Height: 450mm Chain: 700mm Ceiling Cup: 120mm

Also Available: CH522/3 CHROME PEN433/1 CHROME PEN434/3 CHROME PEN435/3 CHROME TL812 CHROME WB522/1 CHROME

CHROME

CH178/3 SATIN Polished Chrome and Black Metal Chandelier with Frosted Glass

- 3 x 60W ES

Width: 520mm Height: 215mm

CH178/5 SATIN Polished Chrome and Black Metal Chandelier with Frosted Glass

- 5 x 60W ES

Width: 570mm Height: 215mm

CH515/6 CHROME Polished Chrome and Black Chandelier

- 6 x 60W SES

Width: 470mm Height: 650mm Chain: 1000mm Ceiling Cup: 95mm

CH087/5 BK/CHROME Metal and Polished Chrome Chandelier - 5 x 60W (11W) SES

> Width: 490mm Height: 370mm Rods: 3 x 410mm Ceiling Cup: 120mm



CHROME

CH663/5 CHROME Polished Chrome Chandelier

- 5 x 60W SES

Width: 480mm Height: 480mm Chain: 1000mm Ceiling Cup: 93mm

Also Available: CH663/9 CHROME

> CH663/9 CHROME Polished Chrome Chandelier

> > - 9 x 60W SES

Width: 600mm Height: 630mm Chain: 1000mm Ceiling Cup: 93mm

Also Available: CH663/5 CHROME

CHROME

CH445/3 CHROME

Polished Chrome Chandelier with Frosted Crackled Glass

- 3 x 40W SES

Width: 580mm Height: 460mm

Also Available: CH445/5 CHR

CH445/5 CHROME Polished Chrome Chandelier with Frosted Crackled Glass

Ð

- 5 x 40W SES

Width: 580mm Height: 460mm

Also Available: CH445/3 CHR

CH476/5 CHROME Polished Chrome Chandelier with Frosted Glass

- 5 x 60W SES

Width: 550mm Height: 530mm Chain: 1000mm Ceiling Cup: 93mm

CHROME

CH231/3 CHROME

Polished Chrome Chandelier with Alabaster Glass

- 3 x 40W ES

Width: 500mm Height: 370mm Chain: 400mm Ceiling Cup: 95mm

Also Available: CH231/5 CHROME



CH231/5 CHROME

Polished Chrome Chandelier with Alabaster Glass

- 5 x 40W ES

Width: 500mm Height: 370mm Chain: 400mm Ceiling Cup: 95mm

Also Available: CH231/3 CHROME

CH384/5 CHROME Polished Chrome with Opal Glass

and Acrylic Crystals

- 5 x 40W ES

Width: 600mm Height: 380mm Chain: 400mm Ceiling Cup: 92mm


CH383/5 CHROME

Polished Chrome with Opal Glass and Acrylic Crystals

- 5 x 40W ES

Width: 540mm Height: 380mm Chain: 400mm Ceiling Cup: 92mm

CHROME



ished Chrome with white Glas

- 3 x 60W/11W ES

Width: 580mm Height: 280mm

CH019/5 CHROME Polished Chrome with White Glass

- 5 x 60W/11W ES

Width: 590mm Height: 280mm

CH079/3 CHROME Polished Chrome Chandelier with Frosted Glass

- 3 x 60W (11W) ES

Width: 500mm Height: 320mm Chain: 450mm Ceiling Cup: 100mm

CH079/5 CHROME

Polished Chrome Chandelier with Frosted Glass

- 5 x 60W (11W) ES

Width: 520mm Height: 320mm Chain: 450mm Ceiling Cup: 100mm CHROME CHANDELIERS

SATIN CHROME

CH250/3 SATIN Satin Chrome Chandelier with Clear Outer Glass and Frosted Inner Glass

- 3 x 40W SES

Width: 450mm Height: 300mm

CH250/5 SATIN Satin Chrome Chandelier with Clear Outer Glass and Frosted Inner Glass

- 5 x 40W SES

Width: 500mm Height: 300mm

CH252/3 SATIN Satin Chrome Chandelier with Clear Outer Glass and Frosted Inner Glass

- 3 x 40W SES

Width: 520mm Height: 260mm

> CH252/5 SATIN Satin Chrome Chandelier with Clear Outer Glass and Frosted Inner Glass

> > - 5 x 40W SES

Width: 550mm Height: 260mm

SATIN CHROME



CH179/3 SATIN Satin Chrome Chandelier with Alabaster Glass and Wood

- 3 x 60W ES

Width: 500mm Height: 280mm

CH179/5 SATIN Satin Chrome Chandelier with Alabaster Glass and Wood

- 5 x 60W ES

Width: 540mm Height: 280mm

CH665/3 SATIN Satin Chrome Chandelier with Alabaster Glass

- 3 x 60W ES

Width: 550mm Height: 320mm Chain: 500mm Ceiling Cup: 110mm

CH665/5 SATIN Satin Chrome Chandelier with Alabaster Glass


- 5 x 60W ES

Width: 600mm Height: 320mm Chain: 500mm Ceiling Cup: 110mm

SATIN CHROME

WB167/1 SATIN

Satin Chrome Wall Bracket with Frosted Glass



SATIN CHROME

CH537/5 SATIN Satin Chrome Chandelier with Clear Glass

- 5 x 40W ES

Width: 640mm Height: 360mm Ceiling Cup: 100mm

> Also Available: CH537/3 SATIN CH537/3 BK/AB CH537/5 BK/AB

CH537/3 SATIN Satin Chrome Chandelier with Clear Glass

- 3 x 40W ES

Width: 520mm Height: 360mm Ceiling Cup: 100mm

Also Available: CH537/5 SATIN CH537/3 BK/AB CH537/5 BK/AB

CH510/8 SATIN Satin Chrome Chandelier with White Glass

- 8 x 40W ES

Width: 830mm Height: 420mm Ceiling Cup: 100mm

> Also Available: CH509/8 BK/GD

SATIN CHROME CHANDELIERS

METAL, RESIN, WROUGHT IRON

CH1478/5 OLD GOLD Metal and Resin Chandelier with Brown Glass

- 5 x 60W ES

Width: 700mm Height: 750mm Chain: 1500mm CH2027/5 OLD GOLD Resin Chandelier with Alabaster Glass

- 5 x 60W ES

Width: 700mm Height: 500mm Chain: 610mm Ceiling Cup: 93mm

CH5035/6 BR/GD Metal Chandelier with Fluted Alabaster Glass and Crystal Drops

- 6 x 60W ES

Width: 780mm Height: 860mm Chain: 1000mm Ceiling Cup: 150mm

Also Available: CH5035/8+4 BR/GD

CH5035/8+4 BROWN/GOLD

Metal Chandelier with Fluted Alabaster Glass and Crystal Drops

- 12 x 60W ES

Width: 950mm Height: 1350mm Chain: 2000mm

Also Available: CH5035/6 BR/GD

971 METAL, RESIN, WROUGHT IRON CHANDELIERS

METAL, RESIN, WROUGHT IRON

CH1334/6 ANT/BR Metal and Resin Chandelier

- 6 x 60W SES

Width: 575mm Height: 720mm Chain: 620mm Ceiling Cup: 93mm

Also Available: WB1334/2 ANT/BR CH1334/9 ANT/BR



WB1334/2 ANT/BR Metal and Resin Wall Bracket

- 2 x 60W SES

Width: 340mm Height: 300mm Depth: 180mm

Also Available: CH1334/9 ANT/BR CH1334/6 ANT/BR

CH1334/9 ANT/BR 2 Tier Metal and Resin Chandelier

- 9 x 60W SES

Width: 920mm Height: 1230mm Chain: 1970mm Ceiling Cup: 130mm

Also Available: WB1334/2 ANT/BR CH1334/6 ANT/BR

METAL, RESIN, WROUGHT IRON

CH1470/3 OLD GOLD Metal Chandelier

with Alabaster Glass

- 3 x 60W ES

Width: 460mm Height: 560mm Chain: 900mm Ceiling Cup: 92mm

Also Available: WB1470/2 OLD/GD



WB1470/2 OLD GOLD

Metal Wall Bracket with Alabaster Glass

- 2 x 60W ES

Width: 410mm Height: 470mm Depth: 270mm

Also Available: CH1470/3 OLD/GOLD

CH374/5 BLACK

Metal Chandelier with Alabaster Glass

- 5 x 60W ES

Width: 560mm Height: 360mm Chain: 500mm Ceiling Cup: 90mm

Also Available: CH374/3 BLACK

CH374/3 BLACK Metal Chandelier with Alabaster Glass

- 3 x 60W ES

Width: 520mm Height: 360mm Chain: 500mm Ceiling Cup: 90mm

Also Available: CH374/5 BLACK

CH3063/6 BK/GOLD Metal Chandelier

- 6 x 60W SES

Width: 640mm Height: 600mm Chain: 1000mm Ceiling Cup: 95mm

METAL, RESIN, WROUGHT IRON

CH481/3 BK/GD Metal Chandelier with Alabaster Glass - 3 x 60W ES Width: 500mm Height: 550mm Chain: 1000mm Ceiling Cup: 90mm Also Available: CH481/5 BK/GD CH481/9 BK/GD

CH481/5 BK/GD Metal Chandelier with Alabaster Glass

- 5 x 60W ES

Width: 600mm Height: 600mm Chain: 1000mm Ceiling Cup: 90mm

Also Available: CH481/3 BK/GD CH481/9 BK/GD


CH481/9 BK/GD Metal Chandelier with Alabaster Glass

- 9 x 60W ES

Width: 770mm Height: 770mm Chain: 2000mm Ceiling Cup: 150mm

> Also Available: CH481/3 BK/GD CH481/5 BK/GD

METAL, RESIN, WROUGHT IRON



METAL, RESIN, WROUGHT IRON

CH065/3 RUST Wrought Iron Chandelier

- 3 x 60W SES

Width: 500mm Height: 410mm Chain: 250mm Ceiling Cup: 115mm

> Also Available: CH065/5 RUST CH065/8 RUST WB065/2 RUST



WB065/2 RUST Wrought Iron Wall Bracket

- 2 x 60W SES

Width: 330mm Height: 230mm Depth: 225mm

Also Available: CH065/3 RUST CH065/5 RUST CH065/8 RUST

CH065/5 RUST Wrought Iron Chandelier

- 5 x 60W SES

Width: 530mm Height: 410mm Chain: 250mm Ceiling Cup: 115mm

> Also Available: CH065/3 RUST CH065/8 RUST WB065/2 RUST

CH065/8 RUST Wrought Iron Chandelier

- 8 x 60W SES

Width: 830mm Height: 470mm Chain: 250mm Ceiling Cup: 115mm

Also Available: CH065/3 RUST CH065/5 RUST WB065/2 RUST METAL, RESIN, WROUGHT IRON CHANDELIERS

METAL, RESIN, WROUGHT IRON

CH3901/3 FOSSIL WHITE Metal Chandelier

- 3 x 60W SES

Width: 440mm Height: 440mm Chain: 1000mm

Also Available: CH3901/5 FOSSIL WHITE

> CH523/5 BLACK Metal Chandelier

- 5 x 60W SES

Width: 510mm Height: 355mm Chain: 1000mm Ceiling Cup: 100mm

Also Available: CH523/3 BLACK CH524/3 FOSSIL CH524/5 FOSSIL

CH3901/5 FOSSIL WHITE Metal Chandelier

- 5 x 60W SES

Width: 440mm Height: 440mm Chain: 1000mm

Also Available: CH3901/3 FOSSIL WHITE

CH523/3 BLACK Metal Chandelier

- 3 x 60W SES

Width: 420mm Height: 355mm Chain: 1000mm Ceiling Cup: 100mm

Also Available: CH523/5 BLACK CH524/3 FOSSIL CH524/5 FOSSIL

CH524/5 FOSSIL Metal Chandelier

- 5 x 60W SES

Width: 510mm Height: 355mm Chain: 1000mm Ceiling Cup: 100mm

Also Available: CH524/3 FOSSIL CH523/3 BLACK CH523/5 BLACK

CH524/3 FOSSIL Metal Chandelier

- 3 x 60W SES

Width: 420mm Height: 355mm Chain: 1000mm Ceiling Cup: 100mm

Also Available: CH524/5 FOSSIL CH523/3 BLACK CH523/5 BLACK

12 METAL, RESIN, WROUGHT IRON CHANDELIERS

METAL, RESIN, WROUGHT IRON

CH360/3 BLACK Metal Chandelier with Clear Acrylic Crystals

- 3 x 60W SES

Width: 500mm Height: 470mm Chain: 800mm Ceiling Cup: 93mm

Colours Available: Black, Fossil White

Also Available: CH360/3 FOSSIL WHITE CH360/5 BLACK

Metal Chandelier with Clear Acrylic Crystals

- 5 x 60W SES

Width: 540mm Height: 470mm Chain: 800mm Ceiling Cup: 93mm

Colours Available: Black, Fossil White

Also Available: CH360/5 FOSSIL WHITE

CH360/3 FOSSIL WHITE Metal Chandelier with Clear Acrylic Crystals

- 3 x 60W SES

Width: 500mm Height: 470mm Chain: 800mm Ceiling Cup: 93mm

Colours Available: Black, Fossil White

Also Available: CH360/3 BLACK

CH360/5 FOSSIL WHITE

Metal Chandelier with Clear Acrylic Crystals

- 5 x 60W SES

Width: 540mm Height: 470mm Chain: 800mm Ceiling Cup: 93mm

Colours Available: Black, Fossil White

> Also Available: CH360/5 BLACK

METAL, RESIN, WROUGHT IRON

WB3066/1 FRENCH WHITE

Metal Wall Bracket with Alabaster Glass

- 1 x 60W ES

Width: 150mm Height: 230mm Depth: 200mm

Also Available: CH3068/3 FRENCH WHITE CH3068/5 FRENCH WHITE

CH3068/3 FRENCH WHITE

Metal Chandelier with Alabaster Glass

- 3 x 60W ES

Width: 500mm Height: 465mm Chain: 1000mm Ceiling Cup: 95mm

Also Available: CH3068/5 FRENCH WHITE WB3066/1 FRENCH WHITE

CH3068/5 FRENCH WHITE

Metal Chandelier with Alabaster Glass

- 5 x 60W ES

Width: 600mm Height: 565mm Chain: 1000mm Ceiling Cup: 95mm

Also Available: CH3068/3 FRENCH WHITE WB3066/1 FRENCH WHITE

METAL, RESIN, WROUGHT IRON

CH366/3 BLACK

Metal Chandelier with Fluted Amber Glass

- 3 x 40W ES

Width: 580mm Height: 340mm Chain: 500mm Ceiling Cup: 100mm

Also Available: CH366/5 BLACK CH366/5 BLACK

Metal Chandelier with Fluted Amber Glass

- 5 x 40W ES

Width: 580mm Height: 340mm Chain: 500mm Ceiling Cup: 100mm

> Also Available: CH366/3 BLACK

CH1032/3 BLACK Metal Chandelier with Alabaster Glass

- 3 x 60W ES

Width: 630mm Height: 360mm Chain: 800mm

Also Available: CH1032/5 BLACK CH1032/5 BLACK Metal Chandelier with Alabaster Glass

- 5 x 60W ES

Width: 630mm Height: 360mm Chain: 800mm

Also Available: CH1032/3 BLACK

CH375/5 COFFEE Metal Chandelier with Alabaster Glass

- 5 x 40W ES

Width: 520mm Height: 340mm Chain: 500mm Ceiling Cup: 90mm

METAL, RESIN, WROUGHT IRON



CH251/3 MATT WHITE Metal Chandelier with Patterned Frosted Glass

- 3 x 40W SES

Width: 460mm Height: 250mm

Also Available: CH251/5 MATT WHITE



CH251/5 MATT WHITE Metal Chandelier with Patterned Frosted Glass

- 5 x 40W SES

Width: 500mm Height: 250mm

Also Available: CH251/3 MATT WHITE

CH253/3 WHITE Metal, Copper and Wood Chandelier

- 3 x 60W ES

Width: 600mm Height: 450mm

Also Available: CH253/5 WHITE

CH253/5 WHITE Metal, Copper and Wood Chandelier

- 5 x 60W ES

Width: 800mm Height: 450mm

Also Available: CH253/3 WHITE


136

METAL, RESIN, WROUGHT IRON



METAL, RESIN, WROUGHT IRON CHANDELIERS

METAL, RESIN, WROUGHT IRON



METAL, RESIN, WROUGHT IRON



CH341/4 BK/CHROME Metal and Polished Chrome Chandelier with Clear Glass

- 4 x 60W (11W) SES

Width: 410mm Height: 585mm Chain: 1200mm Ceiling Cup: 120mm



- 3 x 60W (11W) SES

Width: 430mm Height: 490mm Chain: 1000mm Ceiling Cup: 155mm CH082/4 BK/GD Metal Chandelier with Clear Glass

- 4 x 60W (11W) ES

Width: 510mm Height: 390mm Rods: 3 x 410mm Ceiling Cup: 120mm



METAL, RESIN, WROUGHT IRON CHANDELIERS 9



METAL, RESIN, WROUGHT IRON



CH507/4 BK/AB Metal Chandelier Colour: Black and Antique Brass

- 4 x 40W ES

Length: 740mm Height: 270mm Ceiling Cup: 100mm

> CH509/8 BK/GD Metal Chandelier with White Glass Colour: Black and Gold

> > - 8 x 40W ES

Width: 830mm Height: 420mm Ceiling Cup: 100mm

> Also Available: CH510/8 SATIN

CH264/5 BLACK Metal and Smoke Glass Adjustable Height

- 5 x 40W (11W) ES

Width: 850mm Height: 610mm (Max.) Length: 990mm

> CH265/5 GOLD Metal and Champagne Colour Glass Adjustable Height

> > - 5 x 40W (11W) ES

Width: 850mm Height: 610mm (Max.) Length: 990mm

METAL, RESIN, WROUGHT IRON

CH537/3 BK/AB

Metal Chandelier with Clear Glass Colour: Black and Antique Brass

- 3 x 40W ES

Width: 520mm Height: 360mm Ceiling Cup: 100mm

> Also Available: CH537/5 BK/AB CH537/3 SATIN CH537/5 SATIN



CH537/5 BK/AB Metal Chandelier with Clear Glass Colour: Black and Antique Brass

- 5 x 40W ES

Width: 640mm Height: 360mm Ceiling Cup: 100mm

Also Available: CH537/3 BK/AB CH537/3 SATIN CH537/5 SATIN

CH100/10 BLACK

Matt Black Metal with Champagne Colour Glass

- 10 x 40W ES

Width: 1070mm Height: 820mm Ceiling Cup: 150mm

CH254/12 BLACK/GOLD

Black and Gold Metal Chandelier with Clear Outer Glass and White Inner Glass LED Centre Light

> - 5W LED (Included) - 12 x 40W G9 (Not Included) 1 x LED Transformer (Included) 1 x Remote Control (Included)

> > Width: 1000mm Height: 570mm

METAL, RESIN, WROUGHT IRON

CH260/12 BRASS

Satin Brass Chandelier with Clear Outer Glass and Frosted Inner Glass

- 12 x 40W G9 (Not Included)

Width: 860mm Height: 905mm Ceiling Cup: 150mm

Also Available: CH261/12 SATIN



CH534/6 GOLD Metal and Amber Glass Chandelier Colour: Antique Brass

- 6 x 60W ES

Width: 650mm Height: 690mm Ceiling Cup: 120mm

CH508/6 GD/SM Satin Gold Chandelier

with Smoke Colour Glass

- 6 x 40W ES

Length: 1300mm Height: 420mm Cord: 1000mm Ceiling Cup: 100mm



Width: 410mm Height: 705mm Chain: 1000mm Ceiling Cup: 110mm Width: 400mm

Height: 350mm Centre Rods: 3 x 305mm, 1 x 150mm Ceiling Cup: 110mm

BEADED CHANDELIERS





-

 \bigcirc

BRING ON A

GU10 BRACKET AND LAMPHOLDER



DL GU10 BRACKET Down Lighter Converter

Converts from a 12V Down Light to a 220V - 240V Down Light

Height of Bracket: 80mm Length of Cord: 140mm



GU10 BRACKET AND LAMPHOLDER 7

POLYCARBONATE DOWNLIGHTERS



DL118 Surface Mount Polycarbonate with Antiglare Ring, Straight

- GU10 LED Bulb / 7W (Not Included) Without Lampholder

> Width: 96mm Height: 100mm

Colours Available: Black, White DL119

Surface Mount Polycarbonate, Straight

- GU10 LED Bulb / 7W (Not Included) Without Lampholder

> Width: 65mm Height: 85mm

Colours Available: Black, White



DL120 Surface Mount Polycarbonate with Antiglare Ring, Tilt

- GU10 LED Bulb / 7W without lampholder

Width: 96mm Height: 100mm

Colours Available: Black, White



DL121 Mount Polyca

Surface Mount Polycarbonate with Fluted Centre Ring, Tilt

- GU10 LED Bulb / 7W without lampholder

Width: 96mm Height: 100mm

Colours Available: Black, White



DL122 Round Recessed Polycarbonate Tilt

- GU10 LED Bulb / 7W without lampholder

Cut Out: 75mm Diameter: 90mm

Colours Available: Black, White

DL124 Square Recessed Polycarbonate with Antiglare Ring, Straight



- GU10 LED Bulb / 7W without lampholder

Cut Out: 75mm Diameter: 93mm

Colours Available: Black, White



DL123

Round Recessed Polycarbonate with Antiglare Ring, Tilt

- GU10 LED Bulb / 7W without lampholder

Cut Out: 75mm Diameter: 90mm

Colours Available: Black, White

DL125

Square Recessed Polycarbonate with Antiglare Ring, Tilt

> - GU10 LED Bulb / 7W without lampholder

> > Cut Out: 75mm Diameter: 93mm

Colours Available: Black, White

POLYCARBONATE DOWNLIGHTERS



DL132 Polycarbonate Anti Glare, Tilt

- GU10 LED Bulb / 7W without Lampholder

Cut Out: 80mm Diameter: 94mm

Colours Available: Black, White



DL135 Polycarbonate Anti Glare, Tilt

- GU10 LED Bulb / 7W without Lampholder

Cut Out: 80mm Diameter: 94mm

Colours Available: Black, White



DL133 Polycarbonate Anti Glare, Tilt

- GU10 LED Bulb / 7W without Lampholder

Cut Out: 80mm Diameter: 94mm

Colours Available: Black, White



DL134 Polycarbonate Anti Glare, Tilt

- GU10 LED Bulb / 7W without Lampholder

> Cut Out: 80mm Diameter: 94mm

Colours Available: Black, White




DL130 Polycarbonate Down Light

with Bayonet Lock, Straight without lampholder

- GU10 LED Bulb

Cut Out: 70mm Diameter: 90mm

Colours Available: Black, White



DL131

Polycarbonate Down Light with Bayonet Lock, Straight without lampholder

- GU10 LED Bulb

Cut Out: 70mm Diameter: 90mm

Colours Available: Black, White

DL063 WHITE Polycarbonate Clip in

Straight

without lampholder

Cut Out: 70mm

Diameter: 89mm



DL062 WHITE Polycarbonate Clip in Straight without lampholder

Cut Out: 70mm Diameter: 89mm





DL064 WHITE Polycarbonate Clip in Straight without lampholder

Cut Out: 60mm Diameter: 80mm Use to convert to 220V - 240V



DL GU10 BRACKET

Recommended bulb to use



GU10 LED


POLYCARBONATE DOWNLIGHTERS 9

THREE LIGHT PACK



DL033/3 WHITE Triple Pack LED Down Lights Metal with Polycarbonate Cover

> - 6W LED (Included) Colour Temp: 4000K Lumen: 360 CRi: >70 PF: >0.8



Also Available: DL035 WHITE

ONE LIGHT SINGLE PACK



DL034 WHITE Colour Temp: 3000K

DL035 WHITE Colour Temp: 4000K

DL036 WHITE Colour Temp: 6000K Metal with Polycarbonate Cover

- 6W LED (Included) Lumen: 360 CRi: >70 PF: >0.8

> Cut Out: 72mm Diameter: 95mm Height: 30mm

Also Available: DL033/3 WHITE





e de la constante de la consta

BLISTER PACKS

DL997 SATIN CHROME

Blister Pack with Straight Metal Down Light Complete with Bracket and GU10 LED Lamp 220V – 240V

> - 5W LED Bulb (Included) Lumen: 400

> > COOL: 4000K WARM: 3000K

Cut Out: 55mm Diameter: 80mm

DL999 WHITE Blister Pack with Straight Polycarbonate Down Light Complete with Bracket and GU10 LED Lamp 220V – 240V

> - 5W LED Bulb (Included) Lumen: 400

> > COOL: 4000K WARM: 3000K

Cut Out: 55mm Diameter: 80mm

150 BLISTER PACKS

BLISTER PACKS

Blister Pack with Aluminium Tilt LED Down Light and Bulb

- 5W LED (Included) 1 x LED Driver (Included) Lumen: 400 RA > 80

DL030: Colour Temp: 2700K

DL031: Colour Temp: 4000K

Down Lighter size: Cut Out: 75mm Diameter: 85mm

Colours Available: Black, Chrome, Satin Chrome, White

> Packaging: 190mm x 140mm

Also Available: PART 608 PART 609



5W LED Bulb Lumen: 400 Width: 52mm Height: 37mm

PART608 5W LED Bulb for DL031 Colour Temp: 4000K

PART609 5W LED Bulb for DL030 Colour Temp: 2700K





BLACK



CHROME



SATIN CHROME




WHITE





12V OR 220V - 240V ALUMINIUM





DL GU10 BRACKET

152

GU10 LED



GU10

12V OR 220V - 240V ALUMINIUM



DL254 ALUMINIUM 12V / 50W

Tilt Cut Out: 70mm Diameter: 83mm

Also Available: DL264 ALUMINIUM




DL264 ALUMINIUM 12V / 50W

Straight

Cut Out: 60mm Diameter: 78mm

Also Available: DL254 ALUMINIUM



DL255 ALUMINIUM 12V / 50W Tilt

> Cut Out: 79mm Diameter: 93mm

Also Available: DL265 ALUMINIUM



DL265 ALUMINIUM 12V / 50W Straight

Cut Out: 79mm Diameter: 93mm

Also Available: DL255 ALUMINIUM

DL271 ALUMINIUM - 12V/50W MR16 (Not Included) Tilt with MR16 Lampholder

> Cut Out: 80mm Diameter: 92mm



Recommended bulb to use

Ω.



Use to convert to 220V - 240V



GU10

GU10 LED

DL GU10 BRACKET

OR 220V - 240V ALUMINIUM 153

127

12V OR 220V - 240V ALUMINIUM



DL086 ALUMINIUM

Straight, Bevelled Edge, Without Lampholder 12V / 50W

Cut Out: 60mm Diameter: 78mm

Also Available: **DL087 ALUMINIUM**



DL087 ALUMINIUM

Tilt, Bevelled Edge, Without Lampholder 12V / 50W

Cut Out: 70mm Diameter: 83mm

Also Available: DL086 ALUMINIUM



DL088 ALUMINIUM Straight, Without Lampholder 12V / 50W

Cut Out: 60mm Diameter: 78mm

Also Available: **DL089 ALUMINIUM**



DL089 ALUMINIUM

Tilt, Without Lampholder 12V / 50W

> Cut Out: 70mm Diameter: 83mm

Also Available: DL088 ALUMINIUM

DL091 MATT WHITE

Tilt, Bevelled Edge, Without Lampholder 12V / 50W

> Cut Out: 70mm Diameter: 83mm

Also Available: DL090 MATT WHITE

DL256 ALUMINIUM

Tilt, Bevelled Edge, Without Lampholder 12V / 50W

> Cut Out: 70mm Diameter: 83mm

Also Available: **DL266 ALUMINIUM**



DL090 MATT WHITE Straight, Bevelled Edge, Without Lampholder 12V / 50W

> Cut Out: 60mm Diameter: 78mm

Also Available: **DL091 MATT WHITE**



DL266 ALUMINIUM Straight, Bevelled Edge, Without Lampholder 12V / 50W

> Cut Out: 60mm Diameter: 78mm

Also Available: **DL256 ALUMINIUM**

Recommended bulb to use

0.0

GU10 LED

Use to convert to 220V - 240V

12V OR 220V - 240V ALUMINIUM

154



DL GU10 BRACKET



GU10

12V OR 220V - 240V ALUMINIUM



Colours Available: Gun Metal, Satin Chrome, White



DL028 12V / 50W Straight

Cut Out: 63mm Diameter: 74mm

Colours Available: Gun Metal, Satin Chrome, White

Use to convert to 220V - 240V



Recommended bulb to use



DL GU10 BRACKET

GU10 LED

GU10

155

127 OR 220V - 240V ALUMINIUM

12V OR 220V - 240V ALUMINIUM





DL050 Aluminium, Down Facing, Tilt 220V - 240V

- 1 x 50W GU10 (Not Included)

Width: 80mm Height: 115mm

Colours Available: Aluminium, Matt Black, White



DL107

Die Cast Aluminium, Straight, Without Lampholder

> Cut Out: 70mm Diameter: 82mm

Colours Available: Silver, White



DL108 WHTE Die Cast Aluminium, Straight, Without Lampholder

> Cut Out: 70mm Diameter: 82mm

Recommended bulb to use



Use to convert to 220V - 240V



12V OR 220V - 240V ALUMINIUM 156

GU10

GU10 LED

0.0

DL GU10 BRACKET


SPLASHPROOF WITH GLASS



DL023 220V - 240V / 50W Straight Bevelled Edge Clear Splash Glass

Cut Out: 64mm Diameter: 86mm

Colours Available: Satin Chrome, White



DL032 Die Cast Aluminium, Straight, Splashproof with Glass With MR16 Lampholder

¥

Cut Out: 60mm Diameter: 83mm

Colours Available: Aluminium, White

PRESSED METAL



- 12V / 50W Straight

Cut Out: 55mm Diameter: 80mm

Colours Available: Brass, Satin Chrome, White



DL066 Pressed Metal, Straight Without Lampholder

> Cut Out: 51mm Diameter: 82mm

Colours Available: Black, Chrome, Satin Chrome, Satin Gold, White

> Also Available: DL067



DL003 - 12V / 50W Straight Bevelled Edge

Cut Out: 55mm Diameter: 86mm

Colours Available: Satin Chrome, White

DL067 Tilt, Without lampholder

> Cut Out: 65mm Diameter: 85mm

Colours Available: Chrome, Satin Chrome, Satin Gold, White

> Also Available: DL066

DL041 WHITE - 2 x 26W ES CFL (Not Included)

Straight, Recessed, Full Reflector Cut Out: 170mm Diameter: 190mm Depth: 115mm

PRESSED METAL

W.



DL009 220V - 240V / 50W Straight Cut Out: 55mm Diameter: 80mm

Colours Available: Gun Metal, Satin Chrome, White



DL019 220V - 240V / 50W Tilt Cut Out: 70mm Diameter: 88mm

Colours Available: Gun Metal, Satin Chrome, White

DL039 220V - 240V / 50W Tilt Square Cut Out: 70mm Diameter: 83mm


Colours Available: Gun Metal, Satin Chrome, White



DL081 SATIN

220V - 240V/50W Pressed Steel, Straight - 1 x 50W GU10 Cut Out: 82mm Diameter: 90mm Depth: 110mm

> Also Available: DL082 SATIN



DL082 SATIN

220V - 240V/50W Pressed Steel, Straight - 2 x 50W GU10 Cut Out: 82mm Length: 165mm Width: 90mm

> Also Available: DL081 SATIN

PRESSED METAL

LED RECESSED DOWNLIGHTERS



DL004 WHITE Aluminium Down Light, Straight

- 7W LED Bulb (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 420

> Cut Out: 65mm Diameter: 100mm



DL005 WHITE Aluminium Down Light, Straight

- 9W LED Bulb (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 540

> Cut Out: 75mm Diameter: 115mm



DL006 WHITE Aluminium Down Light, Straight

- 12W LED Bulb (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 720

> Cut Out: 85mm Diameter: 120mm

DL047 Square Starlight, Aluminium Alloy

- 3W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 210

> Diameter: 45mm Depth: 30mm Cut Out: 36mm

Colours Available: Satin Chrome, White



DL101 WHITE - 30W LED (Included) 1 x Isolated Driver Colour Temp: 4000K Lumen: 210 Rectangular Adjustable Downlight, 90 Degree Tilt Aluminium and Glass, IP54 PF > 0.9, CRI > 80 120°

> Cut Out: 220mm Length: 243mm Width: 150mm Depth: 90mm



DL102 WHITE - 40W LED (Included) 1 x Isolated Driver Colour Temp: 4000K Lumen: 2800



DL046 Round Starlight, Aluminium Alloy

- 3W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 210

> Diameter: 45mm Depth: 30mm Cut Out: 36mm

Colours Available: Satin Chrome, White

RECESSED DOWNLIGHTERS LED

DL054 WHITE

Metal with Opal Polycarbonate Cover - 5W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 350

> Cut Out: 75mm Diameter: 98mm Height: 40mm

Also Available: DL056 WHITE

DL056 WHITE

Metal with Opal Polycarbonate Cover - 12W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 960

> Cut Out: 120mm Diameter: 147mm Height: 50mm

Also Available: DL054 WHITE

DL055 SATIN

Metal with Opal Polycarbonate Cover - 5W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 350

> Cut Out: 75mm Diameter: 98mm Height: 40mm

Also Available: DL057 SATIN

DL057 SATIN

Metal with Opal Polycarbonate Cover - 12W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 960

> Cut Out: 120mm Diameter: 147mm Height: 50mm

Also Available: **DL055 SATIN**

DL059 SATIN

Tilt

12W LED (Included)

Temp: 4000K Lumen: 960 Cut Out: 95mm Diameter: 110mm



DL058 SATIN Tilt

6W LED (Included) 1 x LED Driver (Included)

> Temp: 4000K Lumen: 480 Cut Out: 70mm Diameter: 80mm





DL037 WHITE

Aluminium Down Light, Straight

- 5W LED Bulb (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 300

> Cut Out: 70mm Diameter: 100mm

ADJUSTABLE LED RECESSED DOWNLIGHTERS



BACK WITH ADJUSTABLE CLIPS

Aluminium with Polycarbonate Cover 220V - 240V 1 x Electronic LED Driver (Included) Adjustable Clips to fit variable cut out sizes Not Dimmable

- 6W LED (Included) Lumen: 360

Cut Out: 45mm - 80mm Diameter: 100mm

DL550 WARM Colour Temp: 3000K

DL551 COOL Colour Temp: 4000K - 8W LED (Included) Lumen: 550

Cut Out: 45m - 95mm Diameter: 120mm

DL552 WARM Colour Temp: 3000K

DL553 COOL Colour Temp: 4000K - 15W LED (Included) Lumen: 1150

Cut Out: 45m - 140mm Diameter: 170mm

DL554 WARM Colour Temp: 3000K

DL555 COOL Colour Temp: 4000K



BACK: Adjustable Clips to fit variable cut out sizes



Polycarbonate LED Panel Light 220V – 240V 1 x Electronic LED Driver (Included) Adjustable Clips to fit variable cut out sizes Not Dimmable Material: Aluminium, PC and PS Colour Temp: 4000K

DL556 COOL

- 9W LED (Included) Lumen: 900 Cut Out: 40mm – 70mm Diameter: 100mm

DL557 COOL

- 18W LED (Included) Lumen: 1800 Cut Out: 40mm – 90mm Diameter: 120mm **DL558 COOL**

- 24W LED (Included) Lumen: 2400 Cut Out: 45mm – 135mm Diameter: 168mm

LED RECESSED DOWNLIGHTERS

Die Cast Aluminium with Polycarbonate Cover 220V – 240V 1 x Electronic LED Driver (Included) Colour Temp: 4000K

> Not Dimmable PF > 0.5 CRI > 70

DL499 WHITE

- 3W LED (Included) Lumen: 210 Cut Out: 65mm Diameter: 85mm

DL501 WHITE

- 6W LED (Included) Lumen: 420 Cut Out: 105mm Diameter: 120mm

DL502 WHITE

- 12W LED (Included) Lumen: 840 Cut Out: 150mm Diameter: 170mm

DL503 WHITE

- 15W LED (Included) Lumen: 1000 Cut Out: 170mm Diameter: 190mm

DL504 WHITE

- 18W LED (Included) Lumen: 1200 Cut Out: 200mm Diameter: 220mm



Die Cast Aluminium with Polycarbonate Cover 220V – 240V 1 x Electronic LED Driver (Included) Colour Temp: 4000K Can Convert to Dimmable

DL701

- 3W LED (Included) Lumen: 190 Cut Out: 70mm Diameter: 82mm

DL702

 6W LED (Included) Lumen: 390 Cut Out: 108mm Diameter: 120mm

DL703

 12W LED (Included) Lumen: 840 Cut Out: 155mm Diameter: 167mm

DL704

 15W LED (Included) Lumen: 1000 Cut Out: 175mm Diameter: 188mm

DL705

 18W LED (Included) Lumen: 1260mm Cut Out: 205mm Diameter: 220mm

Colours Available: Satin Chrome, White

Drivers Available:

Part 600: 3 - 6W Part 601: 8 - 12W Part 602: 13 - 18W Part 603: 19 - 24W



Die Cast Aluminium with Polycarbonate Cover 220V – 240V 1 x Electronic LED Driver (Included) Colour Temp: 4000K Can Convert to Dimmable

> DL711 - 3W LED (Included) Lumen: 190 Cut Out: 75mm Diameter: 90mm

> DL712 - 6W LED (Included) Lumen: 390 Cut Out: 105mm Diameter: 118mm

DL713

 12W LED (Included) Lumen: 840 Cut Out: 155mm Diameter: 167mm

DL714

 15W LED (Included) Lumen: 1000 Cut Out: 175mm Diameter: 189mm

DL715

 18W LED (Included) Lumen: 1260 Cut Out: 205mm Diameter: 220mm

Colours Available: Satin Chrome, White

Drivers Available:

Part 600: 3 - 6W Part 601: 8 - 12W Part 602: 13 - 18W Part 603: 19 - 24W

LED SURFACE AND RECESSED DOWNLIGHTERS



- 18W LED (Included) 1 x Electronic LED Driver (Included) PF > 0.5 Temp: 4000K Lumen: 1200


> Diameter: 220mm Height: 32mm

DL511 WHITE Die Cast Aluminium Ceiling Fitting with Polycarbonate Cover 220V – 240V

> - 18W LED (Included) 1 x Electronic LED Driver (Included) PF > 70.5 Temp: 4000K Lumen: 1200

> > Diameter: 220mm Height: 32mm

SURFACE MOUNTED OR RECESSED SLIMLINE LED



DL072 WHITE

- 8W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 640

> Cut Out: 75mm Diameter: 95mm Height: 25mm

DL073 WHITE

- 16W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 1440

> Cut Out: 130mm Diameter: 150mm Height: 25mm

DL074 WHITE - 24W LED (Included) 1 x LED Driver (Included) Temp: 4000K

Lumen: 2400 Cut Out: 175mm

Diameter: 200mm Height: 25mm

DL075 SATIN - 8W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 640

> Cut Out: 75mm Diameter: 95mm Height: 25mm

DL076 SATIN - 16W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 1440

Cut Out: 130mm Diameter: 150mm Height: 25mm

DL077 SATIN

- 24W LED (Included) 1 x LED Driver (Included) Temp: 4000K Lumen: 2400

> Cut Out: 175mm Diameter: 200mm Height: 25mm

LED DECK LIGHTING







DL070 STAINLESS

White LED Outdoor Deck Lighting Stainless Steel and Polycarbonate 12V DC IP67

- 6 x 0.06W White LED (Included) 1 x Electronic LED Power Supply (Included) Colour Temp: 3000K

Each Light: Width: 30mm Height: 18.5mm Cable Length: 5000mm 6 x 1000mm Cable for each LED attachment LED DECK LIGHTING 165

LED PANEL LIGHTS

DL513 WHITE

Hospital Grade, Flicker Free 2 Year Guarantee Colour Temp: 6400K

Also Available: DL516 FRAME DL500 SUSPENSION PARTS White Aluminium Base with Polycarbonate Cover, IP20 Fits into a dropped 600mm x 600mm Ceiling Can be Flush Mounted against a Ceiling using DL516 FRAME Can be suspended by using DL500 SUSPENSION PARTS

> - 40W LED (Included) 1 x Electronic Driver (Included) Lumen: 3600 Diameter: 595mm Depth: 10mm

DL515 WHITE

White Aluminium Base with Polycarbonate Cover, IP20 Fits into a dropped 600mm x 600mm Ceiling

Can be Flush Mounted against a Ceiling using DL516 FRAME Can be suspended by using DL500 SUSPENSION PARTS

> - 40W LED (Included) 1 x Electronic Driver (Included) Colour Temp: 4000K Lumen: 2800

> > Diameter: 595mm Depth: 30mm

Also Available: DL516 FRAME DL500 SUSPENSION PARTS

DL516 FRAME

White Aluminium Frame to Convert a 600mm x 600mm Panel to be Flush Mounted against a Ceiling

Diameter: 600mm

Also Available: DL508 WHITE DL513 WHITE DL515 WHITE DL500 SUSPENSION PARTS

LED PANEL LIGHTS


White Aluminium Base with Polycarbonate Cover, IP20 Fits into a dropped 600mm x 1200mm Ceiling Can be Flush Mounted against a Ceiling using DL517 FRAME Can be suspended by using DL500 SUSPENSION PARTS

> - 60W LED (Included) 1 x Electronic Driver (Included) Lumen: 5400

Diameter: 595mm x 1195mm Depth: 10mm DL514 WHITE Hospital Grade, Flicker Free

2 Year Guarantee Colour Temp: 6400K

Also Available: DL517 FRAME DL500 SUSPENSION PARTS



DL517 FRAME White Aluminium Frame to Convert a 600mm x 1200mm Panel to be Flush Mounted against a Ceiling

Diameter: 600mm x 1200mm

Also Available: DL509 WHITE DL514 WHITE DL500 SUSPENSION PARTS



DL500 SUSPENSION PARTS Suspention Parts to convert a Flush Mount Ceiling Fitting to a Suspended Fitting Cable Length: 1000mm



-ans

RECHARGEABLE FANS

FAN019 WHITE White with White Blades


FAN020 BLACK Black with Black Blades

3 Speed Rechargeable Table Fan with USB Cable, Portable Fan Power: 7W Lithium Battery: 1800mAh Material: Plastic Height: 116mm

Charging Time: 3 Hours Discharging Time: 2 - 4 Hours










FAN016

12" Rechargeable Table Fan Fan Power: 12W Battery: 2600mAh Voltage: AC220V/DC12V Material: Metal with Metal Blades Colour: Black

> Width: 400mm Height: 370mm

Charging Time: 3 Hours Discharging Time: 3 - 5 Hours



FAN018 PANEL

Solar Panel for Rechargeable Fans with 5 Meter Cable Voltage: 18V Peak Power: 20W

> Width: 350mm Height: 450mm

Solar Panel for FAN015 Solar Panel for FAN016 Solar Panel for FAN017

RECHARGEABLE FANS 169

FAN015 Fan Power: 10W Battery: 2600mAh Voltage: AC220V/DC12V Material: Plastic Colour: White

> Width: 350mm Height: 1000mm Base: 340mm

Charging Time: 3 Hours Discharging Time: 3 - 5 Hours

FAN017 12" Rechargeable Oscillating Floor Fan 16" Rechargeable Oscillating Floor Fan 3 Speed Fan Power: 15W Battery: 2600mAh Voltage: AC220V/DC12V Material: Plastic Colour: White and Black

> Width: 430mm Height: 1200mm Base: 370mm

Charging Time: 3 Hours Discharging Time: 2.5 - 5 Hours



FLOOR AND TABLE FANS

3 STYLE FANS IN ONE BOX

3 Different Fan Configurations: Floor Fan (PVC Base) Table Fan (Metal Frame) Wall Fan (Brackets and Pull Switch)







FAN008/3 IN ONE

3 Speed Power: 85W Height Adjustable, Tilting Head Whisper Quiet Operation Easy to Assemble Fan Grid: 500mm

Floor Fan: Base: 500mm Height: 1060mm (Min.) 1300mm (Max.)

> Table Fan: Frame: 280mm x 450mm

> > Wall Fan: Depth: 400mm

FLOOR FAN

FLOOR AND TABLE FANS

3 STYLE FANS IN ONE BOX

3 Different Fan Configurations: Floor Fan (PVC Base) Table Fan (Metal Frame) Wall Fan (Brackets and Pull Switch)

WALL FAN



FAN014/3 IN ONE 3 Different Fan Configurations: Floor Fan, Table Fan, Wall Fan

16" (40cm) 3 Speed Control Power: 65W

> Height Adjustable Tilting Head Easy to Assemble Fan Grid: 420mm

Floor Fan: Base: 500mm Height: 1275mm

Table and Wall Fan: Frame: 300mm x 480mm



FANDIAGINONE LIGHTING AUGULO A

FLOOR FAN





FAN010 CHROME


12" (30.5cm) Table Fan High Velocity, 3 Speed Power: 40W High Protective Metal Grill Adjustable Tilt Head Whisper Quiet Operation Stable Metal Base with Rubber Scuff Pads Easy to Carry

> Width: 370mm Height: 380mm



FAN013 BLACK 16" (40.6cm) Plastic Table Fan Power: 65W 3 Speed Control

> Width: 470mm Height: 500mm



BLACK

WHITE

FCF004 5 Blade, 52" (132cm) 3 Speed Reversible AC Motor Pole or Flush Mount Pull Switch for Fan and Light

- 2 x 60W ES

Width: 1320mm Height: 365mm

Colours Available: Black with Black Blades Satin Chrome with Silver Blades White with White Blades

CEILING FANS 173

FCF007 SATIN

5 Blade, 52" (132cm) AC Motor 3 Speed Reversible Motor Pole Mount Remote Control for Fan and Light

- 1 x 60W ES

Width: 1320mm Height: 355mm

FCF041 SATIN

Satin Chrome, Steel and Glass AC Motor 56W Copper Coil Motor 3 ABS Blades, 48" (122cm) Remote Control with 3 Speed Control, Time Setting Pole or Flush Mount Balancing Kit Included

- 2 x 60W E27 (Not Included)

Width: 1220mm Height: 400mm

Also Available: FCF040 WHITE

FCF040 WHITE Steel and Glass AC Motor

56W Copper Coil Motor 3 ABS Blades, 48" (122cm) Remote Control with 3 Speed Control, Time Setting Pole or Flush Mount Balancing Kit Included

- 2 x 60W E27 (Not Included)

Width: 1220mm Height: 400mm

Also Available: FCF041 SATIN



FCF031 SATIN Satin Nickel with Silver Blades and White Glass

AC Motor 3 Blade, 48" (122cm) 3 Speed Reversible Motor Pole or Flush Mount, Wall Control

- 1 x 40W ES

Width: 1220mm Height: 420mm Wall Control

CEILING FANS 124

FCF049 WOOD

Steel, Wood Finish, No Light AC Motor 58W Copper Coil Motor 3 ABS Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Pole Mount Only Balancing Kit Included

> Width: 1320mm Height: 340mm

FCF048 WOOD

Steel and Acrylic, Wood Finish AC Motor 58W Copper Coil Motor 3 ABS Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Pole Mount Only Balancing Kit Included

> - 18W LED (Included) Colour Temp: 4000K Lumen: 1400 Width: 1320mm Height: 340mm

FCF051 WHITE

Steel, No Light AC Motor 58W Copper Coil Motor 3 ABS Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Pole Mount Only Balancing Kit Included

> Width: 1320mm Height: 340mm

Present

FCF050 WHITE Steel and Acrylic

AC Motor 58W Copper Coil Motor 3 ABS Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Pole Mount Only Balancing Kit Included

> - 18W LED (Included) Colour Temp: 4000K Lumen: 1400

> > Width: 1320mm Height: 340mm

FCF037 WHITE

Metal, No Light AC Motor 4 Blade, 48" (122cm) 3 Speed Reversible Motor Pole Mount, Wall Control

> Width: 1220mm Height: 355mm





FCF038 WHITE 3 Blade, 52" (132cm) with Remote Control AC Motor 3 Speed Reversible Motor Pole Mount

- 1 x 60W ES

Width: 1200mm Height: 415mm

46)

Mpthe

FCF054 WHITE

Metal, No Light AC Motor 80W Copper Coil Motor 5 ABS Blades, 52" (132cm) Remote Control with 3 Speed Control Time Setting

> Width: 1370mm Height: 330mm

a

FCF013 WHITE

Steel and Glass AC Motor 51W Copper Coil Reversible Motor 3 Reversible Plywood/White Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Flush Mount Only Balancing Kit Included

- 2 x 60W ES (Not Included)

Width: 1320mm Height: 320mm

FCF053 SATIN

Satin Nickle with Brown Wood Blades No Light AC Motor 65W Copper Coil Motor 3 Blades, 52" (132cm) Remote Control with 3 Speed Control Time Setting

> Width: 1320mm Height: 350mm

FCF042 SATIN

Satin Chrome and Steel, No Light AC Motor 54W Copper Coil Reversible Motor 4 MDF Blades, 42" (106cm) Pull Chain with 3 Speed Control Pole or Flush Mount Balancing Kit Included

> Width: 1060mm Height: 360mm



11111

FCF045 BK/WOOD

Metal and Wood, No Light DC Motor 40W Copper Coil Reversible Motor 3 Wood Blades, 52" (132cm) Remote Control with 6 Speed Control, Time Setting Balancing Kit Included

> Width: 1320mm Height: 360mm

FCF044 BK/WOOD Metal and Wood DC Motor 40W Copper Coil Reversible Motor 3 Wood Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Balancing Kit Included

- 18W LED (included) Colour Temp: Changeable 3000K – 6000K Lumen: 1900

> Width: 1320mm Height: 375mm

> > 11111



FCF047 WHITE

Metal and ABS, No Light DC Motor 40W Copper Coil Reversible Motor 3 ABS Blades, 52" (132cm) Remote Control with 6 Speed Control, Time Setting Balancing Kit Included

> Width: 1320mm Height: 350mm

FCF046 WHITE

Metal and ABS DC Motor 40W Copper Coil Reversible Motor 3 ABS Blades, 52" (132cm) Remote Control with 6 Speed Control, Time Setting Balancing Kit Included

- 18W LED (Included) Colour Temp: Changeable 3000K – 6000K Lumen: 1900

> Width: 1320mm Height: 365mm

FCF060 SATIN

Satin Nickel and ABS, No Light DC Motor 43W Copper Coil Motor 4 Silver ABS Blades, 54" (137cm)

Remote Control: 6 Speed Control, Time Setting Balancing Kit Included

> Width: 1370mm Height: 350mm

FCF059 SATIN

Satin Nickel and ABS DC Motor 43W Copper Coil Motor 4 Silver ABS Blades, 52" (132cm)

- 18W LED (Included) Colour Temp: Changeable 3000K – 6000K Lumen: 1900

Remote Control: 6 Speed Control, Light Control, Time Setting Balancing Kit Included

> Width: 1370mm Height: 365mm

FCF018 LED

Space Saving LED Ceiling Fan with Remote Control AC Motor 3 Speed Fan Material: PC, LED and Acrylic Dimmable

- 36W LED (Included) Colour Temp: Changeable 3000K - 6000K Lumen: 1730

> Diameter: 550mm Height: 200mm

FCF063 BLACK

Metal and ABS, No Light AC Motor 65W Copper Coil Reversible Motor 3 ABS Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Balancing Kit Included

> Width: 1320mm Height: 350mm

FCF064 BLACK

Metal and ABS AC Motor 65W Copper Coil Reversible Motor 3 ABS Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Balancing Kit Included - 18W LED (included) Colour Temp: Changeable 3000K – 6000K Lumen: 1200

> Width: 1320mm Height: 365mm

FCF072 WHITE

Industrial Metal Fan with Metal Blades No Light AC Motor 70W Copper Coil Motor 3 Metal Blades, 56" (142 cm) 5 Speed Wall Control Pole Mount Balancing Kit Included

> Width: 1400mm Height: 500mm

Also Available: FCF073 STAINLESS

FCF073 STAINLESS

Industrial Stainless Steel Fan with Metal Blades No Light AC Motor 80W Copper Coil Motor 3 Stainless Steel Blades, 56" (142 cm) 5 Speed Wall Control Pole or Flush Mount Balancing Kit Included


> Width: 1400mm Height: 500mm

Also Available: FCF072 WHITE



Metal with Solid Wood Blades (Natural) No Light DC Motor 3 Solid Wood Blades, 60" (152cm) Remote Control with 3 Speed Control, Time Setting Balancing Kit Included

> Width: 1520mm Height: 305mm



Satin Nickel Finish with Solid Wood Blades (Walnut) No Light AC Motor 3 Solid Wood Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Balancing Kit Included

> Width: 1320mm Height: 230mm

1111

FCF076 MATT WHITE

Metal with Solid Wood Blades No Light AC Motor 3 Solid Wood Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Balancing Kit Included

> Width: 1320mm Height: 230mm



FCF079 SATIN

Satin Nickel Finish with Solid Wood Blades (Walnut) No Light AC Motor 3 Solid Wood Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Balancing Kit Included

> Width: 1320mm Height: 335mm

Ceiling Fans 182



FCF080 MATT BLACK

Metal with ABS Blades AC Motor 3 ABS Blades, 44" (112cm) Remote Control with 3 Speed Control, Time Setting Balancing Kit Included - 20W LED (Included) Colour Temp: 3000K, 4000K, 6000K

> Width: 1120mm Height: 350mm



FCF081 MATT BLACK

Metal with ABS Blades No Light AC Motor 2 ABS Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Balancing Kit Included

> Width: 1320mm Height: 320mm


FCF082 MATT BLACK

Metal with ABS Blades AC Motor 2 ABS Blades, 52" (132cm) Remote Control with 3 Speed Control, Time Setting Balancing Kit Included - 15W LED (Included) Colour Temp: 3000K, 4000K, 6000K


> Width: 1320mm Height: 365mm

April

RETRACTABLE BLADE CEILING FAN



RETRACTABLE BLADE CEILING FAN



LINEAR LIGHTING

Linear Lig

:2

Ν

T5 AND T8 TUBES

T5 FLUORESCENT TUBE

- 14W Length: 550mm
- 24W Length: 550mm

		- 28W Length: 1105mm - 55W Length: 1105mm		
				NEUTRAL
- 8W LED Lumen: 720 Length: 550mm Diameter: 16mm BULB LED 201 Colour Temp: 6000K BULB LED 202 Colour Temp: 3000K	- 12W LED Lumen: 1080 Length: 850mm Diameter: 16mm BULB LED 208 Colour Temp: 6000K BULB LED 209 Colour Temp: 3000K	T5 LED TUBE Not Dimmable, 220V – 240V Beam Angle: 240 degrees PF: > 0.6	- 16W LED Lumen: 1440 Length: 1150mm Diameter: 16mm BULB LED 203 Colour Temp: 6000K BULB LED 204 Colour Temp: 3000K	- 18W LED Lumen: 1620 Length: 1449mm Diameter: 16mm BULB LED 220 Colour Temp: 6000K
) Juli alda
		T8 LED TUBE Not Dimmable, 220V – 240V Beam Angle: 240 degrees PF: >0.6		
	- 9W T8 LED Tube Length: 600mm Lumen: 900	- 18W T8 LED Tube Length: 1200mm Lumen: 1800	- 22W T8 LED Tube Length: 1500mm Lumen: 2200	
	BULB LED 176 Colour Temp: 3000K BULB LED 177 Colour Temp: 6000K	BULB LED 178 Colour Temp: 3000K BULB LED 179 Colour Temp: 6000K	BULB LED 180 Colour Temp: 3000K BULB LED 181 Colour Temp: 6000K	
T8 LED Rechargeable Emergency Tube Not Dimmable Built-in Non-Isolated Battery				
Material: Aluminium Lampbody with PC Cover Colour Temp: 6000K				
		PF: >0.9 Beam Angle: 180 degrees Emergency Wattage: 3-4W Emergency Time: 2.5 - 3 Hours		Τ5 /

BULB LED 290 - 9W LED Lumen: 810

> Length: 590mm Width: 26mm

BULB LED 291 - 13W LED Lumen: 1170

> Width: 26mm Also Available: FTL015 WHITE

Length: 895mm

BULB LED 292 - 18W LED Lumen: 1620

Length: 1200mm Width: 26mm

BULB LED 293 - 22W LED Lumen: 1980

1

Length: 1500mm Width: 26mm

Linear Lic

T8 LED PVC OPEN CHANNEL FITTING WIRED FOR LED TUBES

NO LED STARTER OR ELECTRONIC BALLAST REQUIRED FOR FITTING FITTINGS SOLD PER BOX (20 PIECES)



FTL054 WHITE

IP20 - 1 x 9W T8 LED Tubes (Not Included)

> Width: 34mm Length: 610mm Height: 45mm

Recommended Bulb: BULB LED 176 BULB LED 177

FTL055 WHITE IP20 - 1 x 18W T8 LED Tubes (Not Included)

Width: 34mm Length: 1220mm Height: 45mm


Recommended Bulb: BULB LED 178 BULB LED 179

FTL056 WHITE IP20

- 1 x 22W T8 LED Tubes (Not Included)

> Width: 34mm Length: 1520mm Height: 45mm

Recommended Bulb: BULB LED 180 BULB LED 181



Width: 73mm Length: 1520mm Height: 42mm

Recommended Bulb: BULB LED 180 BULB LED 181

(Not Included)

Width: 73mm Length: 610mm Height: 42mm

Recommended Bulb: BULB LED 176 BULB LED 177

(Not Included)

Width: 73mm Length: 1220mm Height: 42mm

Recommended Bulb: BULB LED 178 BULB LED 179

LED OPEN CHANNEL FITTING

T8 LED OPEN CHANNEL FITTING

NO LED STARTER OR ELECTRONIC BALLAST REQUIRED FOR FITTING



FTL001 WHITE

- 1 x 9W LED Tube (Not Included)

Width: 40mm Length: 620mm Height: 26mm

Recommended Bulb: BULB LED 176 BULB LED 177 BULB LED 290 FTL002 WHITE IP20 - 1 x 18W LED Tube (Not Included)

Width: 40mm Length: 1230mm Height: 26mm

Recommended Bulb: BULB LED 178 BULB LED 179 BULB LED 292

FTL003 WHITE IP20

- 1 x 22W LED Tube (Not Included)

Width: 40mm Length: 1530mm Height: 26mm

Recommended Bulb: BULB LED 180 BULB LED 181 BULB LED 293



FTL004 WHITE IP20 - 2 x 9W LED Tubes (Not Included)

> Width: 81mm Length: 620mm Height: 35mm

Recommended Bulb: BULB LED 176 BULB LED 177 BULB LED 290 FTL005 WHITE IP20 - 2 x 18W LED Tubes (Not Included)

> Width: 81mm Length: 1230mm Height: 35mm

Recommended Bulb: BULB LED 178 BULB LED 179 BULB LED 292



FTL006 WHITE IP20 - 2 x 22W LED Tubes (Not Included)

> Width: 81mm Length: 1530mm Height: 35mm

Recommended Bulb: BULB LED 180 BULB LED 181 BULB LED 293



FTL015 WHITE 3 Foot, IP20 - 2 x 13W LED Tubes (Not Included)

> Width: 81mm Length: 930mm Height: 35mm

Recommended Bulb: BULB LED 185 BULB LED 291 LED OPEN CHANNEL FITTING

Linear L

G5 T5 LED OPEN CHANNEL FITTING

NO LED STARTER OR ELECTRONIC BALLAST REQUIRED FOR FITTING



(Not Included)

Width: 40mm Length: 580mm Height: 28mm

Recommended Bulb: BULB LED 201 BULB LED 202

(Not Included)

Width: 40mm Length: 1180mm Height: 28mm

Recommended Bulb: BULB LED 203 BULB LED 204

(Not Included)

Width: 40mm Length: 1480mm Height: 28mm

Recommended Bulb: BULB LED 220

LED UNDER COUNTER LIGHTS

LED, Plastic Under Counter Light with Switch, IP20 Fitting is Extendable

1 x 1200mm Power Supply Cable and 1 Set of Parts (Included) Chips: SMD 2835 Power Factor: >0.5

> FTL110 WHITE FTL210 WARM Colour Temp: 4000K Colour Temp: 3000K

> > - 5W LED (Included) Lumen: 400

Width: 21mm Length: 315mm (Not Including Cable) Depth: 34mm

FTL111 WHITE FTL211 WARM Colour Temp: 4000K Colour Temp: 3000K

> - 9W LED (Included) Lumen: 720

Width: 21mm Length: 575mm (Not Including Cable) Depth: 34mm

FTL112 WHITE FTL212 WARM Colour Temp: 4000K Colour Temp: 3000K

uk Coloui temp. So

- 14W LED (Included) Lumen: 1120

Width: 21mm Length: 875mm (Not Including Cable) Depth: 34mm

FTL113 WHITE FTL213 WARM Colour Temp: 4000K Colour Temp: 3000K

> - 18W LED(Included) Lumen: 1440

Width: 21mm Length: 1175mm (Not Including Cable) Depth: 34mm Aluminium and Plastic Under Counter Light with Switch Can be connected with Connector Cable Not Dimmable

1 x 300mm Connector Cable and Connector Block (Included) 1 x LED Driver (Included) Colour Temp: 4000K

> FTL710 SILVER - 6W LED (Included) Lumen: 480

Width: 23mm Length: 305mm (Not Including Cable) Depth: 35mm

> FTL711 SILVER - 9W LED (Included) Lumen: 720

Width: 23mm Length: 575mm (Not Including Cable) Depth: 35mm

> FTL712 SILVER - 12W LED (Included) Lumen: 1100

Width: 23mm Length: 875mm (Not Including Cable) Depth: 35mm

> FTL713 SILVER - 16W LED (Included) Lumen: 1400

Width: 23mm Length: 1173mm (Not Including Cable) Depth: 35mm

LED UNDER COUNTER LIGHT WITH SENSOR SWITCH

SINGLE FITTING - 500MM



FTL011 UC Blister Pack, IP20 Aluminium and PC Under Counter Light with Sensor Switch Fitting is Extendable

- 5.5W LED (Included) 1 x 1500mm Power Supply Cable 1 set Parts (Included)

> Colour Temp: 4000K Lumen: 403 CRI: >80

> > Width: 30mm Length: 500mm

FTL013 UC Blister Pack, IP20 Two Pack Aluminium and PC Under Counter Light with Sensor Switch Fitting is Extendable

> - 2 x 5.5W LED (Included) 1 x 1500mm Power Supply Cable 1 set Parts (Included)

> > Colour Temp: 4000K Lumen: 2 x 403 CRI: >80

> > > Width: 30mm Length: 500mm






FTL012 UC Blister Pack, IP20 Aluminium and PC Under Counter Light with Sensor Switch Fitting is Extendable

- 10.5W LED (Included) 1 x 1500mm Power Supply Cable 1 set Parts (Included) Colour Temp: 4000K Lumen: 755 CRI: >80

Width: 30mm Length: 1000mm

DOUBLE FITTING - 500MM



LED

FTL150 SILVER Metal and Polycarbonate Fitting

- 24W LED (Included)

Colour Temp: 4000K Lumen: 1800

> Length: 740mm Width: 220mm Depth: 96mm

Plastic with PC Cover, Connection Cable Included

FTL007 WHITE - 1 x 18W LED (Included)

> Colour Temp: 6000K Lumen: 1440

Width: 29mm Length: 1200mm



Plastic with PC Cover, Connection Cable Included

FTL008 WHITE - 2 x 9W LED (Included)

Colour Temp: 6000K Lumen: 1440

> Width: 78mm Length: 600mm

FTL009 WHITE - 2 x 18W LED (Included)

> Colour Temp: 6000K Lumen: 2880

Width: 78mm Length: 1200mm



CCT - COLOUR CHANGING TEMPERATURE 3000K - 6500K CCT INDOOR USE ONLY

> Slim Line LED Flush Mount Linear Fitting Material: Aluminium and PC Cover Colour Temp: 3000K - 6500K CCT Power Factor: > 0.5

FTL735 CCT - 18W LED (Included) Lumen: 1260

> Width: 54mm Length: 600mm Height: 45mm

FTL736 CCT - 36W LED (Included) Lumen: 2520

> Width: 54mm Length: 1200mm Height: 45mm

FTL737 CCT - 48W LED (Included) Lumen: 3360

> Width: 54mm Length: 1500mm Height: 45mm

LED

FTL700 LED Aluminium with PC Cover

- 20W LED (Included) 1 x LED Driver (Included) Colour Temp: 6500K Lumen: 1800

> Width: 75mm Length: 600mm Height: 25mm

FTL 701 LED Aluminium with PC Cover

- 40W LED (Included) 1 x LED Driver (Included) Colour Temp: 6500K Lumen: 3600

> Width: 75mm Length: 1200mm Height: 25mm

FTL702 SILVER Aluminium and Plastic with Silver Edge

- 24W LED (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 1900

> Width: 110mm Length: 600mm Depth: 35mm

FTL703 SILVER Aluminium and Plastic with Silver Edge

> - 48W LED (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 3800

> > Width: 110mm Length: 1200mm Depth: 35mm

FTL704 WHITE Metal with PC Cover, IP20

- 18W LED (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 1260

> Width: 145mm Length: 580mm Height: 50mm

FTL705 WHITE Metal with PC Cover, IP20

- 36W LED (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 2520

> Width: 145mm Length: 1180mm Height: 50mm

FTL708 WHITE Metal with PC Cover, IP20

- 18W LED (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 1260

> Width: 120mm Length: 585mm Height: 50mm

FTL709 WHITE Metal with PC Cover, IP20

- 36W LED (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 2520

> Width: 120mm Length: 1185mm Height: 50mm

LED



FTL719 WHITE Aluminium and PC Cover

- 26W LED (Included) 1 x LED Driver (Included)

> Lumen: 2080 Length: 615mm

IP40 Colour Temp: 6400K Width: 75mm Depth: 25mm

Features: Chips: SMD: 2835 Power Factor: >0.5 FTL720 WHITE Aluminium and PC Cover

- 60W LED (Included) 1 x LED Driver (Included)

> Lumen: 4800 Length: 1515mm



- 18W LED (Included)

Colour Temp: 4000K Lumen: 1400

> Width: 54mm Length: 623mm Depth: 34mm

FTL722 WHITE Metal with PC Cover

- 36W LED (Included)

Colour Temp: 4000K Lumen: 2800

Width: 54mm Length: 1230mm Depth: 34mm



FTL723 WHITE Metal with PC Cover

- 18W LED (Included)

Colour Temp: 6500K Lumen: 1400

> Width: 75mm Length: 600mm Depth: 22mm

FTL724 WHITE Metal with PC Cover

- 36W LED (Included)

Colour Temp: 6500K Lumen: 2800

Width: 75mm Length: 1200mm Depth: 22mm FTL733 Metal with Silver Trim and PC Cover

- 65W LED (Included)

Colour Temp: 6500K Lumen: 5000

Width: 75mm Length: 2320mm Depth: 25mm

WIRED FOR LED TUBES



LED, Flush Mount, Slim Line, Metal with Plastic Cover

FTL020 WHITE - 2 x 9W T8 LED Tubes (Not Included)

> Width: 150mm Length: 630mm

Recommended Bulb: BULB LED 176 BULB LED 177 FTL021 WHITE - 2 x 18W T8 LED Tubes (Not Included)

> Width: 150mm Length: 1240mm

Recommended Bulb: BULB LED 178 BULB LED 179



LED, Flush Mount, Slim Line Fitting with Grid

FTL022 WHITE - 2 x 9W T8 LED Tubes (Not Included)

> Width: 150mm Length: 637mm

Recommended Bulb: BULB LED 176 BULB LED 177 FTL023 WHITE - 2 x 18W T8 LED Tubes (Not Included)

> Width: 150mm Length: 1250mm

Recommended Bulb: BULB LED 178 BULB LED 179



LED, Flush Mount, Slim Line Fitting with Plastic Cover

FTL024 WHITE - 2 x 9W T8 LED Tubes (Not Included)

> Width: 130mm Length: 640mm

Recommended Bulb: BULB LED 176 BULB LED 177 FTL025 WHITE - 2 x 18W T8 LED Tubes (Not Included)

> Width: 130mm Length: 1250mm

Recommended Bulb: BULB LED 178 BULB LED 179

WIRED FOR LED TUBES



FTL043 SATIN - 2 x 9W T8 LED Tubes (Not Included)

> Width: 125mm Length: 760mm

Recommended Bulb: BULB LED 176 BULB LED 177 FTL044 SATIN - 2 x 18W T8 LED Tubes (Not Included)

> Width: 125mm Length: 1370mm

Recommended Bulb: BULB LED 178 BULB LED 179 FTL045 SATIN - 2 x 22W T8 LED Tubes (Not Included)

> Width: 125mm Length: 1670mm

Recommended Bulb: BULB LED 180 BULB LED 181

FTL048 WHITE - 2 x 9W T8 LED Tubes (Not Included)

> Width: 125mm Length: 760mm

Recommended Bulb: BULB LED 176 BULB LED 177 Width: 125mm Length: 1370mm

FTL049 WHITE

- 2 x 18W T8 LED Tubes (Not Included)

Recommended Bulb: BULB LED 178 BULB LED 179 - 2 x 22W T8 LED Tubes (Not Included) Width: 125mm

FTL050 WHITE

Length: 1670mm

Recommended Bulb: BULB LED 180 BULB LED 181

FLUSH MOUNT FLUORESCENT LIGHTING



FTL622 CHROME Silver Plastic with Glass Cover

- 2 x 14W T5 Fluorescent Tubes (Included) 1 x Electronic Ballast (Included) Colour Temp: 4000K

> Width: 140mm Length: 610mm

> Also Available: ML020, ML021

FTL623 CHROME Silver Plastic with Glass Cover

- 2 x 28W T5 Fluorescent Tubes (Included) 1 x Electronic Ballast (Included) Colour Temp: 4000K

> Width: 140mm Length: 1201mm

Also Available: ML020, ML021

- 2 x 18W T8 LED Tubes (Not Included) - 2 x 22W T8 LED Tubes (Not Included)

VAPOUR PROOF FOR LED TUBES



Plastic with Polycarbonate Cover, Wired to One End, IP65

FTL041 LED

FTL040 LED - 2 x 9W T8 LED Tubes (Not Included)

> Width: 115mm Length: 670mm Depth: 50mm

Also Available: BULB LED 176 BULB LED 177 Width: 115mm Length: 1270mm Depth: 50mm

Also Available: BULB LED 178 BULB LED 179 Width: 115mm Length: 1570mm Depth: 50mm

FTL042 LED

Also Available: BULB LED 180 BULB LED 181

IP65 OUTDOOR FOR CAR PARKS



Tri-proof Light, Suitable for Outdoor Use, IP65 Material: Polycarbonate

FTL725 COOL WHITE - 18W LED

> Colour Temp: 4000K Lumen: 1400

> > Width: 58mm Length: 633mm

FTL727 COOL WHITE - 36W LED

Colour Temp: 4000K Lumen: 2800

Width: 58mm Length: 1230mm FTL728 WARM WHITE - 36W LED

> Colour Temp: 3000K Lumen: 2800

Width: 58mm Length: 1230mm

TRI-PROOF LIGHT WITH MICROWAVE SENSOR

Tri-proof Light, Suitable for Outdoor Use, IP65 Material: Polycarbonate

FTL731 WHITE Tri-proof Light with Microwave Sensor, IP65

> - 18W LED Colour Temp: 6500K Lumen: 1400

> > Width: 56mm Length: 633mm

FTL732 WHITE Tri-proof Light with Microwave Sensor, IP65

> - 36W LED Colour Temp: 6500K Lumen: 2800

> > Width: 56mm Length: 1230mm

LED STRIP LIGHTS



BULB LED 900 5 Meter Flexible LED Strip Light with self adhesive backing Min. cutting length every 3rd LED (5cm apart) Lumen: 3-4W/LED 12V DC IP20 SMD: 3528 60 LED

> Colour: White Colour Temp: 4000K Length of Strip: 5000mm Width of Strip: 8mm LED per Meter: 60 pieces Beam Angle: 270 degrees 10 000 Hours

Includes: 1 x 5000mm Flexible Strip Light 1 x 18W Wall Mounted Driver



BULB LED 901 5 Meter Flexible Silicon Gel Insulated LED Strip Light with self adhesive backing Min. cutting length every 3rd LED (5cm apart) Lumen: 3-4W/LED 12V DC IP65 SMD: 3528 60 LED

Colour: White Colour Temp: 4000K Length of Strip: 5000mm Width of Strip: 8mm LED per Meter: 60 pieces Beam Angle: 270 degrees 10 000 Hours

Includes: 1 x 5000mm Flexible Strip Light 1 x 18W Wall Mounted Driver





CLE STORE STORE STORE

200 LED STRIP LIGHTS

LED STRIP LIGHTS



BULB LED 902 5 Meter Flexible LED RGB Strip Light with self adhesive backing Min. cutting length every 3rd LED (10cm apart) 12V DC IP20 SMD: 5050 30 LED

> Colour: RGB Colour Temp: 4000K Length of Strip: 5000mm Width of Strip: 10mm LED per Meter: 30 pieces Beam Angle: 270 degrees 10 000 Hours

Includes: 1 x 5000mm Flexible Strip Light 1 x RGB Remote Control 1 x RGB Control Box 1 x 36W Wall Mounted Driver 1 X AC/DC Adapter



LED STRIP LIGHTS



HVS400 DAYLIGHT Colour Temp: 6000K 5M White LED Blister Pack Strip Light, IP65 220V – No Transformer Required

Power Consumption: 6W/Meter LED Quantity: 120 LED/Meter Total Wattage: 30W LED Source: SMD 2835 Strip Dimension: W: 11mm x H: 7mm Cutting Unit: 1 Meter Max. Running: 5 Meters CRI: 80





HVS401 COOL Colour Temp: 4000K

. . .



LED STRIP LIGHTS



HVS405 RED

LED STRIP LIGHTS 203

HVS001: COOL WHITE Colour Temp: 6000K

HVS001 and HVS002 White LED Strip Light, Sold per Meter, IP65

LED STRIP LIGHTING SOLD PER METRE

Power Consumption: 6W/Meter LED Source: SMD 2835 Lumen Flux: 300 LM/Meter Lumen Efficiency: 50 LM/Watt LED Quantity: 120 LED/Meter

Strip Dimension: W: 13mm x H: 7mm Cutting Unit: 1 Meter Max. Running: 50 Meters

HVS003: GREEN

. . .

HVS004: BLUE HVS003, HVS004, HVS005

LED Strip Light, Sold per Meter, IP65

CHC

Power Consumption: 4-6W/Meter LED Source: SMD 2835 Lumen Flux: 100 LM/Meter Lumen Efficiency: 16 LM/Watt LED Quantity: 120 LED/Meter

Strip Dimension: W: 13mm x H: 6.5mm Cutting Unit: 1 Meter Max. Running: 50 Meters

PARTS FOR HVS001, HVS002, HVS003, HVS004, HVS005

HVS006 IP44 2 Pin Power Feed, Non Waterproof, IP44 Length: 435mm



HVS008 CLIP **Plastic Mounting Clip** Length: 32mm



HVS009 CONNECT Plastic Straight Connector Length: 30mm



HVS010 END Plastic End Cap Width: 16mm

HVS007 IP65 2 Pin Power Feed, Waterproof, IP65 Length: 520mm

C C C C CHC C



Width: 50mm

Length: 68mm

HVS002: WARM WHITE Colour Temp: 3000K

HVS005: RED



HVS012 L CONNECT Plastic L Connector Width: 45mm

RGB LED STRIP LIGHTING SOLD PER METRE




HVS120 RGB RGB LED Strip Light, Sold per Meter, IP65


> Power Consumption: 10W/Meter LED Source: SMD 5050 RGB Lumen Flux: 100 LM/Meter Lumen Efficiency: 16 LM/Watt LED Quantity: 60 LED/Meter

Strip Dimension: W: 13mm x H: 8mm Cutting Unit: 1 Meter Max. Running: 50 Meters

PARTS FOR HVS120 RGB



HVS122 CLIP Plastic Mounting Clip for LED Strip Light Length: 37mm HVS124 CONNECT Plastic Straight Connector Length: 27mm HVS123 END Plastic End Cap Width: 20mm



Aluminium Mounting Clip Length: 50mm

Width: 25mm

LED STRIP LIGHTS 206

Length: 37mm

RGB LED STRIP LIGHTING SOLD PER METRE



HVS350 RGB RGB LED Strip Light, Sold per Meter, IP65

Power Consumption: 13W/Meter LED Source: SMD 5050 RGB Lumen Flux: 120 LM/Meter Lumen Efficiency: 17 LM/Watt LED Quantity: 96 LED/Meter

Strip Dimension: W: 10mm x H: 20mm Cutting Unit: 1 Meter Max. Running: 50 Meters

PARTS FOR HVS350 RGB



HVS122 CLIP Plastic Mounting Clip for LED Strip Light Length: 37mm



HVS238 CLIP Aluminium Mounting Clip Length: 50mm



HVS239 END Plastic End Cap Width: 25mm



Includes RGB Remote Control Remote Distance: Max. 10 Meters



HVS352 CONNECT 4 Pin Plastic Straight Connector Length: 60mm



BATHROOM LIGHTING

EXTRACTOR FANS



FAN EXT 02 WHITE

Bathroom Extractor Fan and Light Material: Aluminium and Polycarbonate

> - 11W LED Lumen: 900 Temp: 4000K

Fan Power: 20W

Cut Out: 125mm Diameter: 320mm Height: 155mm



FAN EXT 03 4" (100mm) Bathroom Extractor Fan Full ABS Plastic Fan Power: 12W Width: 159mm Cut Out: 102mm

FAN EXT 04 6" (150mm) Bathroom Extractor Fan Full ABS Plastic Fan Power: 20W Width: 210mm Cut Out: 152mm





FAN EXT 05 8" (200mm) Bathroom Extractor Fan Full ABS Plastic Fan Power: 22W Diameter: 310mm Cut Out: 240mm Depth: 125mm

FAN EXT 06 10" (250mm) Bathroom Extractor Fan Full ABS Plastic Fan Power: 33W Diameter: 360mm Cut Out: 295mm Depth: 125mm



EXTRACTOR FANS 9

MIRROR LIGHTS





ML057 LED Steel and Glass Rectangular LED Infinity Mirror

> - 20W LED (Included) Colour Temp: 3000K Lumen: 120

> > Width: 500mm Height: 700mm Depth: 60mm



ML047 BATTERY MIRROR Steel and Glass Mirror

- 20 x 0.06W LED (Included) - 3 x AA Battery (Not Included) IP44

> Width: 450mm Height: 600mm Depth: 30mm

ML045 LED Steel and Glass LED Infinity Mirror

> - 30W LED (Included) Colour Temp: 4000K Lumen: 1500

> > Diameter: 700mm Depth: 65mm



ML044 LED Polished Chrome and Crystal Mirror with On / Off Switch

> - 36W LED (Included) 1 x Power Supply Colour Temp: 4000K Lumen: 2100

> > Width: 500mm Height: 500mm Depth: 60mm

MIRROR LIGHTS

ML025 LED Oval Mirror with On / Off Mirror Switch Dimmable

- 22W LED (Included) 1 x Power Supply (Included)

> Colour Temp: 3000K Lumen: 1980 PF>0.5

> > Width: 500mm Height: 800mm Depth: 35mm



ML058 Circular Mirror with Black Leather Strap, IP44

On/Off Mirror Touch Switch – 22W LED (Included) Dimmable Colour Temp: CCT 3500K – 5000K

Diameter: 600mm



康

ML061 LED Circular Mirror, IP44 On / Off Mirror Touch Switch Dimmable

- 32W LED (Included) Colour Temp: CCT 3500K – 5000K Lumen: 1200

Diameter: 800mm

MIRROR LIGHTS



ML051 LED Rectangular Mirror On/Off Mirror Touch Switch and X 3 Magnifier Dimmable

> - 22W LED (Included) 1 x Power Supply (Included) Colour Temp: 4000K Lumen: 1980 PF: >0.5

> > Length: 800mm Height: 600mm Depth: 35mm



ML052 LED Rectangular Mirror On/Off Mirror Touch Switch and 3 x Magnifier Dimmable, Anti-fog

> - 72W LED (24W for Anti-fog pad) 1 x Power Supply (Included) Colour Temp: 4000K Lumen: 4320 PF: >0.7

> > Length: 1400mm Height: 800mm Depth: 35mm

MIRROR LIGHTS



ML027 LED Rectangular Mirror with On / Off Mirror Switch Dimmable

- 48W LED (Included) 1 x Power Supply (Included)

> Colour Temp: 3000K Lumen: 4320

> > Length: 1400mm Height: 800mm Depth: 35mm



- 24W LED (Included) Colour Temp: 4000K Lumen: 2145 CRI: >80 PF: >0.5

> Length: 800mm Height: 600mm Depth: 30mm





ML059 LED Rectangular Mirror with Black Frame, IP44 On / Off Mirror Touch Switch Dimmable


- 24W LED (Included)

Colour Temp: CCT 3500K – 5000K Lumen: 900

> Length: 800mm Height: 600mm

MIRROR LIGHTS 213

MIRROR LIGHTS



ML053 LED Rectangular Mirror On/Off Mirror Touch Switch, IP44

> - 21.5W LED (Included) Colour Temp: 4000K Lumen: 1925 CRI: >80 PF: >0.5

> > Width: 450mm Height: 750mm Depth: 30mm





ML055 LED Rectangular Mirror with Attached Polycarbonate Mirror Light, IP44

> - 6W LED (Included) Colour Temp: 4000K Lumen: 540 CRI: >80 PF: >0.5

Width: 450mm Mirror Height: 750mm (778mm including PC Mirror Light) Depth: 115mm (Including PC Mirror Light)


ML056 LED Rectangular Mirror, IP44

- 8W LED (Included) Colour Temp: 4000K Lumen: 720 CRI: >80 PF: >0.5

> Width: 500mm Height: 700mm Depth: 30mm

MIRROR LIGHTS


0



ML060 LED Rectangular Mirror, IP44 On / Off Mirror Touch Switch Dimmable

- 15W LED (Included) Colour Temp: CCT 3500K – 5000K Lumen: 600

> Width: 500mm Height: 700mm



ML026 LED Rectangular Mirror with On / Off Mirror Switch Dimmable

> - 24W LED (Included) 1 x Power Supply (Included)

> > Colour Temp: 3000K Lumen: 2160

> > > Width: 600mm Height: 900mm Depth: 35mm

ML036 LED Rectangle Mirror with On / Off Mirror Switch

> - 22W LED (Included) 1 x Power Supply Colour Temp: 4000K Lumen: 1980 PF>0.6

> > Height: 700mm Width: 500mm Depth: 35mm

SPLASHPROOF DOWNLIGHTERS



DL023 220V - 240V / 50W Straight Bevelled Edge Clear Splash Glass

Cut Out: 64mm Diameter: 86mm

Colours Available: Satin Chrome, White





DL032 Die Cast Aluminium, Straight, Splashproof with Glass With MR16 Lampholder

> Cut Out: 60mm Diameter: 83mm

Colours Available: Aluminium, White



WB186 CHROME Polished Aluminium and Polycarbonate Mirror Light, IP44

> - 12W LED (Included) Colour Temp: 4000K Lumen: 960 CRI: >80 PF: >0.5

> > Length: 600mm Depth: 112mm



WB187 CHROME Polished Aluminium Mirror Light, IP44

> - 6W LED (Included) Colour Temp: 4000K Lumen: 540 CRI: >80 PF: >0.5

> > Length: 400mm Depth: 116mm

WB188 CHROME Aluminium and Polycarbonate, IP44

- 15W LED (Included) Colour Temp: 4000K Lumen: 1200 CRI: >80 PF: >0.5

> Length: 780mm Depth: 134mm



ML005 SATIN Satin Chrome Wall Bracket with White Glass, IP44

- 1 x 40W SES

Width: 90mm Length: 300mm Depth: 95mm



ML030 CHR Polished Chrome Wall Bracket with White Glass, IP44

- 1 x 60W SES

Base: 70mm Height: 230mm



ML009 SATIN Satin Chrome Wall Bracket with White Glass, IP44

- 2 x 40W G9 (Included)

Width: 50mm Length: 360mm Depth: 80mm Base: 80mm



ML020 CHROME Polished Chrome with Glass Cover - 1 x 14W T5 Fluorescent Tube (Included) 1 x Electronic Ballast (Included) Colour Temp: 4000K

> Width: 60mm Length: 610mm

Also Available: ML021, FTL622, FTL623

ML021 CHROME Polished Chrome with Glass Cover - 1 x 21W T5 Fluorescent Tube (Included) 1 x Electronic Ballast (Included) Colour Temp: 4000K

Width: 60mm Length: 910mm

Also Available: ML020, FTL622, FTL623



ML039 LED Polished Chrome LED Wall Bracket

- 10W LED (Included) 1 x LED Power Supply (Included) Colour Temp: 4000K

> Width: 30mm Length: 580mm Depth: 90mm



WB272 BLACK LED, 201 Stainless Steel Bathroom Mirror Light or Picture Light with PC Diffuser IP20

> - 9W LED (Included) Colour Temp: 4000K Lumen: 540 Beam Angle: 120 degrees

> > Length: 405mm Depth: 110mm

WB273 SATIN LED, 201 Stainless Steel Bathroom Mirror Light or Picture Light with PC Diffuser IP20

> - 9W LED (Included) Colour Temp: 4000K Lumen: 540 Beam Angle: 120 degrees

Length: 420mm Base: 162mm x 57mm Depth: 210mm

WB274 CHROME LED, 201 Stainless Steel Bathroom Mirror Light or Picture Light with PC Diffuser IP20

> - 7W LED (Included) Colour Temp: 4000K Lumen: 420 Beam Angle: 120 degrees

> > Length: 420mm Depth: 200mm



WB800 CHROME Polished Chrome Mirror Wall Light with Switch One Side Normal and One Side 3 x Magnifier

- 36 LED 2W

Width: 260mm Height: 350mm Arm: 300mm Base: 120mm

Also Available: TL800 CHROME



(=

TOILET LIGHT WITH MOTION SENSOR

BULB LED 916 LED Toilet Light with Motion and Light Sensor Fits any Toilet

- 0.1W LED (Included)

Lightbowl only works in the dark when it detects movement It will turn on and stay on for 2 minutes after last movement The lightbowl will work best if facing the door 8 Colours in One Device. One button control to set single colour or colour rotation

3 x AAA batteries (Not Included)

Width: 65mm Height: 100mm

LED

STARLIGHT PATTERNED POLYCARBONATE COVERS

LED Hexagonal Polycarbonate Fitting with Starlight Patterned Polycarbonate Cover Bayonet Lock, 1 x LED Driver (Included), IP20

CF255 COOL - 12W LED (Included) Colour Temp: 4000K Lumen: 800

> Diameter: 260mm Height: 60mm

CF256 COOL - 18W LED (Included) Colour Temp: 4000K Lumen: 1200

> Diameter: 360mm Height: 70mm

CF257 COOL Colour Temp: 4000K - 24W LED (Included) Lumen: 1700

> Diameter: 395mm Height: 72mm



LED Aluminium Fitting with Starlight Patterned Polycarbonate Cover 1 x Electronic Driver (Included) Bayonet Lock Colour Temp: 6000K

> CF053 ALUMINIUM - 12W LED (Included) Lumen: 1260

> > Diameter: 215mm Height: 60mm

CF054 ALUMINIUM - 18W LED (Included) Lumen: 1890

> Diameter: 262mm Height: 60mm

CF055 ALUMINIUM - 24W LED (Included) Lumen: 2520

> Diameter: 320mm Height: 60mm

LED Polycarbonate Fitting with Starlight Patterned Polycarbonate Cover Bayonet Lock, IP20 1 x Electronic Driver (Included) Colour Temp: 6000K

> CF012 - 12W LED (Included) Lumen: 800mm Diameter: 260mm

CF013 - 18W LED (Included) Lumen: 1200mm Diameter: 330mm

CF014 - 24W LED (Included) Lumen: 1700mm Diameter: 385mm

LED





Easy Installation Ceiling Fitting 1 x Electronic Driver (Included) Colour Temp: 4000K CRI >70, PF >0.5

CF046/9 - 9W LED (Included) Lumen: 810

Diameter: 95mm Height: 40mm **CF047/13** - 13W LED (Included) Lumen: 1170

Diameter: 120mm Height: 40mm CF048/18 - 18W LED (Included) Lumen: 1620

Diameter: 150mm Height: 40mm CF049/24 - 24W LED (Included) Lumen: 2160

Diameter: 180mm

Height: 40mm

CF050/36 - 36W LED (Included) Lumen: 3240

Diameter: 230mm Height: 40mm

SIDE VIEW

- 10W LED (Included)

Lumen: 700

Diameter: 125mm

Height: 24mm

CF730 WARM

Colour Temp: 3000K

- 12W LED (Included) Lumen: 800

> Diameter: 260mm Height: 58mm

CF246 WARM Colour Temp: 2700K

CF249 COOL Colour Temp: 4000K LED, Metal Base with Polycarbonate Cover Bayonet Lock, 1 x LED Driver (Included), IP20

- 18W LED (Included) Lumen: 1200

> Diameter: 330mm Height: 60mm

CF247 WARM Colour Temp: 2700K

CF250 COOL Colour Temp: 4000K - 24W LED (Included) Lumen: 1700

> Diameter: 380mm Height: 60mm

CF251 COOL Colour Temp: 4000K

LED, Polycarbonate Fitting, IP20 CRI > 70, PF > 0.9

> - 15W LED (Included) Lumen: 1000

> > Diameter: 153mm Height: 24mm

CF731 WARM Colour Temp: 3000K

CF734 COOL Colour Temp: 4000K - 20W LED (Included) Lumen: 1400

Diameter: 200mm Height: 29mm

CF732 WARM Colour Temp: 3000K

CF735 COOL Colour Temp: 4000K



Aluminium, Iron and Acrylic Ceiling Fitting Bayonet Lock

CF0663 ALUMINIUM - 1 x 60W ES (E27) LED or Energy Saver Only

> Diameter: 215mm Height: 82mm

CF0664 ALUMINIUM - 1 x 60W ES (E27) LED or Energy Saver Only

> Diameter: 260mm Height: 90mm

CF0665 ALUMINIUM - 2 x 60W ES (E27) LED or Energy Saver Only

> Diameter: 325mm Height: 105mm



LED Polycarbonate Fitting Includes LED Power Supply Colour Temp: 6300K

CF367 - 16W LED (Included) Lumen: 1200 Diameter: 350mm

CF368 - 22W LED (Included) Lumen: 1650 Diameter: 390mm



Metal with PC Cover Colour Temp: 6300K

CF728 - 24W LED (Included) Lumen: 900

> Width: 320mm Height: 50mm

CF729 - 36W LED (Included) Lumen: 1600

> Width: 375mm Height: 50mm



LED, Polycarbonate Fitting Colour Temp: 6300K

CF375 - 12W LED (Included) Lumen: 840 Diameter: 292mm

CF376 - 18W LED (Included) Lumen: 1080 Diameter: 350mm

CF377 - 24W LED (Included) Lumen: 1440 Diameter: 410mm



CF099 Polycarbonate Colour Base with Opal Polycarbonate Cover

- 1 x 15W ES CFL

Width: 270mm

Colours Available: Black, Silver, White



LED Brushed Aluminium and Polycarbonate Fitting Includes LED Power Supply Colour Temp: 6300K

> CF673 - 11W LED (Included) Lumen: 565 Width: 270mm Height: 75mm

CF674 - 22W LED (Included) Lumen: 1400 Width: 370mm Height: 75mm



LED, ABS Ceiling Fitting, IP33 1 x Electronic Driver (Included) Material: ABS Colour Temp: 4000K CRI: 70 PF: >0.5

CF564 MATT BLACK - 38W LED (Included) Lumen: 3240 Diameter: 400mm Height: 25mm

CF566 MATT BLACK - 48W LED (Included) Lumen: 4320 Diameter: 500mm Height: 25mm

> Also Available: CF565 MATT WHITE CF567 MATT WHITE

LED, ABS Ceiling Fitting, IP33 1 x Electronic Driver (Included) Material: ABS Colour Temp: 4000K CRI: 70 PF: >0.5

CF565 MATT WHITE - 38W LED (Included) Lumen: 3240 Diameter: 400mm Height: 25mm

CF567 MATT WHITE - 48W LED (Included) Lumen: 4320 Diameter: 500mm Height: 25mm

> Also Available: CF564 MATT BLACK CF566 MATT BLACK



LED, Opal PVC Fitting, IP20

- 24W LED (Included)

Colour Temp: 6000K Lumen: 1700 CRI: >80 PF: >0.5 Beam Angle: 120 degrees

> Diameter: 380mm Height: 50mm

CF345 LED

CF346 LED

CF347 LED



CF335 LED

LED, Metal Base with Opal PVC Fitting, IP20

SOLD PER BOX OF 10 PIECES

- 12W LED (Included)

Colour Temp: 6000K Lumen: 780 CRI: >70 PF: >0.5 Beam Angle: 120 degrees

> Diameter: 260mm Height: 90mm

CF336 LED

CF338 LED Diameter: 260mm Height: 55mm



CF017 WHITE LED, Metal Ceiling Fitting with Polycarbonate Cover Bayonet Lock 1 x LED Power Supply (Included)

Colour Temp: 6000K

Large: - 24W LED Lumen: 1600 Diameter: 370mm

Small: - 18W LED Lumen: 1200 Diameter: 320mm CF370 LED, Polycarbonate Fitting

- 24W LED (Included) Colour Temp: 6300K Lumen: 1800

Diameter: 340mm

CF372 CCT LED LED, Metal Base with PVC Cover, with CCT Switch on Driver Bayonet Lock

- 48W LED (Included) - 1 x LED Driver (Included) Colour Temp: 3000K, 4000K, 6000K Lumen: 3120

> Diameter: 480mm Height: 50mm

LED Polycarbonate Fitting Bayonet Lock, IP20 1 x Electronic Driver (Included) Colour Temp: 6000K

CF364

- 12W LED (Included) Lumen: 800 Diameter: 260mm

CF365 - 18W LED (Included) Lumen: 1200 Diameter: 330mm

CF366 - 24W LED (Included) Lumen: 1700 Diameter: 385mm

Also Available: CF121, CF122, CF123 Polycarbonate Fitting Bayonet Lock, IP20

CF121 ES - 1 x ES (E27) LED Only Diameter: 260mm Height: 85mm

CF122 ES - 2 x ES (E27) LED Only Diameter: 325mm Height: 105mm

CF123 ES - 2 x ES (E27) LED Only Diameter: 375mm Height: 105mm

Also Available: CF364, CF365, CF366

Polycarbonate Ceiling Fitting Bayonet Lock, IP54

> Colour Temp: 4000K CRI: >80 PF: >0.85

CF124 WHITE - 15W LED Lumen: 1800 Diameter: 160mm Height: 60mm

CF127 WHITE - 20W LED Lumen: 2400 Diameter: 220mm Height: 65mm Polycarbonate Ceiling Fitting Bayonet Lock, IP54

> Colour Temp: 4000K CRI: >80 PF: >0.85

CF125 LIGHT WOOD - 15W LED Lumen: 1800 Diameter: 160mm Height: 60mm

CF128 LIGHT WOOD - 20W LED Lumen: 2400 Diameter: 220mm Height: 65mm Polycarbonate Ceiling Fitting Bayonet Lock, IP54

> Colour Temp: 4000K CRI: >80 PF: >0.85

CF126 WOOD - 15W LED Lumen: 1800 Diameter: 160mm Height: 60mm

CF130 WOOD - 20W LED Lumen: 2400 Diameter: 220mm Height: 65mm



LED Metal Base with Polycarbonate Cover - 12W LED Lumen: 750

> Diameter: 260mm Height: 70mm

CH002 SMALL COOL Colour Temp: 4000K

CH006 SMALL WARM Colour Temp: 2700K LED Metal Base with Polycarbonate Cover - 18W LED Lumen: 1100

> Diameter: 340mm Height: 75mm

CH002 LARGE COOL Colour Temp: 4000K

CH006 LARGE WARM Colour Temp: 2700K

CH001 Metal Base with White Glass

> Large: - 230mm - 1 x 60W ES Small: - 180mm - 1 x 60W ES

CH004 Metal Base with Alabaster Polycarbonate Cover Bayonet Lock

> Large: - 250mm - 1 x 60W ES Small: - 200mm - 1 x 60W ES

CH003 Polycarbonate Cheese Fitting Energy Saver or LED Bulb Only Bayonet Lock, IP20

> Large: - 250mm - 2 x 11W ES Small: - 200mm - 1 x 11W ES

CH005 Metal Base with Alabaster Polycarbonate Cover Energy Saver or LED Bulb only, IP20

> Large: 250mm - 2 x 11W ES CFL Small: 190mm - 1 x 11W ES CFL

CF380 Satin Chrome with Alabaster Glass Bayonet Lock

> Large: - 300mm - 2 x 60W ES

> Small: - 230mm - 1 x 60W ES

CF3040 STONE Stone Finish Base with Alabaster Glass

Large: - 300mm - 2 x 60W ES Small: - 230mm - 1 x 60W ES

OUTDOOR LIGHTING

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT. THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



LS009/1 BLACK Converts your E27 Fitting to Solar Must use the supplied 12V DC Bulb which is Included

- 3W Polycrystalline Solar Panel - 1 x 12V DC LED E27 A60 Bulb (Included)

> Colour Temp: 4000K Lumen: 400

Solar Panel: Width: 170mm Height: 140mm Cable: 2.8 meters 3.7V Li-ion 4000mAh Rechargeable Battery (Included)

Features:

Select switch - Two modes: OFF: First use, leave the switch in the OFF position and charge 8-12 hours in full sunlight to allow the rechargeable battery to reach maximum capacity AUTO: First 6 Hours 200 lumen output, then 4 Hours 50 lumen output MANUAL: First 2 Hours 400 lumen output, then 8 Hours 100 lumen output

> Also Available: BULB LED 288 (replacement bulb)



LS018 SOLAR Portable Solar Charging Light 5V USB Port for charging Mobile Phones Lithium Battery Capacity: 3.7V/4500mAh

Color temperature: 6000K Solar Panel, Polysilicon 3.5W/6V, size: 215mm x 130mm Output: 5.0V/2.0A USB discharge : 5V/2.1A Lighting Function: 3 Levels of Brightness / Flashing Light

> Height: 240mm Width: 140mm Depth: 25mm

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT. THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



Solar Panel: 3.7V 2000mAh Battery Running Time: 1.5 hours Width: 180mm Height: 150mm (Excluding Bracket) Cable: 5 meters



FL076 BLACK - 10W LED Floodlight - 3W Solar Panel

Floodlight: Width: 115mm Height: 155mm (Excluding Bracket) Depth: 110mm

Features: Colour Temp: 6000K Lumen: 600 Power Factor: > 0.9 Beam Angle: 120 degrees Detected Distance Maximum: 5M Time Delay: 5 Seconds – 5 Minutes (Adjustable)

FL077 SOLAR 50W LED Aluminium Floodlight with Tempered Glass Lens and Solar Panel, IP65 Includes Remote Control



Flood Light: - 50W LED (Included)

Colour Temp: 6000K Lumen: 500 Beam Angle: 90 degrees

> Width: 177mm Height: 211mm Depth: 50mm

Solar Panel: 5V 8W Solar Panel Battery: 3.2V 6000mAh Charging Time: 4-6 Hours

> Width: 350mm Height: 230mm Depth: 17mm Cable: 1.8 Metres

Brightness Levels: Constant Light for 12 hours 100% Brightness in the first 4 Hours 70-80% Brightness in the next 3 Hours 40-50% Brightness in the following 3 Hours 30% Brightness in the last 2 Hours Timing Function: 3H, 5H, 8H

Fixing Instructions:

The light fixture should be installed on a flat and stable surface. Avoid installing the light near an air conditioner, heater, or high voltage system. The solar charger board should be set in a sunny area where maximum sunlight can be collected. The solar board requires at least 3 hours per day or 5 hours per day if behind glass. Charge the light for 24 hours before first use. Charging time afterwards is 4-6 hours. Use a soft wet cloth to periodically (at least once a year) clean the charger board to avoid the reduction of power output due to accumulated dust.

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT. THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



LS020 MATT BLACK Die Cast Aluminium Outdoor LED Solar Light with Sensor IP65

- 2W LED (Included)

Colour Temp: 6000K Lumen: 200 CRI: >70 PF: >0.5

> Width: 140mm Height: 290mm

Also Available: LS021 MATT BLACK



LS021 MATT BLACK Die Cast Aluminium Pillar

Outdoor LED Solar Light with Sensor and Spike IP65

- 2W LED (Included)

Colour Temp: 6000K Lumen: 200 CRI: >70 PF: >0.5

> Width: 140mm Height: 500mm Spike: 208mm

Also Available: LS020 MATT BLACK

LS025 MATT BLACK Outdoor LED Solar Light with Sensor Stainless Steel and PC IP44

- 3.3W LED (Included) Battery: 3.2 V Lithium (Included)

Colour Temp: 3000K Lumen: 400 Sensor Angle: 110 degrees Sensor Range: Max. 8 meters

3 Mode Sensor Functions using the button on the PIR sensor: Press button (Mode A) Upon movement the lamp lights up with 400 Lumen and switches off 10 seconds after the last movement

Press button (Mode B) The lamp shines at a dimmed level with 20 Lumen, upon movement the lamp shines with 300 Lumen and then goes back to 20 Lumen, 10 seconds after the last movement

> Press button (Mode C) The PIR is switched off and the lamp shines at 50 Lumen

> > Width: 145mm Height: 840mm

Also Available: LS024 MATT BLACK



LS024 MATT BLACK Stainless Steel and PC IP44

- 3.3W LED (Included) Battery: 3.2 V Lithium (Included)

Colour Temp: 3000K Lumen: 400 Sensor Angle: 110 degrees Sensor Range: Max. 8 meters

3 Mode Sensor Functions using the button on the PIR sensor: Press button (Mode A) Upon movement the lamp lights up with 400 Lumen and switches off 10 seconds after the last movement

Press button (Mode B) The lamp shines at a dimmed level with 20 Lumen, upon movement the lamp shines with 300 Lumen and then goes back to 20 Lumen, 10 seconds after the last movement

> Press button (Mode C) The PIR is switched off and the lamp shines at 50 Lumen

> > Width: 145mm Height: 300mm Depth: 172mm

Also Available: LS025 MATT BLACK

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT. THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



LS023 MATT BLACK Outdoor LED Solar Light with Sensor Plastic IP44

- 3.3W LED (Included) Battery: 3.2 V Lithium (Included)

Colour Temp: 3000K Lumen: 400 Sensor Angle: 110 degrees Sensor Range: Max. 8 meters

3 Mode Sensor Function using the button on the PIR sensor: Press button (Mode A) Upon movement the lamp lights up with 400 Lumen and switches off 10 seconds after the last movement

> Press button (Mode B) The lamp shines at a dimmed level with 20 Lumen, upon movement the lamp shines with 300 Lumen and then goes back to 20 Lumen, 10 seconds after the last movement

Press button (Mode C) The PIR is switched off and the lamp shines at 50 Lumen

> Width: 160mm Height: 100mm Depth: 205mm



LS026 MATT BLACK Outdoor Solar LED Solar Light with Sensor Plastic IP44

- 3.3W LED (Included) Battery: 3.2 V Lithium (Included)

Colour Temp: 3000K Lumen: 400 Sensor Angle: 110 degrees Sensor Range: Max. 8 meters

3 Mode Sensor Functions using the button on the PIR sensor: Press button (Mode A) Upon movement the lamp lights up with 400 Lumen and switches off 10 seconds after the last movement

> Press button (Mode B) The lamp shines at a dimmed level with 20 Lumen, upon movement the lamp shines with 300 Lumen and then goes back to 20 Lumen, 10 seconds after the last movement

Press button (Mode C) The PIR is switched off and the lamp shines at 50 Lumen

> Width: 150mm Height: 100mm Depth: 200mm

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT. THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.

> LS030 BLACK Outdoor LED Solar Light with Sensor Plastic IP54

- 3.3W LED (Included) Battery: DC 3.2 V (Included)

Colour Temp: 3000K, 4000K, 6000K

Push ON/OFF button in daytime The red light is ON which means the lamp has been turned ON

> Width: 190mm Height: 245mm Depth: 210mm



LS031 BLACK Outdoor LED Solar Light with Motion Sensor ABS Housing IP54

> - 1W LED (Included) Battery: DC 3.2 V (Included)

Colour Temp: 4000K Sensor Beam Angle: 120 degrees Sensor Range: straight line distance 4 meters, transverse distance 3-4 meters Installation Distance between Lamps: 3 meters

FUNCTIONS:

Push ON/OFF button in daytime. The red light is ON which means the lamp has been turned ON Wall Lamp will be auto 15% lighting ON when dusk comes for first 5 hours Thereafter it changes to 100% lighting when motion is detected

> Width: 86mm Height: 235mm



LS022 MATT BLACK PC Outdoor LED Solar Light with Sensor IP65

- 1.5W LED (Included)

Colour Temp: 6000K Lumen: 220 CRI: >70 PF: >0.5

> Length: 181mm Width: 110mm Height: 30mm

SOLAR LIGHTING 233

STRING LIGHTING



WSC008 BLACK Outdoor String Lights, IP65 Built in Connectors to allow for additional sets to be joined together for additional length

- 10 x ES LED Only (Not Included)



Material: Plastic, Copper and Aluminium Sockets: 10 sockets 500mm apart Plug: 3 prong Cord Length: 5.5m

LED DECK LIGHTING





DL070 STAINLESS White LED Outdoor Deck Lighting Stainless Steel and Polycarbonate 12V DC IP67

- 6 x 0.06W White LED (Included) 1 x Electronic LED Power Supply (Included)

Each Light: Width: 30mm Height: 18.5mm Cable Length: 5000mm 6 x 1000mm Cable for each LED attachment



GROW LIGHTING



Due to the size of these tubes, they are perfect to fit Grow Shelves. They can also be used in conjunction with PEN014 to hang tubes between the plants. These tubes are perfect for leafy greens and vegetables.

- 9W T8 Full Spectrum LED Grow Tube, IP65 Not Dimmable

> Input Voltage: 220-240V Material: Glass Tube

> PPF: >13.5umol@0.5M Par/W: 0.5mW@0.5M PPE: >1.5umol/s/W PF: >0.9 @10cm: PPFD 60

> > Length: 590mm Width: 26mm

BULB LED 206 - 18W T8 Full Spectrum LED Grow Tube, IP65 Not Dimmable

> Input Voltage: 220-240V Material: Glass Tube

PPF: >35umol@0.5M Par/W: 0.5mW@0.5M PPE: >1.9umol/s/W PF: >0.9 @10cm: PPFD 120

> Length: 1199mm Width: 26mm



BULB LED 207 This bulb is mainly for residential use. It is ideal for all phases of small indoor plant growth

LED PAR38 Grow Bulb, Red and Blue Wavelength, IP65

- 15W ES (E27) LED and Driver (Included) Not Dimmable

Material: Die Cast Aluminium and High Light Transmission Lens, Rubber Seal LED Quantity: 24 Pieces 3030 SMD Lumen: 30 LM/W Beam Angle: 30 degrees

Full Spectrum of Ratio: 620-630nm/650-670nm/730-750nm/390-410nm/430-450nm/460-470nm Par Value (PPFD): 154umol@0.3M, 62umol@0.5M Lighting Coverage: 0.3M@0.31m2, 0.5M@0.65m2

> Width: 120mm Height: 127mm

STAINLESS STEEL LANTERNS

NOT FOR COASTAL USE



L603 STAINLESS Stainless Steel with Clear Polycarbonate Cover

- 1 x 11W ES Compact Fluorescent

Width: 180mm Height: 300mm Depth: 230mm



L604 STAINLESS Stainless Steel with Clear Polycarbonate Cover

- 1 x 11W ES Compact Fluorescent

Width: 175mm Height: 325mm Depth: 201mm



L612 STAINLESS Stainless Steel with **Clear Polycarbonate Cover**

- 1 x 15W ES Compact Fluorescent

Width: 115mm Height: 335mm Depth: 150mm

Also Available: L613 STAINLESS



L616 STAINLESS Stainless Steel with Clear Polycarbonate Cover

- 1 x 15W ES Compact Fluorescent

Width: 240mm

Height: 300mm Depth: 320mm



L081 STAINLESS Stainless Steel with Opal Polycarbonate - 1 x 11W ES Width: 92mm Height: 475mm Depth: 110mm

> Also Available: L082 STAINLESS

IP44

L089 STAINLESS Stainless Steel with White Perspex Cover IP55

- 1 x 14W Compact Fluorescent

Width: 190mm Height: 500mm

236

STAINLESS STEEL LANTERNS



NOT FOR COASTAL USE

L083 STAINLESS Stainless Steel with White Perspex Cover IP44

- 1 x 11W Compact Fluorescent

Width: 120mm Height: 370mm

Also Available: L058 STAINLESS L059 STAINLESS



L4482 STAINLESS Stainless Steel with White Perspex Cover IP44

- 1 x 11W Compact Fluorescent

Width: 60mm Height: 240mm



L084 STAINLESS Stainless Steel with White Perspex Cover IP55

- 1 x 14W Compact Fluorescent

Width: 180mm Height: 270mm

Also Available: L086 STAINLESS



L614 STAINLESS Stainless Steel with White Glass

- 1 x 15W ES Compact Fluorescent

Width: 170mm Height: 310mm Depth: 210mm



L093 STAINLESS Stainless Steel with White Perspex Cover

- 1 x 14W Compact Fluorescent

Width: 350mm Height: 400mm

STAINLESS STEEL WALL BRACKETS

NOT FOR COASTAL USE



L037 STAINLESS Stainless Steel with White Polycarbonate Cover IP44

- 1 x 11W ES CFL

Width: 230mm Height: 260mm Depth: 95mm



L038 STAINLESS Stainless Steel with White Polycarbonate Cover IP44

- 1 x 11W ES CFL

Width: 230mm Height: 260mm Depth: 95mm



L039 STAINLESS Stainless Steel with White Polycarbonate Cover IP44

- 1 x 11W ES CFL

Width: 230mm Height: 260mm Depth: 95mm



L040 STAINLESS Stainless Steel with White Polycarbonate Cover IP44

- 1 x 11W ES CFL

Width: 230mm Height: 260mm Depth: 95mm

STAINLESS STEEL WALL BRACKETS

NOT FOR COASTAL USE



L030 STAINLESS Stainless Steel with Opal Polycarbonate

> Includes: Self Adhesive Letters and Numbers for Labelling

> > IP44 - 1 x 11W ES

Width: 220mm Height: 220mm Depth: 90mm



L046 STAINLESS Stainless Steel with White Polycarbonate Cover IP44

- 1 x 11W ES CFL

Width: 315mm Height: 97mm Depth: 90mm



L047 STAINLESS Stainless Steel with White Polycarbonate Cover IP44

- 1 x 11W ES CFL

Width: 315mm Height: 97mm Depth: 90mm



L048 STAINLESS Stainless Steel with White Polycarbonate Cover IP44

- 1 x 11W ES CFL

Width: 315mm Height: 97mm Depth: 90mm

STAINLESS STEEL BOLLARDS

NOT FOR COASTAL USE



L058 STAINLESS Stainless Steel with White Perspex Cover IP44

- 1 x 11W Compact Fluorescent

Width: 125mm Height: 450mm

Also Available: L059 STAINLESS L083 STAINLESS

L606 STAINLESS Stainless Steel Bollard with Clear Polycarbonate Cover

- 1 x 23W ES Compact Fluorescent

Width: 105mm Height: 650mm

Also Available: L605 STAINLESS

L059 STAINLESS Stainless Steel with White Perspex Cover IP44

- 1 x 11W Compact Fluorescent

Width: 125mm Height: 1050mm

Also Available: L058 STAINLESS L083 STAINLESS

5 STAINLESS STEEL BOLLARDS

L605 STAINLESS

Stainless Steel Bollard

with Clear Polycarbonate Cover

- 1 x 23W ES Compact Fluorescent

Width: 105mm Height: 1000mm

Also Available: L606 STAINLESS

NOT FOR COASTAL USE

STAINLESS STEEL BOLLARDS



L086 STAINLESS Stainless Steel with White Perspex Cover IP44

- 1 x 14W Compact Fluorescent

Width: 180mm Height: 450mm

Also Available: L084 STAINLESS



L613 STAINLESS Stainless Steel Bollard with Clear Polycarbonate Cover

- 1 x 15W ES Compact Fluorescent Width: 100mm Height: 500mm

> Also Available: L612 STAINLESS

STAINLESS STEEL BOLLARDS 241

L082 STAINLESS Stainless Steel Bollard with Opal Polycarbonate IP44

- 1 x 11W ES

Width: 80mm Height: 1100mm

Also Available: L081 STAINLESS

STAINLESS STEEL - HALF LANTERNS NOT FOR COASTAL USE



L601 STAINLESS Stainless Steel with White Polycarbonate Cover

- 1 x 11W ES Compact Fluorescent

Width: 170mm Height: 360mm Depth: 130mm



L607 STAINLESS Stainless Steel with White Polycarbonate Cover

- 1 x 11W ES Compact Fluorescent

Width: 68mm Height: 203mm Depth: 70mm



L611 STAINLESS Stainless Steel with Clear Polycarbonate Cover

- 1 x 15W ES Compact Fluorescent

Width: 195mm Height: 240mm Depth: 110mm



L079 STAINLESS Stainless Steel with Opal Polycarbonate IP44

- 1 x 11W ES

Width: 100mm Height: 340mm Depth: 110mm



L610 STAINLESS Stainless Steel with Frosted Glass

- 1 x 15W ES Compact Fluorescent

Width: 80mm Height: 255mm Depth: 100mm

545 STAINLESS STEEL - HALF LANTERNS

DIE CAST ALUMINIUM - HALF LANTERNS



Width: 136mm Height: 348mm Depth: 126mm



L236 BLACK Die Cast Aluminium with White Perspex Cover IP44

- 1 x 18W Compact Fluorescent

Width: 120mm Height: 350mm Depth: 120mm

L512 BLACK Aluminium Wall Bracket with Frosted Glass IP54

- 2 x 60W (2 x 11W) ES

Width: 175mm Height: 450mm Depth: 120mm





DIE CAST ALUMINIUM - HALF LANTERNS



L523 BLACK Metal and Clear Speckled Glass, IP54 Colour: Black and Gold

- 1 x 60W (11W) ES

Width: 120mm Height: 350mm Depth: 120mm



L524 BLACK Metal and Clear Speckled Glass, IP54 Colour: Black and Gold

- 1 x 60W (11W) ES

Width: 120mm Height: 330mm Depth: 100mm



L149 BLACK Die Cast Aluminium with Clear Glass IP44

> - 1 x 60W ES Width: 200mm Height: 240mm Depth: 118mm



L240 BLACK Die Cast Aluminium with Clear Perspex Cover IP43

- 1 x 11W Compact Fluorescent

Width: 183mm Height: 260mm Depth: 102mm

DIE CAST ALUMINIUM - HALF LANTERNS



L4999 3 Panel, Half Lantern, Die Cast Aluminium with Clear Glass IP44

- 1 x 60W ES

Width: 176mm Height: 360mm

Colours Available: Black, White



- 1 x 60W ES

Width: 165mm Height: 350mm Depth: 95mm L5002 5 Panel, Half Lantern Die Cast Aluminium with Clear Glass IP44

L4998 BLACK

3 Panel, Half Lantern

Die Cast Aluminium with Clear Glass

IP33

- 1 x 60W ES

Width: 205mm Height: 410mm

- 2 x 60W ES

Width: 220mm Height: 382mm Depth: 125mm

Colours Available: Black, White

L5051 3 Panel, Large Half Lantern Die Cast Aluminium with Clear Glass IP44

ġ

- 1 x 60W ES

Width: 240mm Height: 435mm

Colours Available: Black, Black/Gold DIE CAST ALUMINIUM - HALF LANTERNS 5

DIE CAST ALUMINIUM - UP FACING LANTERNS



L522 BLACK Metal and Clear Speckled Glass IP54 Colour: Black and Gold

- 1 x 60W (11W) ES

Width: 145mm Height: 380mm Depth: 172mm



L369 MATT BLACK Up Facing Aluminium Lantern with Clear Glass IP44

- 1 x 60W ES (Energy Saver or LED only)

Width: 110mm Height: 235mm Depth: 145mm

Also Available: L374 MATT BLACK LFL027 MATT BLACK



L174 BLACK Die Cast Aluminium Wall Mount IP 44

- 2 x 14W ES Energy Saving Lamps

Width: 270mm Height: 280mm Depth: 150mm

Also Available: L175 BLACK



L231 BLACK Die Cast Aluminium with Frosted Glass IP44

- 1 x 11W Compact Fluorescent

Width: 110mm Height: 230mm Depth: 150mm



L255 BLACK Die Cast Aluminium with Frosted Glass IP44

- 1 x 60W ES

Width: 150mm Height: 255mm Depth: 160mm

Also Available: L256



L256 BLACK Die Cast Aluminium with Frosted Glass IP44

- 2 x 40W ES

Width: 145mm Height: 400mm Depth: 170mm

Also Available: L255

DIE CAST ALUMINIUM - UP FACING LANTERNS



L360 BLACK 4 Panel, Upfacing, Die Cast Aluminium and Clear Polycarbonate IP44

- 1 x 11W ES (Energy Saver or LED only)

Width: 170mm Height: 225mm Depth: 220mm

Also Available: L361 BLACK L362 BLACK L363 BLACK



L051 BLACK 4 Panel, Die Cast Aluminium with Clear Polycarbonate IP44

- 1 x 11W ES (Energy Saver or LED only)

Width: 230mm Height: 308mm Depth: 292mm

Also Available: L052 BLACK LFL014/1 BLACK LFL015/3 BLACK



L371 MATT BLACK Up Facing Aluminium Lantern with Clear Speckled Glass IP44

- 1 x 11W ES (Energy Saver or LED only)

Width: 150mm Height: 280mm Depth: 185mm

Also Available: L373 MATT BLACK



L370 MATT BLACK Up Facing Aluminium Lantern with Clear Glass IP44

- 1 x 11W ES (Energy Saver or LED only)

Width: 120mm Height: 270mm Depth: 145mm



L380 SAND BLACK Die Cast Aluminium with Clear Glass IP65

- 1 x 60W ES

Width: 105mm Height: 180mm Depth: 110mm



L381 SAND WHITE Die Cast Aluminium with Clear Glass IP65

- 1 x 60W ES

Width: 105mm Height: 180mm Depth: 110mm

DIE CAST ALUMINIUM - UP FACING LANTERNS

L202 4 Panel, Up Facing, Die Cast Aluminium IP44

- 1 x 60W ES

Width: 145mm Height: 345mm

Colours Available: Black, White

Also Available: L203 L204



- 1 x 60W ES

Width: 165mm Height: 365mm

Colours Available: Black, White

> Also available: L223 L224

L004 BLACK Rounded Belly Head,

Bevelled Glass, Die Cast Aluminium IP33

- 1 x 60W ES

Width: 270mm Height: 650mm

Also Available: L005

LFL004/1 LFL005/3 LFL006/1



L212 6 Panel, Up Facing, Die Cast Aluminium IP33

- 1 x 60W ES

Width: 200mm Height: 370mm

Colours Available: Black, Black/Gold, White

> Also Available: L213 L214

L8082 Curved, Bevelled Glass, Die Cast Aluminium IP33

- 1 x 60W ES

Width: 170mm Height: 460mm

Colours Available: Black, Black/Gold

L4000 BLACK Large Rounded Belly Head, Bevelled Glass, Die Cast Aluminium IP33

- 1 x 60W ES

Width: 290mm Height: 750mm

Also Available: L4001



2 DIE CAST ALUMINIUM - UP FACING LANTERNS

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L223 6 Panel, Down Facing, Die Cast Aluminium IP43

- 1 x 60W ES

Width: 165mm Height: 360mm

Colours Available: Black, White

Also Available: L222 L224

> L203 4 Panel, Down Facing, Die Cast Aluminium IP44

> > - 1 x 60W ES

Width: 145mm Height: 345mm

Colours Available: Black, White

Also Available: L202 L204 L213 6 Panel, Down Facing, Die Cast Aluminium IP33

- 1 x 60W ES

Width: 200mm Height: 340mm

Colours Available: Black, Black/Gold, White

> Also Available: L212 L214

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



- 1 x 11W ES (Energy Saver or LED only)

> Width: 170mm Height: 170mm Chain: 500mm Ceiling Cup: 110mm

Colours Available: Black, White

Also Available: L360 L361 L362



L361 BLACK 4 Panel, Downfacing Die Cast Aluminium with Clear Polycarbonate Cover IP44

- 1 x 11W ES (Energy Saver or LED only)

Width: 170mm Height: 225mm Depth: 220mm

Also Available:

L360 L362 L363



L163 BLACK Metal with Clear Glass IP44

- 1 x 60W ES

Width: 250mm Height: 250mm Depth: 360mm



Alum

L159 BLACK Aluminium with Clear Polycarbonate Cover IP44

- 1 x 60W ES

Width: 259mm Height: 400mm Depth: 355mm

Also Available: LFL017 BLACK LFL018 BLACK LFL019 BLACK

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L106 BLACK 6 Panel, Down Facing Die Cast Aluminium with Clear Glass Open at Base IP33

- 3 x 60W SES

Width: 200mm Height: 400mm



L518 BLACK Down Facing Aluminium with Clear Glass IP54

- 1 x 60W (11W) ES

Width: 225mm Height: 330mm Depth: 250mm



L514 BLACK Down Facing Die Cast Aluminium with Frosted Glass IP54

- 1 x 60W (11W) ES

Width: 175mm Height: 355mm Depth: 225mm



L519 BLACK Down Facing Aluminium with Frosted Glass IP54

- 1 x 60W (11W) ES

Width: 235mm Height: 600mm Depth: 360mm

L520 BLACK Down Facing Aluminium with Clear Glass IP54

- 3 x 40W (3 x 9W) E14

Width: 305mm Height: 780mm Depth: 390mm

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L525 BLACK Metal with Clear Speckled Glass IP54

- 1 x 60W (11W) ES

Width: 158mm Height: 355mm Depth: 220mm



L528 BLACK Metal with Clear Speckled Glass IP54

- 1 x 60W (11W) ES

Width: 140mm Height: 275mm Depth: 165mm



L526 BLACK Metal with Clear Speckled Glass IP54

- 1 x 60W (11W) ES

Width: 150mm Height: 265mm Depth: 190mm



L532 BLACK Metal with Clear Glass IP54

- 1 x 60W (11W) ES

Width: 170mm Height: 360mm Depth: 230mm

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L533 BLACK Metal with Clear Glass IP54

- 1 x 60W (11W) ES

Width: 140mm Height: 235mm Depth: 180mm



L535 BLACK Metal with Clear Glass IP54

- 1 x 60W (11W) ES

Width: 165mm Height: 320mm Depth: 195mm



L534 BLACK Metal with Clear Glass IP54

- 1 x 60W (11W) ES

Width: 160mm Height: 300mm Depth: 194mm



L536 BLACK Metal with Clear Glass IP54

- 1 x 60W (11W) ES

Width: 165mm Height: 275mm Depth: 195mm

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L513 BLACK Down Facing Aluminium Lantern with Clear Glass IP54

- 2 x 40W (2 x 9W) E14

Width: 205mm Height: 400mm Depth: 235mm



L516 BLACK Down Facing Aluminium Lantern with Opaque Glass IP54

- 1 x 60W (11W) ES

Width: 175mm Height: 270mm Depth: 200mm



L517 BLACK Down Facing Metal Lantern with Textured Clear Glass IP44

- 1 x 60W (11W) ES

Width: 230mm Height: 410mm Depth: 220mm

L509 BLACK Down Facing Metal Lantern with Clear Glass IP44

- 1 x 60W (11W) ES

Width: 150mm Height: 400mm Depth: 190mm



L510 COFFEE

Down Facing Coffee Colour Metal Lantern with Amber Glass IP44

- 1 x 60W (11W) ES

Width: 120mm Height: 460mm Depth: 160mm

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L350 BLACK Iron and Clear Speckled Glass IP 33

- 1 x 60W ES

Width: 225mm Height: 350mm Depth: 195mm



L351 BLACK Iron and Clear Speckled Glass IP 33

- 1 x 60W ES

Width: 180mm Height: 360mm Depth: 290mm



L258 BLACK Die Cast Aluminium with Clear Glass IP44

- 1 x 60W ES

Width: 210mm Height: 370mm



L352 BLACK Iron and Clear Speckled Glass IP 33

- 1 x 60W ES

Width: 210mm Height: 380mm Depth: 310mm L353 BLACK - 1 x 60W ES

Iron and Clear Glass IP 33

> Width: 120mm Height: 425mm Depth: 150mm

DIE CAST ALUMINIUM - PILLAR, POLE LANTERNS



- 1 x 60W ES

Width: 145mm Height: 395mm Pillar diameter: 145mm

Colours Available: Black, White

Also Available: L202 L203 **L214** 6 Panel, Pillar, Die Cast Aluminium IP33

- 1 x 60W ES

Width: 200mm Height: 385mm Pillar diameter: 200mm

Colours Available: Black, Black/Gold, White

> Also Available: L212 L213

L8083 Rounded Belly Head, Bevelled Glass, Die Cast Aluminium IP33

- 1 x 60W ES

Width: 180mm Height: 520mm Pillar Diameter: 160mm

Colours Available: Black, Black/Gold

> Also Available: L8082



L224 6 Panel, Pillar, Die Cast Aluminium IP44

- 1 x 60W ES

Width: 165mm Height: 420mm Pillar diameter: 145mm

Colours Available: Black, White

Also Available: L222 L223



L005 BLACK Rounded Belly Head, Bevelled Glass, Die Cast Aluminium IP33

- 1 x 60W ES

Width: 270mm Height: 650mm Pillar Diameter: 175mm

> Also Available: L004 LFL004/1

LFL004/1 LFL005/3 LFL006/1

DIE CAST ALUMINIUM - PILLAR, POLE LANTERNS



L362 BLACK 4 Panel, Pillar Die Cast Aluminium with Clear Polycarbonate IP44

- 1 x 11W ES (Energy Saver or LED only)

> Width: 170mm Height: 280mm

Also Available: L360 BLACK L361 BLACK L363 BLACK



L052 BLACK 4 Panel, Pillar Die Cast Aluminium with Clear Polycarbonate IP44

- 1 x 60W ES

Width: 230mm Height: 370mm

Also Available: L051 BLACK LFL014/1 BLACK LFL015/3 BLACK



L373 MATT BLACK Aluminium Pillar Lantern with Clear Speckled Glass IP44

- 1 x ES (Energy Saver or LED only)

Width: 150mm Height: 370mm

Also Available: L371 MATT BLACK



L374 MATT BLACK Aluminium Pillar Lantern with Clear Glass IP44

- 1 x ES (Energy Saver or LED only)

Width: 125mm Height: 355mm

Also Available: L369 MATT BLACK LFL027 MATT BLACK



L511 BLACK Aluminium Pole Lantern with Clear Glass IP54

- 1 x 60W (11W) ES

Width: 180mm Height: 365mm Depth: 180mm L4001 BLACK Die Cast Aluminium Pole with Bevelled Glass and Large Rounded Belly Head IP33

- 1 x 60W ES

Width: 290mm Height: 720mm Pole diameter: 80mm

> Also Available: L4000 BLACK

DIE CAST ALUMINIUM - STANDING LANTERNS



Width: 330mm Height: 735mm

Also Available: L174 BLACK

L515 BLACK Aluminium Standing Lantern with Clear Glass IP54

- 1 x 60W (11W) ES

Width: 205mm Height: 1120mm



LFL027 MATT BLACK Aluminium Standing Lantern with Clear Glass IP44

- 1 x ES (Energy Saver or LED only)

Width: 125mm Height: 500mm

Also Available: L369 MATT BLACK L374 MATT BLACK

DIE CAST ALUMINIUM - STANDING LANTERNS





- 1 x 60W ES

Width: 200mm Height: 1245mm

Also Available: L004 L005 LFL005/3 LFL006/1



LFL006/1 BLACK Rounded Belly Head Die Cast Aluminium with Bevelled Glass IP33

- 1 x 60W ES

Width: 270mm Height: 2260mm

Also Available: L004 L005 LFL004/1 LFL005/3

LFL005/3 BLACK

Rounded Belly Head Die Cast Aluminium with Bevelled Glass IP33

- 3 x 60W ES

Width: 800mm Height: 2400mm

Also Available: L004 L005 LFL004/1 LFL006/1

DIE CAST ALUMINIUM - STANDING LANTERNS

LFL017 BLACK Aluminium with Clear Polycarbonate Cover IP44

- 1 x 60W ES

Width: 259mm Height: 1190mm Depth: 385mm

Also Available: L159 BLACK LFL018 BLACK LFL019 BLACK

DIE CAST ALUMINIUM - STANDING LANTERNS

260

LFL018 BLACK Aluminium with Clear Polycarbonate Cover IP44

- 1 x 60W ES

Width: 259mm Height: 2065mm Depth: 455mm Base: 250mm

Also Available: L159 BLACK LFL017 BLACK LFL019 BLACK LFL019 BLACK Aluminium with Clear Polycarbonate Cover IP44

- 3 x 60W ES

Width: 670mm Height: 2065mm Base: 250mm

Also Available: L159 BLACK LFL017 BLACK LFL018 BLACK

DIE CAST ALUMINIUM - STANDING LANTERNS

LFL015/3 BLACK 4 Panel, Die Cast Aluminium with Clear Polycarbonate IP44

> - 3 x 60W ES Width: 600mm Height: 2300mm

Also Available: L051 BLACK L052 BLACK LFL014/1 BLACK

LFL014/1 BLACK 4 Panel, Die Cast Aluminium with Clear Polycarbonate IP44

- 1 x 60W ES

Width: 230mm Height: 1350mm

Also Available: L051 BLACK L052 BLACK LFL015/3 BLACK

LFL008/3 BLACK 6 Panel, Die Cast Aluminium with Tapered Glass IP33

- 3 x 60W ES

Width: 700mm Height: 2300mm

Also Available: LFL007/1

DIE

CAST ALUMINIUM - STANDING LANTERNS 261

LFL007/1 BLACK 6 Panel, Die Cast Aluminium with Tapered Glass IP33 - 1 x 60W ES

> Width: 300mm Height: 2300mm

Also Available: LFL008/3

DIE CAST ALUMINIUM - BULKHEADS



BH050 Die Cast Aluminium with Frosted Glass IP54

- 1 x 60W ES

Dimensions: 270mm

Colours Available: Black, Silver BH051 Die Cast Aluminium with Frosted Glass

IP54

- 1 x 60W ES Dimensions: 270mm

Colours Available: Black, Silver

BH052 Die Cast Aluminium with Frosted Glass IP54

- 1 x 60W ES

Dimensions: 270mm

Colours Available: Black, Silver

BH057/2 BLACK Die Cast Aluminium with Frosted Glass IP44

- 2 x 60W ES

Width: 400mm Height: 120mm

Also Available: BH058/1 BH058/1 BLACK Die Cast Aluminium with Frosted Glass IP44

- 1 x 60W ES

Width: 300mm Height: 120mm

Also Available: BH057/2

262

DIE CAST ALUMINIUM - BULKHEADS



BH2081 BLACK Metal with Clear Glass IP44

- 2 x 60W (11W) ES

Width: 350mm Height: 155mm



BH013 Die Cast Aluminium with Frosted Glass IP54

- 1 x 60W ES

Dimensions: 215mm x 150mm

Colours Available: Black, White



BH090 BLACK Die Cast Aluminium with Opal Polycarbonate Cover IP44

- 1 x 11W ES Compact Fluorescent

Length: 217mm Width: 133mm Depth: 70mm



BH091 BLACK Die Cast Aluminium with Opal Polycarbonate Cover IP44

- 1 x 11W ES Compact Fluorescent

Length: 217mm Width: 133mm Depth: 70mm

DIE CAST ALUMINIUM - BULKHEADS



BH060 BLACK Die Cast Aluminium with White Polycarbonate Cover IP44

- 1 x 60W ES

Width: 180mm Height: 320mm Depth: 80mm



BH062 BLACK Die Cast Aluminium with White Polycarbonate Cover IP44

- 1 x 60W ES

Width: 240mm x 240mm Depth: 100mm



BH408 BLACK Die Cast Aluminium Bulkhead with White Polycarbonate Cover IP54

- 2 x 20W ES Compact Fluorescents

Height: 180mm Length: 290mm



BH061 BLACK Die Cast Aluminium with White Polycarbonate Cover IP44

- 1 x 60W ES

Width: 180mm Height: 320mm Depth: 80mm

DIE CAST ALUMINIUM - BULKHEADS



BH074 BLACK Die Cast Aluminium with White Polycarbonate Cover IP44

- 1 x 15W ES Compact Fluorescent


Length: 220mm Width: 135mm Depth: 65mm



BH082 BLACK Die Cast Aluminium Bulkhead with Frosted Glass IP54

- 1 x 18W ES Compact Fluorescent

Length: 173mm Width: 70mm Depth: 115mm



BH076 BLACK Die Cast Aluminium with White Polycarbonate Cover IP44

- 1 x 15W ES Compact Fluorescent

Length: 220mm Width: 135mm Depth: 65mm



BH075 BLACK Die Cast Aluminium with White Polycarbonate Cover IP44

- 1 x 15W ES Compact Fluorescent

Length: 220mm Width: 135mm Depth: 65mm



BH083 BLACK Aluminium and Glass Bulkhead Up and Down Facing IP54

- 1 x 7W ES Tubular LED (Included) Colour Temp: 4000K Lumen: 600

> Length: 172mm Height: 71mm Depth: 114mm




BH2080 BLACK Die Cast Aluminium with Frosted Glass IP44

- 1 x 60W ES

Dimensions: 290mm x 210mm

Outdoor Ligh

PVC - LED BULKHEADS



LED, Oval PP Bulkhead CRI>70, PF>0.6 IP54

- 9W LED (Included)

Lumen: 630 Width: 70mm Length: 168mm Depth: 46mm

BH132 Colour Temp: 3000K **BH133** Colour Temp: 4000K

> **Colours Available:** Black,White

- 18W LED (Included)

Lumen: 1260 Width: 100mm Length: 208mm Depth: 52mm

BH134 Colour Temp: 3000K **BH135** Colour Temp: 4000K



LED, Round PP Bulkhead CRI>70, PF>0.6 IP54

- 9W LED (Included)

Lumen: 630 Diameter: 140mm Depth: 57mm

BH136 Colour Temp: 3000K

Colour Temp: 4000K

Colour Temp: 3000K **BH137**

BH139 Colour Temp: 4000K

- 18W LED (Included)

Lumen: 1260 Diameter: 170mm

Depth: 57mm

BH138

Colours Available: Black,White



BH124 Oval PVC Bulkhead IP65

- 8W LED (Included)

Colour Temp: 4000K Lumen: 560 Beam Angle: 120 degrees

> Length: 178mm Width: 86mm Depth: 57mm

Colours Available: Black, White

BH125 Round PVC Bulkhead IP65

- 8W LED (Included)

Colour Temp: 4000K Lumen: 560 Beam Angle: 120 degrees

> Diameter: 155mm Depth: 57mm

PVC - LED BULKHEADS



LED, PC Bulkhead with Polycarbonate Cover Bayonet Lock IP54

> Colour Temp: 4000K CRI: >80 PF: >0.85

BH128 BLACK - 15W LED

BH129 BLACK - 20W LED

Lumen: 1800 Diameter: 160mm Height: 60mm Lumen: 2400 Diameter: 220mm Height: 65mm



LED, PC Bulkhead with Polycarbonate Cover Bayonet Lock IP54

> Colour Temp: 4000K CRI: >80 PF: >0.85

- 15W LED

BH131 WHITE - 20W LED

Lumen: 1800 Diameter: 160mm Height: 60mm Lumen: 2400 Diameter: 220mm Height: 65mm



BH033 BLACK LED, ABS and PC with PC Cover IP65

- 1 x ES (Max. 18W LED or Energy Saver Only)

Length: 320mm Width: 130mm Depth: 129mm



BH068 LED, Polypropylene Bulkhead IP44

- 7W LED (Included)

Colour Temp: 4000K Lumen: 560

Diameter: 230mm Height: 90mm

PVC - BULKHEADS



BH023 PVC Bulkhead Round with Grid **Clear Glass** IP44

> - 1 x 40W ES (11W ES CFL)

Diameter: 185mm

Colours Available: Black, White



Colours Available:

Black, White



BH027 PVC Bulkhead with Clear Glass IP54

> -1 x 40W ES (11W ES CFL)

Width: 111mm Length: 200mm

Colours Available: Black, White

BH028 PVC Bulkhead, Oval with Grid, Clear Glass IP44 - 1 x 40W ES (11W ES CFL) Width: 111mm Length: 200mm

PVC - BULKHEADS



BH064 Polycarbonate Fitting IP20

- 1 x 15W ES CFL

Width: 230mm Height: 90mm

Colours Available: Black, White



BH066 Polycarbonate Fitting with Clear Polycarbonate Cover IP54

- 1 x 15W ES CFL

Width: 270mm Height: 100mm

Colours Available: Black, White



BH067 Polycarbonate Fitting with Frosted Polycarbonate Cover IP54

- 1 x 15W ES CFL

Width: 270mm Height: 100mm

Colours Available: Black, White



BH114 ABS Plastic with Opal Polycarbonate Cover IP44

- 1 x 60W ES (11W CFL)

Length: 272mm Width: 92mm

PVC - BULKHEADS



BH110 ABS Plastic with Clear Polycarbonate Cover IP44

- 1 x 60W ES (11W ES CFL)

Length: 245mm Width: 125mm Depth: 114mm

Colours Available: Black, White



BH112 BLACK ABS Plastic with Opal Polycarbonate Cover IP44

- 1 x 60W ES (11W ES CFL)

Length: 248mm Width: 110mm Depth: 106mm

BH113 BLACK ABS Plastic with Opal Polycarbonate Cover IP44

- 1 x 60W ES (11W CFL)



BH120 ABS Plastic with Polycarbonate Cover IP44

- 1 x 40W ES (11W CFL)

Width: 280mm Depth: 90mm

Colours Available: Black, Grey Length: 270mm Width: 152mm Depth: 102mm



BH121 ABS Plastic with Polycarbonate Cover IP44

- 1 x 40W ES (11W CFL)

Width: 280mm Depth: 90mm

Colours Available: Black, Grey

PVC LANTERNS

L333 BLACK PVC with Clear PVC Cover IP44

- 1 x 18W ES (Energy Saver or LED Only)

> Width: 218mm Height: 408mm Depth: 327mm



L326 BLACK LED, ABS Base with PC Diffuser IP54

- 6W LED

Colour Temp: 4000K Lumen: 320

Length: 230mm Width: 100mm Depth: 65mm



L9009 BLACK Plastic Half Lantern 3 Clear Polycarbonate Panels IP44

- 1 x 11W ES (Energy Saver or LED Only)

> Width: 195mm Height: 322mm



L9007 BLACK PVC Half Lantern 3 Clear Polycarbonate Panels IP44

- 1 x 15W ES (Energy Saver only)

Width: 180mm Height: 360mm Depth: 100mm

L244 LED, Up and Down Facing PVC with Clear PC Cover IP65

- 2 x 3W LED (Included)

Colour Temp: 4000K Lumen: 110 CRi: >80 PF: >70.5

> Width: 110mm Height: 178mm Depth: 65mm

Colours Available: Black, White



L9008 BLACK PVC Half Lantern 3 Clear Polycarbonate Panels IP44

- 1 x 15W ES (Energy Saver only)

Width: 225mm Height: 370mm Depth: 130mm PVC LANTERNS

PVC LANTERNS

L320 Polypropylene, 6 Panel Glass, Up Facing IP44

- 1 x 60W ES (11W Compact Fluorescent)

> Width: 209mm Height: 348mm Depth: 195mm

Colours Available: Black, White

Also Available: L321 L322 L321 Polypropylene, 6 Panel Glass, Down Facing IP44

- 1 x 60W ES (11W Compact Fluorescent)

> Width: 209mm Height: 348mm Depth: 195mm

Colours Available: Black, White

Also Available: L320 L322

L340 WHITE Convertible Up or Down Facing Lantern Polypropylene and 6 Panel Beveled Clear PC IP44

> - 1 x 11W ES (CFL or LED only)

Width: 173mm Height: 395mm Depth: 208mm

Colours Available: Black, White

Also Available: L341

> L340 BLACK Convertible Up or Down Facing Lantern Polypropylene and 6 Panel Beveled Clear PC IP44

> > - 1 x 11W ES (CFL or LED only)

Width: 173mm Height: 395mm Depth: 208mm

Colours Available: Black, White

Also Available: L341

PVC LANTERNS



L304 CLEAR PVC Base with Clear Oval Polycarbonate Cover IP44

- 1 x 14W ES (Energy Saver Only)

Width: 220mm Height: 360mm Depth: 300mm

Also Available: L307 CLEAR



L312 CLEAR PVC Base with Clear Polycarbonate Cover IP44

> - 1 x 14W ES (Energy Saver Only)

> > Width: 300mm Height: 380mm Depth: 330mm

Also Available: L309 CLEAR L311 CLEAR



L313 OPAL PVC Base with Opal Polycarbonate Cover IP44

> - 1 x 14W ES (Energy Saver Only)

> > Width: 300mm Height: 380mm Depth: 330mm

> > Also Available: L308 OPAL L310 OPAL L303 OPAL



L303 OPAL PVC Base with Opal Polycarbonate Cover IP44

- 1 x 14W ES (Energy Saver Only)

Width: 220mm Height: 265mm Depth: 220mm



L377 MATT BLACK PC LED Wall Light IP65

- 10W LED (Included)

Colour Temp: 6000K Lumen: 750 CRI: >70 PF: >0.5

Length: 162mm Height: 75mm Depth: 102mm

PVC PILLAR, STANDING LANTERNS



L307 CLEAR PVC Base with Clear Polycarbonate Cover IP44

- 1 x 14W ES (Energy Saver Only)

Width: 220mm Height: 430mm

Also Available: L304 CLEAR



L309 CLEAR PVC Base with Clear Polycarbonate Cover IP44

- 1 x 14W ES (Energy Saver Only)

Width: 300mm Height: 440mm

Also Available: L311 CLEAR L312 CLEAR



L308 OPAL PVC Base with Opal Polycarbonate Cover IP44

- 1 x 14W ES (Energy Saver Only)

Width: 300mm Height: 440mm

Also Available: L310 OPAL L313 OPAL

L341 Polypropylene, 6 Panel Beveled Clear PC, Pillar IP44

- 1 x 11W ES (CFL or LED only)

Width: 172mm Height: 458mm Base: 190mm

Colours Available: Black, White

Also Available: L340

L322 Polypropylene, 6 Panel Glass, Pillar IP44

- 1 x 60W ES (11W Compact Fluorescent)

Width: 195mm Height: 421mm

Colours Available: Black, White

> Also Available: L320 L321

PVC STANDING LANTERNS



LFL030 BLACK PVC Bollard ABS Body and PC Diffuser IP65

- 10W LED (Included)

Colour Temp: 4000K Lumen: 350

Width: 160mm Height: 1100mm Base: 240mm L310 OPAL PVC Base with Opal Polycarbonate Cover IP44

- 1 x 14W ES (Energy Saver Only)

Cover: 300mm Pole: 1070mm Base: 165mm

Also Available: L308 OPAL L313 OPAL L311 CLEAR PVC Base with Clear Polycarbonate Cover IP44

- 1 x 14W ES (Energy Saver Only)

Cover: 300mm Pole: 1070mm Base: 165mm

Also Available: L309 CLEAR L312 CLEAR

PVC LED UP/DOWN FACING LANTERNS





L365 Down Facing ABS and PC with Clear PC Cover IP65

> - 1 x GU10 LED Max. 5W (Not Included)

> > Width: 68mm Height: 80mm Depth: 92mm

Colours Available: Grey, Matt Black, White

> Also Available: L366

L368 Up and Down Facing ABS and PC with Clear PC Cover IP65

> - 2 x GU10 LED Max. 5W (Not Included)

> > Width: 68mm Height: 155mm Depth: 92mm

Colours Available: Grey, Matt Black, White

> Also Available: L367

L375 MATT BLACK Up and Down Facing PC LED Wall Light IP65

- 4W LED (Included)

Colour Temp: 4000K Lumen: 70 CRI: >70 PF: >0.5

> Width: 83mm Height: 123mm Depth: 30mm

Also Available: L376 MATT WHITE

L378 MATT BLACK Up and Down Facing PC LED Wall Light, IP65

- 8W LED (Included)

Colour Temp: 4000K Lumen: 400 CRI: >70 PF: >0.5

> Length: 200mm Height: 100mm Depth: 40mm

Also Available: L379 MATT WHITE



L366 Up and Down Facing ABS and PC with Clear PC Cover IP65

> - 2 x GU10 LED Max. 5W (Not Included)

> > Width: 68mm Height: 155mm Depth: 92mm

Colours Available: Grey, Matt Black, White

> Also Available: L365

L367 Down Facing ABS and PC with Clear PC Cover IP65

> - 1 x GU10 LED Max. 5W (Not Included)

> > Width: 68mm Height: 80mm Depth: 92mm

Colours Available: Grey, Matt Black, White

> Also Available: L368

L376 MATT WHITE Up and Down Facing

PC LED Wall Light IP65

- 4W LED (Included)

Colour Temp: 4000K Lumen: 140 CRI: >70 PF: >0.5

> Width: 83mm Height: 123mm Depth: 30mm

Also Available: L375 MATT BLACK

L379 MATT WHITE Up and Down Facing

PC LED Wall Light IP65

- 8W LED (Included)

Colour Temp: 4000K Lumen: 600 CRI: >70 PF: >0.5

> Length: 200mm Height: 100mm Depth: 40mm

Also Available: L378 MATT BLACK



Colour Lur C P Leng





PVC LED UP/DOWN FACING LANTERNS

L342 Down Facing ABS and PC with Clear PC Cover IP54

> - 1 x GU10 LED Max 7W (Not Included)

> > Width: 76mm Height: 148mm Depth: 100mm

Colours Available: Black, White

Also Available: L344

L343

Down Facing

ABS and PC with Clear PC Cover

IP54

- 1 x GU10 LED Max 7W

(Not Included)

Width: 76mm

Height: 148mm

Depth: 100mm

Colours Available:

Black, White

Also Available:

L345



L344 Up and Down Facing ABS and PC with Clear PC Cover IP54

> - 2 x GU10 LED Max 7W (Not Included)

> > Width: 76mm Height: 186mm Depth: 100mm

Colours Available: Black, White

Also Available: L342

L345 Up and Down Facing ABS and PC with Clear PC Cover IP54

> - 2 x GU10 LED Max 7W (Not Included)

> > Width: 76mm Height: 186mm Depth: 100mm

Colours Available: Black, White

Also Available: L343

L332

PVC, Up and Down Facing

IP44

- 2 x 7W GU10 LED

(Not Included)

Width: 80mm

Height: 160mm

Depth: 88mm

Colours Available:

Black, White

Also Available:

L331



6

L331 PVC, Down Facing IP44

- 1 x 7W GU10 LED (Not Included)

Width: 80mm Height: 119mm Depth: 88mm

Colours Available: Black, White

Also Available: L332



PVC LED UP / DOWN FACING LANTERNS 7

LED UP / DOWN FACING LANTERNS

CAN BE USED FOR BATHROOMS AND UNDERCOVER OUTDOOR LIGHTING

Aluminium LED Wall Bracket With Glass Up and Down Facing IP54 Colour Temp: 3000K



L245 BLACK - 2 x 1W LED (Included)

> Width: 66mm Height: 75mm Depth: 40mm

Also Available: L246, L247, L248 BLACK





L246 BLACK - 4 x 1W LED (Included)

> Width: 98mm Height: 75mm Depth: 40mm



L247 BLACK - 6 x 1W LED (Included)

> Width: 150mm Height: 75mm Depth: 40mm



L248 BLACK - 8 x 1W LED (Included)

> Width: 200mm Height: 75mm Depth: 40mm



L249 BLACK - 8 x 1W LED (Included)

> Width: 220mm Height: 80mm Depth: 45mm

UP / DOWN FACING LANTERNS



L272 BLACK Up and Down Facing

Die Cast Aluminium with Clear Glass Cover Adjustable Heads IP44

> - 2 x 50W GU10 (Not Included)

Width: 90mm Height: 235mm Depth: 145mm



L119 BLACK

Up and Down Facing Die Cast Aluminium with Clear Glass Cover IP54

- 2 x 50W GU10 (Not Included)

Width: 90mm Height: 190mm Depth: 110mm



L132 BLACK Up and Down Facing Die Cast Aluminium with Glass Cover IP44

- 2 x 60W ES or 12W Spiral Energy Saver (Not Included)

> Width: 90mm Height: 260mm Depth: 155mm



L133 BLACK Up and Down Facing Die Cast Aluminium with Glass Cover IP44

- 2 x 60W ES or 12W Spiral Energy Saver (Not Included)

> Width: 125mm Height: 350mm Depth: 180mm



L260 BLACK Die Cast Aluminium with Clear Glass IP44

- 2 x 12W ES Compact Fluorescent (Not Included)

> Width: 160mm Height: 500mm Depth: 225mm

UP / DOWN FACING LANTERNS

L121 Die Cast Aluminium Wall Bracket Up or Down Facing, Glass Cover IP44

- 1 x 50W GU10

Head Length: 125mm Head Width: 65mm Base: 90mm x 65mm

Colours Available: Black, Grey

Also Available: L122



L122 Die Cast Aluminium Wall Bracket Up and Down Facing, Glass Cover

- 2 x 50W GU10

IP44

Head Length: 150mm Head Width: 65mm Base: 90mm x 65mm

Colours Available: Black, Grey

Also Available: L121



L125 BLACK Die Cast Aluminium Wall Bracket Up or Down Facing, Glass Cover IP44

- 1 x 50W GU10

Head Length: 135mm Head Width: 65mm Base: 90mm x 65mm

> Also Available: L126



L126 BLACK Die Cast Aluminium Wall Bracket Up and Down Facing, Glass Cover IP44

- 2 x 50W GU10

Head Length: 165mm Head Width: 65mm Base: 90mm x 65mm

> Also Available: L125



L127 Die Cast Aluminium Wall Bracket Square, Down Facing Glass Cover IP44

- 1 x 50W GU10

Head Length: 120mm Head Width: 75mm Base: 90mm x 65mm

Colours Available: Black, Grey

Also Available: L128



L128 Die Cast Aluminium Wall Bracket Square, Up and Down Facing Glass Cover IP44

- 2 x 50W GU10

Head Length: 185mm Head Width: 75mm Base: 90mm x 65mm

Colours Available: Black, Grey

Also Available: L127



UP / DOWN FACING LANTERNS

L123 BLACK Oval Die Cast Aluminium Wall Bracket with Glass Up and Down Facing IP44

- 2 x 50W GU10

Length: 235mm Width: 100mm



L124 Die Cast Aluminium Wall Bracket with Glass Up and Down Facing IP44

- 2 x 50W GU10

Length: 235mm Width: 110mm

Colours Available: Black, Grey



L131 BLACK Die Cast Aluminium with Glass and Glass Cover Up and Down Facing IP44

- 2 x 50W GU10 or GU10 Energy Saver

Width: 80mm Height: 230mm Depth: 125mm



L130 BLACK Die Cast Aluminium Wall Bracket with Glass Cover Up and Down Facing

- 2 x 40W G9 (Not Included)

IP44

Head Length: 210mm Head Width: 65mm Base: 90mm x 65mm



UP / DOWN FACING LANTERNS



L080 STAINLESS Stainless Steel with Opal Polycarbonate Up and Down Facing IP44

- 1 x 11W ES

Width: 265mm Height: 123mm Depth: 110mm



L197 STAINLESS Stainless Steel with Glass Cover Up and Down Facing IP44

- 2 x 35W GU10 (Not Included)

Base: 90mm Head Length: 165mm

Also Available: L198 STAINLESS



L198 STAINLESS Stainless Steel with Glass Cover IP44

- 1 x 35W GU10 (Not Included)

Base: 85mm Head Width: 60mm Head Length: 95mm

Also Available: L197 STAINLESS



L112 STAINLESS 316 Stainless Steel Outdoor Wall Bracket with Clear Tempered Glass Up and Down Facing IP65

- 2 x GU10 (Not Included)

Height: 173mm Width: 57mm Base: 74mm



L172 STAINLESS Stainless Steel with Glass Cover Up and Down Facing IP44

- 2 x 11W GU10 Compact Fluorescent - 1 x 11W GU10 Compact Fluorescent (Not Included)

> Head Length: 190mm Base: 95mm Width: 62mm



L171 STAINLESS Stainless Steel with Glass Cover Down Facing IP44

(Not Included)

Head Length: 140mm Base: 75mm x 45mm Width: 62mm

UP / DOWN FACING LANTERNS



L157 Aluminium Wall Bracket withTempered Glass Cover Up and Down Facing IP44

- 2 x 35W GU10 (Not Included)

Width: 66mm Height: 147mm Depth: 95mm

Colours Available: Aluminium, Black, White



L158 Aluminium Wall Bracket withTempered Glass Cover Down Facing IP44

- 1 x 35W GU10 (Not Included)

Width: 66mm Height: 80mm Depth: 95mm

Colours Available: Aluminium, Black, White



L271 ALUMINIUM Die Cast Aluminium with Glass Up and Down Facing IP54

- 2 x 50W GU10 or 9W CFL

Width: 64mm Height: 185mm Depth: 105mm

Also Available: L270 ALUMINIUM



L270 ALUMINIUM Die Cast Aluminium with Glass Up or Down Facing IP54

- 1 x 50W GU10 or 9W CFL

Width: 64mm Height: 120mm Depth: 105mm

Also Available: L271 ALUMINIUM

LED LIGHTING



L054 BLACK LED, Die Cast Aluminium with Opal Polycarbonate IP65

- 12W LED (Included)

Colour Temp: 4000K Lumen: 1000

> Width: 210mm Height: 115mm Depth: 146mm

Also Available: LFL012 BLACK



L055 BLACK LED, Die Cast Aluminium with Opal Polycarbonate IP65

- 12W LED (Included)

Colour Temp: 4000K Lumen: 800

> Width: 300mm Height: 120mm Depth: 97mm



L072 BLACK Aluminium with Opal Polycarbonate IP54

> - 1 x 9W LED (Included) Colour Temp: 4000K Lumen: 650

> > Width: 315mm Height: 85mm Depth: 41mm

L608 LED STAINLESS NOT FOR COASTAL USE

LED, Stainless Steel with Clear Polycarbonate Cover Up and Down Facing

- 2 x 12 LED Max 1.5W (Included)

Width: 85mm Height: 200mm Depth: 123mm

Also Available: L609 LED STAINLESS



WB098 BLACK LED, PC Wall Bracket IP65

- 12W LED (Included)

Colour Temp: 4200K Lumen: 580 CRI >80 PF>0.9

> Width: 120mm Length: 265mm Depth: 81mm



LED LIGHTING

L527 BLACK Metal and Acrylic, IP54

- 9W LED (Included)

Colour Temp: 4000K Lumen: 340 CRI: >80 PF: >0.9

> Width: 130mm Height: 310mm Depth: 90mm



L529 BLACK Metal and Acrylic, IP54

- 9W LED (Included)

Colour Temp: 4000K Lumen: 600 CRI: >80 PF: >0.9

> Width: 130mm Height: 320mm Depth: 85mm



L530 BLACK Metal and Glass, IP54

- 9W LED (Included)

Colour Temp: 4000K Lumen: 310 CRI: >80 PF: >0.9

> Width: 140mm Height: 280mm Depth: 120mm





- 9W LED (Included)

Colour Temp: 4000K Lumen: 700 CRI: >80 PF: >0.9

> Width: 140mm Height: 350mm Depth: 145mm



L053 BLACK LED, Die Cast Aluminium with Opal Polycarbonate IP65

- 9W LED (Included)

Colour Temp: 4000K Lumen: 800

> Width: 150mm Height: 280mm Depth: 126mm



L070 BLACK LED, Die Cast Aluminium with Opal Polycarbonate IP65

- 12W LED

Colour Temp: 4000K Lumen: 840

> Width: 85mm Height: 260mm Depth: 180mm

ED LIGHTING 285

RECESSED GROUND LIGHTING





GL6109 STAINLESS Stainless Steel with Clear Glass PVC Outer Cover IP64

- 1 x 50W GU10 (Not Included)

Width: 120mm x 120mm Height: 130mm



GL6110 STAINLESS Stainless Steel with Clear Glass PVC Outer Cover IP64

- 1 x 50W GU10 (Not Included)

Width: 120mm Height: 130mm

GL6101 BLACK Die Cast Aluminium with Clear Glass PVC Outer Cover IP54

9

0

- 1 x Compact Fluorescent (Not Included)

Width: 170mm Height: 225mm

FOOT LIGHTING



FT004 BLACK Footlight, Die Cast Aluminium with Frosted Glass PVC Flush Box with 20mm Knockout for Conduit IP44

- 1 x 60W ES Compact Fluorescent (Not Included)

Width: 100mm Length: 232mm Depth: 80mm

LED FOOT LIGHTING



FT009 STAINLESS 304 Stainless Steel Footlight with Tempered Glass IP44

- 12 x 0.1W LED (Included)

Width: 45mm Length: 110mm



FT013 STAINLESS 304 Stainless Steel Footlight with Tempered Glass IP44

- 9 x 0.1W LED (Included)

Width: 70mm x 70mm



FT010 STAINLESS 304 Stainless Steel Footlight with Tempered Glass IP44

- 12 x 0.1W LED (Included)

Width: 45mm Length: 110mm



FT014 STAINLESS 304 Stainless Steel Footlight with Tempered Glass IP44

- 9 x 0.1W LED (Included)

Width: 70mm x 70mm

PVC LED FOOT LIGHTING



FT021 LED Footlight ABS and PC Cover IP65

- 3W LED (Included)

Colour Temp: 3000K - 6000K Lumen: 190

Width: 125mm Length: 125mm Depth: 37mm

Colours Available: Black, White



FT022 LED Footlight ABS and PC Cover IP65

- 1W LED (Included)

Colour Temp: 3000K - 6000K Lumen: 60

Width: 125mm Length: 125mm Depth: 27mm

Colours Available: Black, White



FT020 LED Footlight ABS and PC Cover IP65

- 3W LED (Included)

Colour Temp: 3000K - 6000K Lumen: 180

> Width: 80mm Length: 230mm Depth: 27mm

Colours Available: Black, White







FT036 WHITE

FT025 LED Footlight ABS and PC Cover IP65

- 2W LED (Included)

Colour Temp: 3000K - 6000K Lumen: 100

> Width: 80mm Length: 230mm Depth: 27mm

Colours Available: Black, White

FT035 BLACK

FT036 WHITE LED Footlight, Fits into a 2 X 4 Surface Mount Box ABS and PC Cover IP65

- 2W LED (Included)

Colour Temp: 4200K Lumen: 80 CRI >70 PF>0.5

> Width: 83mm Height: 123mm

Outdoor Lig

PVC LED FOOT LIGHTING

FT027

LED Footlight

IP65

- 6W LED (Included)

Colour Temp: 3000K - 6000K

Lumen: 350

Width: 113mm

Length: 220mm

Depth: 51mm

Colours Available:

Black, White





FT030 LED Footlight ABS and PC Cover IP65

- 1.5W LED (Included)

Colour Temp: 3000K - 6000K Lumen: 80

> Width: 60mm Length: 100mm Depth: 33mm

Colours Available: Black, Silver, White

> Also Available: FT031 FT032



FT031 LED Footlight ABS and PC Cover IP65

- 3W LED (Included)

Colour Temp: 3000K - 6000K Lumen: 150

> Width: 70mm Length: 160mm Depth: 33mm

Colours Available: Black, Silver, White

Also Available: FT030 FT032



FT038 LED Footlight Polycarbonate with Glass Cover IP65

- 5W LED (Included)

Colour Temp: 3000K Lumen: 300

Width: 80m Length: 170mm Depth: 53mm

FT032 LED Footlight ABS and PC Cover IP65

- 3.8W LED (Included)

Colour Temp: 3000K - 6000K Lumen: 200

> Width: 80mm Length: 220mm Depth: 36mm

Colours Available: Black, Silver, White

Also Available: FT030 FT031

LED BOLLARDS



NOT FOR COASTAL USE

LED, Stainless Steel Bollard

with Clear Polycarbonate Cover

- 2 x 12 LED Max 1.5W (Included)

Width: 110mm

Height: 500mm

Also Available:

L608 LED STAINLESS

.

LFL012 BLACK LED, Die Cast Aluminium with Opal Polycarbonate IP44

- 12W LED (Included)

Colour Temp: 4000K Lumen: 1000

> Width: 210mm Height: 800mm Depth: 145mm

> Also Available: L054 BLACK

LFL023 BLACK LED, Die Cast Aluminium with Opal Polycarbonate IP44

TANDI


- 9W LED (Included)

Colour Temp: 4000K Lumen: 800

> Width: 90mm Height: 800mm

CONTRACTION OF CONTRACT CONTRACT

LED BOLLARDS



L508 BLACK Aluminium Bollard IP54

- 7W LED (Included)

Colour Temp: 4000K Lumen : 350

> Width: 160mm Height: 500mm Depth: 54mm



LFL028 MATT BLACK Aluminium Standing Lantern IP65

- 10W LED (Included)

Colour Temp: 6000K Lumen: 700 CRI: >70 PF: >0.5

> Width: 163mm Height: 800mm Depth: 57mm



LFL026 BLACK LED Bollard Die Cast Aluminum with PC Diffuser IP54

- 12W LED (Included)

Colour Temp: 4000K Lumen: 960

Base: 156mm Height: 800mm Depth: 75mm

PVC LED GARDEN LIGHTING



GS010 BLACK LED, PVC Garden Flood Light and Spike IP65

- 10W LED (Included)

Colour Temp: 6000K Lumen: 500

Power Factor: > 0.9 Beam Angle: 120 degrees

Width: 100mm Height: 80mm (Excluding Spike) Depth: 20mm Spike: 162mm



GS011 BLACK LED, PVC Garden Flood Light and Spike IP65

- 20W LED (Included)

Colour Temp: 6000K Lumen: 1000

Power Factor: > 0.9 Beam Angle: 120 degrees

Width: 100mm Height: 80mm (Excluding Spike) Depth: 20mm Spike: 162mm

GS013 BLACK PC and PVC Garden Spot with Swivel Arm and Spike IP65

- 7W LED GU10 (Not Included)

Height: 340mm Width: 60mm



GS014 BLACK PC and PVC Garden Spot with Swivel Arm IP65

- 7W LED GU10 (Not Included)

Height: 200mm Width: 60mm

PVC LED GARDEN LIGHTING

GS012 BLACK LED, ABS and PC Garden Spike with Glass Cover IP44

- 1 x 7W GU10 LED (Not Included)

Head Width: 60mm Head Length: 110mm Spike: 162mm

PVC GARDEN LIGHTING



GS004/1 BLACK Polypropylene Garden Spot Swivel Arm Lip Seal for Bulb 220V – 240V IP44

- 1 x ES Par 38 Bulb

Width: 76mm Height: 220mm Base: 95mm

Also Available: GS005/2 BLACK

ot

GS005/2 BLACK

Polypropylene Garden Spot Swivel Arm Lip Seal for Bulb 220V – 240V IP44

- 2 x ES Par 38 Bulb

Width: 210mm Height: 220mm Base: 95mm

Also Available: GS004/1 BLACK



GS006 BLACK Engineer Plastic with Glass Cover

- 1 x 35W GU10

Head Width: 79mm Head Length: 130mm Spike: 250mm GS008 BLACK Engineer Plastic with Glass Cover

- 1 x 35W GU10

Head Width: 79mm Head Length: 170mm Spike: 250mm



GS001 BLACK

Polypropylene Garden Spike, Splash Proof, Lip Seal for Bulb, 220V - 240V IP54

> - 1 x Par 38 Bulb (Not Included)

Width: 75mm Height: 420mm

Also Available: GS002 BLACK GS002 BLACK PVC Garden Spike, Splash Proof, Lip Seal for Bulb, 220V - 240V IP54

- 2 x Par 38 Bulb (Not Included)

Width: 410mm Height: 445mm

Also Available: GS001 BLACK

FLOOD LIGHT STAND



LED FLOOD LIGHTING WITH SENSOR



FL031 BLACK Die Cast Aluminium with Tempered Glass Lens and PIR Sensor, Repairable IP44

- 10W LED

Width: 85mm Height: 175mm Depth: 30mm

Features: Colour Temp: 6000K Lumen: 800 CRI: >70 Power Factor: >0.9



FL033 BLACK Die Cast Aluminium with Tempered Glass Lens and PIR Sensor, Repairable IP44

- 30W LED

Width: 185mm Height: 285mm Depth: 40mm

Features: Colour Temp: 6000K Lumen: 2400 CRI: >70 Power Factor: >0.9

FL075 BLACK Die Cast Aluminium with Tempered Glass Lens and PIR Sensor IP65



- 10W LED

FL074 BLACK

Die Cast Aluminium

with Tempered Glass Lensand PIR Sensor IP65

> Width: 145mm Height: 85mm Depth: 27mm

Features: Colour Temp: 6000K Lumen: 750 CRI: >70 Beam Angle: 120 degrees Power Factor: >0.9 Detected Distance: Max. 10M lasting 5 Seconds to 5 Minutes (Adjustable)



- 20W LED

Width: 150mm Height: 93mm Depth: 29mm

Features: Colour Temp: 6000K Lumen: 1500 CRI: >70 Beam Angle: 120 degrees Power Factor: >0.9 Detected Distance: Max. 10M lasting 5 Seconds to 5 Minutes (Adjustable)

FL076 BLACK Solar LED Die Cast Aluminium with Tempered Glass Lens and PIR motion Sensor Repairable IP54

10W LED Floodlight
 3W Solar Panel

Floodlight: Width: 115mm Height: 155mm Depth: 110mm

Features: Colour Temp: 6000K Lumen: 600 Power Factor: > 0.9 Beam Angle: 120 degrees Detected Distance Maximum: 5M Time Delay: 5 Seconds – 5 Minutes (Adjustable)

Solar Panel: 3.7V 2000MAH Battery Running Time: 1.5 hours

> Width: 180mm Height: 150mm Cable: 5 meters



LED PVC FLOOD LIGHTING



FL010 BLACK LED, PVC Flood Light with Tempered Glass Lens IP65

- 10W LED (Included)

Colour Temp: 6000K Lumen: 500

Power Factor: > 0.9 Beam Angle: 120 degrees

> Width: 100mm Height: 80mm Depth: 20mm



FL011 BLACK LED, PVC Flood Light with Tempered Glass Lens IP65

- 20W LED

Colour Temp: 6000K Lumen: 1000

Power Factor: > 0.9 Beam Angle: 120 degrees

> Width: 100mm Height: 80mm Depth: 20mm



FL012 BLACK LED, PVC Flood Light with Tempered Glass Lens IP65

- 30W LED

Colour Temp: 6000K Lumen: 1500

Power Factor: > 0.9 Beam Angle: 120 degrees

> Width: 135mm Height: 100mm Depth: 20mm



FL013 BLACK LED, PVC Flood Light with Tempered Glass Lens IP65

- 50W LED

Colour Temp: 6000K Lumen: 2600

Power Factor: > 0.9 Beam Angle: 120 degrees

> Width: 160mm Height: 135mm Depth: 20mm

LED FLOOD LIGHTING



FL070 BLACK LED Die Cast Aluminium with Tempered Glass Lens IP65

- 10W LED

Width: 115mm Height: 85mm Depth: 27mm

Features: Colour Temp: 6000K Lumen: 750 CRI: >70 Beam Angle: 120 degrees Power Factor: >0.9



FL071 BLACK LED Die Cast Aluminium with Tempered Glass Lens IP65

- 20W LED

Width: 126mm Height: 93mm Depth: 29mm

Features: Colour Temp: 6000K Lumen: 1500 CRI: >70 Beam Angle: 120 degrees Power Factor: >0.9



FL072 BLACK LED Die Cast Aluminium with Tempered Glass Lens IP65

- 30W LED

Width: 165mm Height: 120mm Depth: 29mm

Features: Colour Temp: 6000K Lumen: 2250 CRI: >70 Beam Angle: 120 degrees Power Factor: >0.9



FL073 BLACK LED Die Cast Aluminium with Tempered Glass Lens IP65

- 50W LED

Width: 210mm Height: 160mm Depth: 32mm

Features: Colour Temp: 6000K Lumen: 3750 CRI: >70 Beam Angle: 120 degrees Power Factor: >0.9

LED FLOOD LIGHTING - REPAIRABLE



FL030 BLACK Die Cast Aluminium with Tempered Glass Lens, Repairable IP65

- 10W LED

Width: 115mm Height: 85mm Depth: 30mm

Features: Colour Temp: 6000K Lumen: 800 CRI: >70 Beam Angle: 120 degrees PF: >0.9



FL032 BLACK Die Cast Aluminium with Tempered Glass Lens, Repairable IP65

- 20W LED

Width: 140mm Height: 180mm Depth: 35mm

Features: Colour Temp: 6000K Lumen: 1600 CRI: >70 Beam Angle: 120 degrees PF: >0.9



FL035 BLACK Die Cast Aluminium with Tempered Glass Lens, Repairable IP65

- 50W LED

Width: 235mm Height: 285mm Depth: 60mm

Features: Colour Temp: 6000K Lumen: 4000 CRI: >70 Beam Angle: 120 degrees PF: >0.9



FL034 BLACK Die Cast Aluminium with Tempered Glass Lens, Repairable IP65

- 30W LED

Width: 185mm Height: 225mm Depth: 40mm

Features: Colour Temp: 6000K Lumen: 2400 CRI: >70 Beam Angle: 120 degrees PF: >0.9



FL045 BLACK Die Cast Aluminium with Tempered Glass Lens, Repairable IP65

- 100W LED

Width: 290mm Height: 335mm Depth: 65mm

Features: Colour Temp: 6000K Lumen: 8000 CRI: >70 Beam Angle: 120 degrees Power Factor: >0.9

LED FLOOD LIGHTING FOR CAR PARKS - REPAIRABLE





FL046 BLACK Die Cast Aluminium with Tempered Glass Lens, Repairable IP65

- 150W LED

Width: 320mm Height: 420mm Depth: 75mm

Features: Colour Temp: 6000K Lumen: 12 000 CRI: >70 Beam Angle: 120 degrees Power Factor: >0.9 FL047 BLACK Die Cast Aluminium with Tempered Glass Lens, Repairable IP65

- 200W LED

Width: 330mm Height: 425mm Depth: 100mm

Features: Colour Temp: 6000K Lumen: 16000 CRI: >70 Beam Angle: 120 degrees Power Factor: >0.9



1266

300W

- 300W LED

Width: 390mm Height: 435mm Depth: 100mm

Features: Colour Temp: 6500K Lumen: 33000 CRI > 70 Beam Angle: 120 degrees Power Factor: >0.9 Isolated Driver FL006 BLACK Die Cast Aluminium Flood Light with Tempered Glass Lens, Repairable IP66

500W

IP66


- 500W LED

Width: 570mm Height: 470mm Depth: 110mm

Features: Colour Temp: 6500K Lumen: 55000 CRI > 70 Beam Angle: 120 degrees Power Factor: >0.9 Isolated Driver

PENDANTS & WALL BRACKETS

20





ALUMINIUM CORD PENDANTS





303

METAL PENDANTS



PEN272/1 M/BK Matt Black Aluminium Pendant

- 1 x 60W ES

Width: 400mm Height: 280mm Cord: 1000mm Ceiling Cup: 95mm

PEN273/1 M/BK Matt Black Aluminium Pendant

- 1 x 60W ES

Width: 420mm Height: 310mm Cord: 1000mm Ceiling Cup: 95mm

PEN422/1 Metal Pendant

- 1 x 40W (9W) ES

Width: 160mm Height: 295mm Cord: 700mm Ceiling Cup: 120mm

Colours Available: Black, White





PEN340/1 BLACK Metal Pendant

- 1 x 60W ES

Width: 225mm Height: 340mm Cord: 600mm Ceiling Cup: 100mm

PEN277/1 BLACK Matt Black Aluminium Pendant

with Polished Chrome Trim

-1 x 60W ES

Width: 450mm Height: 460mm Cord: 500mm Ceiling Cup: 100mm



METAL PENDANTS



PEN393/1 Metal and Wood Pendant

- 1 x 60W (11W) ES

Width: 418mm Height: 440mm Cord: 1000mm Ceiling Cup: 120mm

Colours Available: Black, Whilte

PEN371 WHITE Metal and Wood Pendant

with White Metal Shade

- 1 x 60W (11W) ES

Width: 330mm Height: 210mm Cord: 1300mm Ceiling Cup: 100mm PEN372 BLACK Metal and Wood Pendant

with Black Metal Shade

- 1 x 60W (11W) ES

Width: 330mm Height: 210mm Cord: 1300mm Ceiling Cup: 100mm

METAL PENDANTS

PEN555 WHITE Metal and Wood Pendant

- 1 x 40W ES

Width: 330mm Height: 220mm Cord: 1000mm Ceiling Cup: 110mm

> Also Available: PEN556 BLACK PEN912 BLACK

PEN556 BLACK Metal and Wood Pendant

- 1 x 40W ES

Width: 330mm Height: 220mm Cord: 1000mm Ceiling Cup: 110mm

Also Available: PEN555 WHITE PEN912 BLACK

PEN559 BLACK Metal and Wood Pendant

- 1 x 60W ES

Width: 220mm Height: 220mm Cord: 900mm Ceiling Cup: 110mm

Also Available: PEN560 WHITE

PEN560 WHITE Metal and Wood Pendant

- 1 x 60W ES

Width: 220mm Height: 220mm Cord: 900mm Ceiling Cup: 110mm


Also Available: PEN559 BLACK PEN912 BLACK Metal Pendant with Wood

- 1 x 60W (11W) ES

Width: 500mm Height: 290mm Cord: 1000mm Ceiling Cup: 125mm

Colours Available: Black, Whilte

Also Available: PEN555 WHITE PEN556 BLACK



METAL PENDANTS



PEN644/3 WHITE

Metal with Wood Finish, Adjustable Cords

- 3 x 40W SES

Height: 1000mm Ceiling Cup: 200mm

Also Available: S401 Spotlight Range

PEN646/3 WHITE

Metal with Wood Finish, Adjustable Cords

- 3 x 40W SES

Height: 1000mm Length: 700mm x 40mm

Also Available: S401 Spotlight Range



METAL PENDANTS



PEN246/3 BLACK Metal Pendant

- 3 x 60W ES

Width: 130mm Height: 140mm Cord: 950mm Ceiling Cup Length: 500mm Ceiling Cup Width: 50mm



PEN245/3 WHITE Metal Pendant

- 3 x 60W ES

Width: 130mm Height: 140mm Cord: 950mm Ceiling Cup Length: 500mm Ceiling Cup Width: 50mm




PEN245/1 WHITE Metal Pendant

- 1 x 60W ES

Width: 130mm Height: 140mm Cord: 950mm Ceiling Cup: 80mm

METAL PENDANTS



Sand White Metal Cord Pendant

- 3 x 40W ES

Width: 390mm Height: 1400mm Ceiling Cup: 235mm



PEN637/1 WHITE Sand White Metal Cord Pendant

- 1 x 40W ES

Width: 180mm Cord: 1200mm Ceiling Cup: 95mm



PEN592 BLACK Metal Pendant

- 1 x 60W (11W) ES

Width: 250mm Height: 310mm Cord: 1000mm Ceiling Cup: 120mm

STAL PENDANTS

PEN693 WHITE Metal Pendant

- 1 x 40W (11W) ES

Width: 300mm Height: 300mm Chain: 1200mm Ceiling Cup: 120mm

METAL PENDANTS



Also Available: PEN696 SATIN

METAL PENDANTS



Height: 295mm Cord: 1000mm Ceiling Cup: 120mm

PEN590 BLACK Metal Pendant Cord: 1000mm

Ceiling Cup: 120mm

- 1 x 60W (11W) ES

Width: 180mm Height: 295mm Cord: 1000mm Ceiling Cup: 120mm

METAL PENDANTS





METAL PENDANTS



PEN264 MATT BLACK Metal Pendant

- 1 x 60W (11W) ES

Width: 385mm Height: 250mm Cord: 1300mm Ceiling Cup: 110mm

PEN266 COPPER Metal Pendant with Clear Glass

- 1 x 60W (11W) ES

Width: 345mm Height: 360mm Cord: 1200mm Ceiling Cup: 110mm Metal Pendant with Wood Finish

- 1 x 60W (11W) ES

Width: 172mm Height: 220mm Cord: 1000mm Ceiling Cup: 100mm

METAL PENDANTS

PEN606 Metal Pendant

with Leather Strap

- 1 x 60W (11W) ES

Height: 350mm Width: 275mm Ceiling Cup: 95mm Cord: 1100mm

Colours Available: Grey, White

PEN607 Metal Pendant

- 1 x 60W (11W) ES

Height: 330mm Width: 275mm Ceiling Cup: 95mm Cord: 1100mm

Colours Available: Black, Grey, White

> Can also be used with BULB LED 207 LED PAR 38 Grow Bulb

PEN557 BLACK Metal Pendant with Plant Holder (Plant not included)

- 1 x 40W ES

Width: 340mm Height: 375mm Cord: 600mm Ceiling Cup: 100mm

> Also Available: PEN558 BLACK

PEN558 BLACK

Metal Pendant with Plant Holder (Plant not included)

- 1 x 40W ES

Width: 340mm Height: 440mm Cord: 600mm Ceiling Cup: 100mm

> Also Available: PEN557 BLACK

METAL PENDANTS



319




PEN744 BLACK Metal Pendant

- 1 x 60W (11W) ES

Width: 250mm Height: 260mm Cord: 1200mm Ceiling Cup: 120mm PEN745 BLACK Metal Pendant

- 1 x 60W (11W) ES

Width: 300mm Height: 150mm Cord: 1200mm Ceiling Cup: 120mm





METAL PENDANTS



Width: 160mm Height: 430mm Cord: 1200mm Ceiling Cup: 120mm

Ceiling Cup: 120mm

METAL PENDANTS



- 1 x 60W (11W) ES (Not Included)

Width: 300mm Height: 100mm Rope: 1100mm Ceiling Cup: 100mm



PEN587 BLACK Metal Pendant with Rope

- 1 x 60W (11W) ES (Not Included)

Width: 65mm Rope: 1100mm Ceiling Cup: 100mm




PEN588 BLACK Metal Pendant with Rope


- 1 x 60W (11W) ES (Not Included)

Width: 65mm Rope: 1100mm Ceiling Cup: 100mm

METAL PENDANTS

3 IN 1 DIY KIT CAN BE USED AS EITHER A CEILING FITTING, PENDANT OR WALL FITTING







METAL PENDANTS

PEN528/4 BLACK

Metal Pendant

- 4 x 60W SES

Width: 430mm

Height: 460mm

Chain: 1000mm

Ceiling Cup: 120mm

PEN604 BLACK Matt Black Metal Pendant with Clear Glass

- 4 x 40W SES

Width: 310mm Height: 550mm Chain: 1000mm Ceiling Cup: 120mm PEN714 BLACK Metal Pendant with 4 Panels of Clear Glass

- 4 x 11W SES

Width: 280mm Height: 590mm Cord: 1000mm Ceiling Cup: 95mm

PEN201 BLACK Metal Pendant with Smoke Colour Inner Glass

- 1 x 60W (11W) ES

Width: 220mm Height: 250mm Cord: 1000mm Ceiling Cup: 100mm

METAL PENDANTS



PEN717 BLACK


Metal Pendant with 4 Panels of Clear Glass

- 4 x 60W/11W ES

Width: 260mm Length: 760mm Height: 250mm Ceiling Cup: Length: 410mm x Width: 110mm

Adjustable Height:

Pole Length can be adjusted by adding or removing poles Pole Length: 1120mm (Max) 4 Separate Poles: 4 x 560mm



METAL PENDANTS



METAL PENDANTS 331



PEN1032 BLACK Black Metal Pendant with Alabaster Glass

- 1 x 60W ES

Width: 400mm Height: 385mm Chain: 960mm

Also Available: PEN1031 SATIN Width: 400mm Height: 560mm Chain: 85mm Ceiling Cup: 90mm

GLASS PENDANTS

PEN602 WHITE Metal Pendant with Cognac Colour Glass

> - 1 x 60W/11W ES (Not Included)

Width: 225mm Height: 180mm Cord: 1200mm Ceiling Cup: 120mm

Also Available: PEN602 BLACK PEN602 BLACK Metal Pendant with Cognac Colour Glass

> - 1 x 60W/11W ES (Not Included)

Width: 225mm Height: 180mm Cord: 1200mm Ceiling Cup: 120mm

> Also Available: PEN602 WHITE

PEN448 BLACK Metal Pendant with Clear Glass

- 1 x 60W ES

Width: 320mm Height: 400mm Chain: 1000mm Ceiling Cup: 100mm



Polished Chrome Pendant with Smoke Colour Glass and Small Inner Chrome Chandelier

- 9 x 10W G4 (Not Included)

Width: 350mm Height: 360mm Cord: 1200mm Ceiling Cup: 120mm

PEN625/9

Satin Brass Pendant with Clear Glass and Small Inner Satin Brass Chandelier

- 9 x 10W G4 (Not Included)

Width: 350mm Height: 360mm Cord: 1200mm Ceiling Cup: 120mm

PEN694 SMOKE Metal Cord Pendant with Smoke Colour Glass

- 1 x 60W (11W) ES

Width: 250mm Height: 280mm Chain: 1000mm Ceiling Cup: 100mm

Also Available: PEN695 AMBER

GLASS PENDANTS



GLASS PENDANTS



PEN600 SMOKE Metal Pendant with Smoke Colour Glass

- 3 x 60W (11W) ES (Not Included)

Width: 480mm Height: 400mm Cord: 900mm Ceiling Cup: 150mm

GLASS PENDANTS



- 1 x 60W (11W) ES (Not Included)

Width: 200mm Height: 570mm Cord: 1000mm Ceiling Cup: 120mm

> PEN552/1 GLASS Satin Brass Pendant with Cognac Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 145mm Height: 400mm Cord: 1000mm Ceiling Cup: 100mm

PEN553/1 SMOKE Satin Nickel Pendant with Smoke Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 200mm Height: 570mm Cord: 900mm Ceiling Cup: 100mm

Also Available: PEN554/1 SMOKE



PEN554/1 SMOKE Satin Nickel Pendant with Smoke Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 145mm Height: 400mm Cord: 900mm Ceiling Cup: 100mm

Also Available: PEN553/1 SMOKE

GLASS PENDANTS



PEN598 COGNAC Metal Pendant with Cognac Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 350mm Height: 600mm Cord: 1000mm Ceiling Cup: 120mm

PEN570/3 BLACK Black Metal Pendant with Cognac Colour Glass

- 3 x 60W (11W) ES (Not Included)

Width: 500mm Height: 800mm Chain: 1000mm Ceiling Cup: 120mm

GLASS PENDANTS



GLASS PENDANTS

PEN764 AMBER Black Metal Pendant with Amber Glass

- 1 x 60W (11W) ES

Width: 400mm Height: 280mm Cord: 1000mm Ceiling Cup: 100mm

PEN695 AMBER Metal Cord Pendant

with Amber Glass

- 1 x 60W (11W) ES

Width: 250mm Height: 280mm Chain: 1000mm Ceiling Cup: 100mm

Also Available: PEN694 SMOKE

PEN538 AMBER Brown Bronze Cord Pendant with Amber Glass

- 1 x 40W ES (Not Included)

Width: 252mm Height: 300mm Cord: 1200mm Ceiling Cup: 100mm

PEN761 AMBER Satin Brass Pendant with Amber Glass

- 3 x 60W (11W) ES

Width: 350mm Height: 590mm Cord: 1000mm Ceiling Cup: 100mm GLASS PENDANTS 9

GLASS PENDANTS



Ceiling Cup: 120mm

GLASS PENDANTS



Width: 130mm Height: 330mm Cord: 1200mm Ceiling Cup: 100mm





with Clear Glass

- 1 x 60W (11W) ES (Not Included)

Width: 180mm Height: 300mm Cord: 1200mm Ceiling Cup: 100mm



PEN537 CLEAR Antique Bronze Cord Pendant

with Clear Glass

- 1 x 60W (11W) ES (Not Included)

Width: 180mm Height: 250mm Cord: 1200mm Ceiling Cup: 100mm



- 1 x 60W (11W) ES (Not Included)

Width: 200mm Height: 240mm Cord: 1200mm Ceiling Cup: 100mm PEN576 SATIN Satin Nickel Cord Pendant with Clear Glass

> - 1 x 60W (11W) ES (Not Included)

> Width: 180mm Height: 220mm Cord: 1200mm Ceiling Cup: 97mm


GLASS PENDANTS 41

GLASS PENDANTS




CLASS PENDANTS

GLASS PENDANTS



GLASS PENDANTS



PEN757/3 AMBER Amber Glass Pendant


- 3 x 60W ES

Width: 360mm Height: 1500mm Ceiling Cup: 250mm

- 1 x 60W ES

Width: 150mm

GLASS PENDANTS



Metal Pendant with Smoke Colour Glass

- 14 x 40W G9 (Not Included)

Width: 840mm Height: 310mm Cord: 1200mm Ceiling Cup: 120mm

PEN471/7 MATT BLACK Metal Pendant with Smoke Colour Glass

- 7 x 40W G9 (Not Included)

Length: 645mm Height: 330mm Cord: 1200mm Ceiling Cup: 120mm

PEN470/6 MATT BLACK Metal Pendant with Smoke Colour Glass

- 6 x 40W G9 (Not Included)

Width: 280mm Height: 520mm Cord: 1000mm Ceiling Cup: 120mm

GLASS PENDANTS



PEN610 CHROME Polished Chrome Pendant with Glass

- 1 x 60W ES

Width: 180mm Height: 260mm Cord: 1000mm Ceiling Cup: 95mm



PEN612 AMBER Antique Brass Pendant with Amber Glass

- 1 x 60W ES

Width: 180mm Height: 260mm Cord: 1000mm Ceiling Cup: 95mm



PEN611 SMOKE Polished Chrome Pendant with Smoke Colour Glass

- 1 x 60W ES

Width: 180mm Height: 260mm Cord: 1000mm Ceiling Cup: 95mm



PEN613 ANTIQUE BRASS

Antique Brass Pendant with Colour Glass

- 3 x 60W ES

Width: 400mm Cord: 1240mm (Adjustable) Ceiling Cup: 350mm

GLASS PENDANTS



PEN414 AMBER Metal Pendant with Crackle Amber Glass

- 1 x 40W (9W) SES

Width: 160mm Height: 210mm Cord: 1000mm Ceiling Cup: 100mm

PEN416 ROSE COPPER Metal Pendant with Rose Copper Crackle Glass

-1 x 40W (9W) SES

Width: 160mm Height: 210mm Cord: 1000mm Ceiling Cup: 100mm

PEN415 CHROME Metal Pendant with Chrome Colour Crackle Glass

- 1 x 40W (9W) SES

Width: 160mm Height: 210mm Cord: 1000mm Ceiling Cup: 100mm

PEN369 BLACK Metal Pendant with Crackle Glass

- 6 x 40W ES

Glass Width: 160mm Glass Height: 205mm Cord: 2200mm Ceiling Cup: 400mm

GLASS PENDANTS 347

CHROME, SATIN CHROME PENDANTS

PEN077/3 SATIN Satin Chrome Pendant with White Glass

- 3 x 60W ES

Length: 700mm Width: 62mm Glass width: 140mm Height: 305mm Cord: 1000mm

PEN076/3 SATIN Satin Chrome Pendant with White Glass

- 3 x 60W ES

Base: 250mm Glass width: 140mm Height: 305mm Cord: 1000mm



PEN2299/3 SATIN Bar Cord Pendant with Clear Glass

- 3 x 40W ES

Width: 560mm Height: 1800mm Glass Width: 90mm Glass Height: 300mm

> **PEN2298/1 SATIN** Cord Pendant with Clear Glass

> > - 1 x 40W ES

Height: 1800mm Ceiling Cup: 90mm Glass Width: 90mm Glass Height: 300mm






CHROME, SATIN CHROME PENDANTS

PEN284/1 CHROME Polished Chrome Pendant with Opal Glass

- 1 x 60W ES

Ball Width: 250mm Height: 430mm (Including Cord) Ceiling Cup: 120mm



- 3 x 60W ES

Ball Width: 170mm Ball Height: 290mm Width: 300mm Height: 1000mm (Including Cord) Ceiling Cup: 200mm

PEN284/5 CHROME Polished Chrome Pendant with Opal Glass

- 5 x 60W ES

Ball Width: 170mm Ball Height: 290mm Width: 450mm Fitting Height: 2000mm (Including Cord) Ceiling Cup: 350mm

CHROME, SATIN CHROME PENDANTS



- 4 x 60W SES

Width: 300mm Height: 450mm Chain: 1100mm Ceiling Cup: 93mm



PEN741 CHROME Polished Chrome and Clear Glass Pendant

- 1 x 60W ES

Width: 350mm Height: 390mm Chain: 500mm Ceiling Cup: 92mm

PEN742/4 CHROME Polished Chrome and Clear Glass Pendant

- 4 x 60W ES

Length: 760mm Width: 260mm Height: 250mm Rods: 4 x 560mm Ceiling Cup: 400mm x 110mm

C CHROME, SATIN CHROME PENDANTS

CHROME, SATIN CHROME PENDANTS



Polished Chrome Pendant with Opal Glass and Square Smoke Glass

- 3 x 60W ES

Width: 160mm Height: 140mm Length: 880mm Cord: 1000mm Ceiling Cup: 400mm x 70mm

- 6 x 60W (11W) ES

Width: 320mm Height: 600mm Cord: 1100mm Ceiling Cup: 120mm

CHROME, SATIN CHROME PENDANTS







PEN040 Satin Chrome Pendant with Colour Glass

- 1 x 60W ES

Width: 110mm Height: 320mm Cord: 800mm

Colours Available: Blue, Orange, White

CHROME, SATIN CHROME PENDANTS



Polished Chrome Pendant with White Glass

- 1 x 60W ES

Width: 130mm Height: 290mm Cord: 1200mm Ceiling Cup: 120mm Polished Chrome with Opal Fluted Glass

- 1 x 60W ES

Width: 170mm Height: 360mm Cord: 700mm Ceiling Cup: 100mm

CHROME, SATIN CHROME PENDANTS 353

CHROME, SATIN CHROME PENDANTS



with Sand White Metal Cover

- 1 x 60W ES

Width: 260mm

Height: 880mm

Ceiling Cup: 95mm

PEN6700/1 SILVER Polished Chrome with Smoky Glass

- 1 x 60W ES

Width: 450mm Height: 1000mm

CHROME, SATIN CHROME PENDANTS



- 1 x 40W ES

Width: 165mm Height: 340mm Cord: 1400mm Ceiling Cup: 100mm PEN303 CHROME Polished Chrome Mirror Finish Pendant

- 1 x 40W ES

Width: 200mm Height: 500mm Cord: 1400mm Ceiling Cup: 100mm



PEN336/1 CHROME Polished Chrome Mirror Finish Pendant

- 1 x 40W ES

Width: 150mm Height: 120mm Cord: 900mm Ceiling Cup: 120mm



PEN2485/1 CHROME Polished Chrome and Glass

- 1 x 40W ES

Width: 200mm Height: 200mm Cord: 800mm Ceiling Cup: 100mm

Also Available: PEN2489 CHROME

PEN2489 CHROME Polished Chrome and Glass

- 1 x 40W ES

Width: 300mm Height: 300mm Cord: 800mm Ceiling Cup: 120mm

Also Available: PEN2485/1 CHROME

CHROME, SATIN CHROME PENDANTS




Height: 290mm Chain: 1000mm Ceiling Cup: 100mm

Also Available: PEN697 BLACK/WHITE Width: 390mm Height: 440mm Cord: 1000mm Ceiling Cup: 100mm

Also Available: PEN903 COPPER

CHROME, SATIN CHROME PENDANTS



CHROME, SATIN CHROME PENDANTS



C CHROME, SATIN CHROME PENDANTS

ACRYLIC CRYSTAL PENDANTS



WB045/1 CHROME Polished Chrome with Clear Acrylic Crystals

- 1 x 40W SES

Width: 190mm Height: 215mm Depth: 80mm

Also Available: PEN045/1 CHROME



PEN167/1 CHROME Polished Chrome Pendant with Clear Acrylic Crystals

- 1 x 60W ES

Width: 200mm Height: 450mm Cord: 800mm Ceiling Cup: 105mm



PEN045/1 CHROME Polished Chrome with Clear Acrylic Beads

- 1 x 40W SES

Width: 180mm Height: 240mm Cord: 1000mm

Also Available:

WB045/1 Chrome

PEN907 CHROME Polished Stainless Steel Pendant with Acrylic Crystals

- 1 x 11W SES

Width: 240mm Height: 220mm Cord: 1000mm Ceiling Cup: 100mm



PEN908 CHROME Polished Stainless Steel Pendant with Acrylic Crystals

- 1 x 11W SES

Width: 160mm Height: 220mm Cord: 1000mm Ceiling Cup: 100mm

PEN195/1 CHROME

Polished Chrome with Clear Acrylic Crystals

- 1 x 60W ES

Width: 330mm Height: 250mm Cord: 700mm Ceiling Cup: 100mm

ACRYLIC CRYSTAL PENDANTS





WB522/1 CHROME Polished Chrome Wall Fitting with Clear Acrylic Crystals

- 1 x 60W ES

Width: 120mm Height: 300mm Depth: 200mm

PEN433/1 CHROME **Polished Chrome Pendant**

with Clear Acrylic Crystals

- 1 x 60W ES

Width: 130mm Height: 210mm Cord: 1500mm Ceiling Cup: 120mm





PEN435/3 CHROME Polished Chrome Pendant

with Clear Acrylic Crystals

- 3 x 60W ES

Width: 220mm Height: 210mm Cord: 1500mm Ceiling Cup: 220mm





Polished Chrome Pendant with Clear Acrylic Crystals

- 3 x 60W ES

Height: 210mm Cord: 1500mm Ceiling Bar: 575mm x 60mm

Also Available:

CH522/3 CHROME CH522/5 CHROME PEN433/1 CHROME PEN435/3 CHROME TL812 CHROME WB522/1 CHROME





Width: 660mm

ACRYLIC CRYSTAL PENDANTS DUAL MOUNTING OPTIONS: SUSPENDED OR FLUSH SURFACE MOUNT



PEN334/1 Polished Chrome Pendant with Clear Acrylic Crystals

- 1 x 60W ES

Width: 295mm Height: 240mm Chain: 300mm Ceiling Cup: 107mm

CRYSTAL PENDANTS

DUAL MOUNTING OPTIONS: SUSPENDED OR FLUSH SURFACE MOUNT



PEN692/8 CRYSTAL Polished Chrome and Crystal Pendant

- 8 x 40W (11W) SES

Width: 800mm Fitting Height: 300mm Height: 580mm (Surface Mounting) 1200mm (Suspension) Ceiling Cup: 120mm



ACRYLIC CRYSTAL PENDANTS

CRYSTAL PENDANTS

DUAL MOUNTING OPTIONS: SUSPENDED OR FLUSH SURFACE MOUNT



PEN027 CHROME Polished Chrome and Crystal Pendant Dual Mounting Options: Surface or Suspended

- 10 x 40W E14 (SES) (Not Included)

Width: 560mm CF Height: 585mm Suspended Height: 450mm Chain: 1000mm Ceiling cup:110mm

CRYSTAL PENDANTS 362

CRYSTAL PENDANTS



PEN691 CRYSTAL

Polished Chrome with Crystals Adjustable Cords and Remote Control

- 32W LED (Included) 1 x Remote Control (Included) Colour Changeable: 3000K, 4500K, 6000K Lumen: 1700, 1900, 2100

> Width: 200mm Length: 820mm Height: 140mm Cord: 1200mm Ceiling Cup: 600mm x 85mm

PEN825 CRYSTAL Metal and Crystal Pendant, IP20

- 40W LED (Included)

Colour Temp: 4000K Lumen: 3000

Width: 600mm Height: 1100mm Ceiling Cup: 160mm



CRYSTAL PENDANTS

CRYSTAL PENDANTS






PEN032/3 SATIN Chrome Pendant with Crystals

- 3 x 50W GU10 (Not Included)

Width: 320mm Height: 1200mm PEN628/5 CRYSTAL Stainless Steel Pendant with Crystals

- 5 x 50W GU10 (Not Included)

Base: 500mm Height: 1330mm



PEN487 LED LED Polished Chrome Pendant with Crystals

> - 60W LED (Included) 1 x Remote Receiver Switch 3 x LED Controllers

1 x Digital Remote Control Press 1: Inner ring switches on Press 2: Middle ring switches on Press 3: Outer ring switches on

> Colour Temp: 4000K Lumen: 2800 CRI ≥ 80 PF ≥ 0.6

Width: 700mm Height: 200mm Cord: 1000mm Ceiling Cup: 250mm

> Also Available: PEN291 LED

PEN291 LED LED Polished Chrome Pendant with Crystals

> - 30W LED (Included) 1 x Remote Receiver Switch 2 x LED Controllers

1 x Digital Remote Control Press 1: Inner ring switches on Press 2: Outer ring switches on Press On: Both rings switch on

> Colour Temp: 4000K Lumen: 1840 CRI > 80 PF ≥ 0.6

Width: 500mm Height: 200mm Cord: 1000mm Ceiling Cup: 210mm

Also Available: PEN487 LED

CRYSTAL PENDANTS



Width: 500mm Height: 340mm Chain: 600mm Ceiling Cup: 120mm

PEN549 CRYSTAL

Polished Chrome Pendantwith Crystals and Transparent Silver Shade

- 6 x 40W SES

Width: 500mm Height: 750mm Chain: 1000mm Ceiling Cup: 115mm

CRYSTAL PENDANTS



367

CRYSTAL PENDANTS



CRYSTAL PENDANTS

CRYSTAL PENDANTS



PEN280/3 CRYSTAL Polished Chrome LED Pendant with Clear Glass and Crystals

- 3 x 50W GU10 (Not Included)

Base: 500mm x 80mm Glass Width: 100mm Height: 1200mm

Also Available: PEN280/1 CRYSTAL PEN280/6 CRYSTAL PEN280/8 CRYSTAL



PEN280/6 CRYSTAL Polished Chrome LED Pendant with Clear Glass and Crystals

- 6 x 50W GU10 (Not Included)

Base: 500mm x 250mm Glass Width: 100mm Height: 1200mm

Also Available: PEN280/1 CRYSTAL PEN280/3 CRYSTAL PEN280/8 CRYSTAL

LED PENDANTS

PEN730 LED

White Aluminium and Plastic LED Pendant

- 40W Epistar LED (Included) 1 x Electronic Driver (Included) Colour Temp: 4000K Lumen: 2300

Width: 80mm Length: 500mm Height: 70mm Cord: 1000mm Ceiling Cup: 200mm x 85mm



PEN731 LED White Aluminium and Plastic LED Pendant

- 50W Epistar LED (Included) 1 x Electronic Driver (Included) Colour Temp: 4000K Lumen: 3080

Width: 500mm Height: 200mm Cord: 1000mm Ceiling Cup: 160mm

PEN617 WHITE Matt White Aluminium and Acrylic LED Pendant with Remote Control

- 120W LED (Included) 1 x LED Driver (Included)

Colour Temp: Changeable 3000K – 6000K Lumen: 13200

On / Off Remote Control **Increase and Decrease Brightness**


Width: 510mm Height: 350mm Cord: 1000mm Ceiling Cup: 160mm

PEN631 CHROME LED, Polished Chrome and PVC Pendant

- 28W LED (Included) Colour Temp: 3000K Lumen: 1960

Width: 520mm Height: 1200mm Ceiling Cup: 180mm

LED PENDANTS 370



LED, Polished Chrome and PVC Pendant


- 27W LED (Included) Colour Temp: 3000K Lumen: 1890

Width: 105mm Height: 1550mm Length: 1085mm Ceiling Cup: 400mm x 80mm PEN595 CHROME Polished Chrome and Acrylic LED Pendant

> - 89W LED (Included) Electronic Driver (Included) Colour Temp: 4000K Lumen: 890

> > Length: 740mm Height: 1000mm Width: 180mm

LED PENDANTS



LED PENDANTS

LED PENDANTS



PEN247/16 CHROME Stainless Steel and Acrylic Pendant

> - 92W LED (Included) 1 x Remote Control

Colour Temp: 2700K – 4000K Lumen: 6440

Width: 600mm Height: 1000mm (Adjustable Cords)

> Also Available: PEN248/32 CHROME



PEN248/32 CHROME Stainless Steel and Acrylic Pendant


> - 240W LED (Included) 1 x Remote Control

Colour Temp: 2700K – 4000K Lumen: 16800

Width: 750mm Height: 1800mm (Adjustable Cords)

> Also Available: PEN247/16 CHROME

LED PENDANTS




374

LED PENDANTS



Width: 605mm Height: 1200mm Ceiling Cup: 150mm

Also Available: PEN795/12 BLACK



Aluminium and Opal Glass Pendant Colour: Sand Black

- 40W LED (Included)

Colour Temp: 4000K Lumen: 3200 CRI: >80 PF: >0.9

Width: 605mm Height: 1200mm Ceiling Cup: 150mm

Also Available: PEN794/12 GOLD

*

PEN797 BLACK Aluminium, Glass and PVC Pendant Colour: Sand Black

- 50W LED (Included)

Colour Temp: 4000K Lumen: 4000 CRI: >80 PF: >0.9

Length: 1050mm Width: 250mm Height: 80mm Cord: 1100mm Ceiling Cup: 310mm x 84mm

LED PENDANTS 375

LED PENDANTS



PEN025 GREY Metal and Acrylic LED Pendant with Remote Control

- 45W LED (Included)

1 x LED Driver (Included) Colour Temp: 3000K – 6000K Lumen: 1850

> Width: 450mm Height: 155mm Cord: 1100mm Ceiling Cup: 180mm

> > Also Available: PEN026 WHITE

PEN689 GREY LED, Metal and Plastic Pendant with Remote Control

- 32W LED (Included)

1 x Remote Control (Included) Colour Changeable: 3000K, 4500K, 6000K Lumen: 1700, 1900, 2100

> Width: 600mm Height: 1200mm

Also Available: PEN690 WHITE



LED PENDANTS

PEN688 WHITE

LED, Metal and Plastic Pendant with Remote Control

- 44W LED (Included)

1 x Remote Control (Included) Colour Changeable: 3000K, 4500K, 6000K Lumen: 2900, 3100, 3300

> Length: 1200mm Height: 1200mm

Also Available: PEN687 GREY





PEN690 WHITE Metal and Plastic Pendant with Remote Control

- 32W LED (Included)

1 x Remote Control (Included) Colour Changeable: 3000K, 4500K, 6000K Lumen: 1700, 1900, 2100

> Height: 1200mm Width: 600mm

Also Available: PEN689 GREY

PEN026 WHITE

Metal and Acrylic LED Pendant with Remote Control

- 45W LED (Included)

1 x LED Driver (Included) Colour Temp: 3000K – 6000K Lumen: 1850

> Width: 450mm Height: 155mm Cord: 1100mm Ceiling Cup: 180mm

> > Also Available: PEN025 GREY

LED PENDANTS

PEN210 MATT BLACK

LED Metal and Polycarbonate Pendant

- 12W LED (Included)

1 x LED Driver (Included) Colour Temp: 4000K Lumen: 840

> Length: 930mm Width: 55mm Height: 85mm Cord: 1000mm

Also Available: PEN209 WHITE

- 9



PEN211 MATT BLACK LED Metal and PS Pendant

- 48W LED (Included)

1 x LED Driver (Included) Colour Temp: 4000K Lumen: 3840

> Length: 1800mm Width: 55mm Height: 85mm Cord: 4000mm

Also Available: PEN211 MATT WHITE

PEN212 MATT BLACK LED Metal and PS Pendant

- 72W LED (Included)

1 x LED Driver (Included) Colour Temp: 4000K Lumen: 5760

> Length: 2400mm Width: 55mm Height: 85mm Cord: 4000mm

Also Available: PEN212 MATT WHITE





LED PENDANTS

PEN209 MATT WHITE LED Metal and Polycarbonate Pendant

- 12W LED (Included)

1 x LED Driver (Included) Colour Temp: 4000K Lumen: 840

> Length: 930mm Width: 55mm Height: 85mm Cord: 1000mm

> Also Available: PEN210 BLACK WB207 WHITE

9

WB207 WHITE

LED Stainless Steel and Polycarbonate Wall Light IP44

- 9W LED (Included)

1 x LED Driver (Included) Colour Temp: 4000K Lumen: 630

> Length: 630mm Height: 80mm Depth: 60mm

Also Available: PEN209 WHITE

PEN211 MATT WHITE LED Metal and PS Pendant

- 48W LED (Included)

1 x LED Driver (Included) Colour Temp: 4000K Lumen: 3840

> Length: 1800mm Width: 55mm Height: 85mm Cord: 4000mm

Also Available: PEN211 MATT BLACK

PEN212 MATT WHITE LED Metal and PS Pendant

- 72W LED (Included)

1 x LED Driver (Included) Colour Temp: 4000K Lumen: 5760

> Length: 2400mm Width: 55mm Height: 85mm Cord: 4000mm

Also Available: PEN212 MATT BLACK

LED PENDANTS 79

LED PENDANTS

PEN464 MATT BLACK Aluminium Pendant

- 50W LED (Included)

Colour Temp: 4000K Lumen: 5000

Includes: 1 x 1.5M Track 2 x Hanging Rods 1 x 10W LED Light Bar 4 x 10W LED Spotlights 1 x Power Supply 2 x Ceiling Cups

Length: 1500mm Height: 1200mm (Including Spotlights)

> PEN233 Metal and Aluminium Pendant

> > - 3W LED (Included)

1 x LED Driver (Included) Colour Temp: 4000K Lumen: 150

> Width: 30mm Height: 304mm Cord: 700mm Ceiling Cup: 80mm

> Colours Available: Sand Black Sand White

LED PENDANTS

UFO HIGH-BAY

PEN923/100W BLACK Colour Temp: 6000K

PEN926/100W BLACK Colour Temp: 5000K 5 year warranty



Aluminium and Tempered Glass UFO High-Bay, IP65 (Excludes Chain and Ceiling Hook)

- 100W LED (Included)

Lumen: 9000 CRI: >80 PF: >0.9 Beam Angle: 110 Degrees

> Diameter: 230mm Height: 60mm

Also Available: PART110 PART111

PEN924/150W BLACK Colour Temp: 6000K

PEN927/150W BLACK Colour Temp: 5000K 5 year warranty Aluminium and Tempered Glass UFO High-Bay, IP65 (Excludes Chain and Ceiling Hook)

- 150W LED (Included)

Lumen: 13500 CRI: >80 PF: >0.9 Beam Angle: 110 Degrees

> Diameter: 275mm Height: 60mm

Also Available: PART110 PART111

PEN925/200W BLACK Colour Temp: 6000K

PEN928/200W BLACK Colour Temp: 5000K 5 year warranty Aluminium and Tempered Glass UFO High-Bay, IP65 (Excludes Chain and Ceiling Hook)

- 200W LED (Included)

Lumen: 18000 CRI: >80 PF: >0.9 Beam Angle: 110 Degrees

> Diameter: 320mm Height: 65mm

Also Available: PART110 PART111



PART110 Chain, Ceiling Hook

1200mm Black Chain, Ceiling Hook and 2 Screws for: PEN923/100W BLACK, PEN926/100W BLACK PEN924/150W BLACK, PEN927/150W BLACK PEN925/200W BLACK, PEN928/200W BLACK -0-0-0-0-0-0

PART111 Black Chain sold per meter for: PEN923/100W BLACK, PEN926/100W BLACK PEN924/150W BLACK, PEN927/150W BLACK PEN925/200W BLACK, PEN928/150W BLACK LED PENDANTS

ACRYLIC AND PVC PENDANTS

PEN803 WHITE Plastic and Fabric Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 200mm Height: 250mm Cord: 800mm Ceiling Cup: 90mm

PEN804 WHITE Plastic and Fabric Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 400mm Height: 190mm Cord: 800mm Ceiling Cup: 90mm



PEN518 WHITE Oval Acrylic and PP Pendant

- 1 x 35W ES (LED or CFL only)

Width: 400mm x 300mm Height: 270mm Cord: 900mm Ceiling Cup: 95mm



PEN679/1 CHROME

Polished Chrome Pendant with Clear Acrylic Cover and Acrylic Crystals

- 1 x 40W ES

Width: 300mm Height: 300mm Cord: 1000mm Ceiling Cup: 110mm

PEN662 CLEAR Polished Chrome Pendant with Clear Acrylic Cover

- 1 x 14W ES CFL

Width: 400mm Height: 400mm Cord: 750mm

ACRYLIC AND PVC PENDANTS



PEN421/1 WHITE Polished Chrome and Polypropylene Pendant

- 1 x 40W ES

Width: 330mm Height: 310mm Cord: 600mm Ceiling Cup: 120mm

> Also Available: PEN420/1 WHITE

PEN420/1 WHITE Polished Chrome and Polypropylene Pendant

- 1 x 40W ES

Width: 430mm Height: 400mm Cord: 600mm Ceiling Cup: 120mm

> Also Available: PEN421/1 WHITE

PEN805 WHITE Plastic and PP Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 350mm Height: 210mm Cord: 800mm Ceiling Cup: 90mm PEN807 WHITE Plastic and PP Pendant


- 1 x 11W ES (LED or CFL Only)

Width: 330mm Height: 280mm Cord: 800mm Ceiling Cup: 90mm

COPPER



S COPPER PENDANTS



WOOD AND WOOD FINISH PENDANTS

PEN444 WOOD Polished Chrome Pendant with Wood

- 1 x 11W ES

Width: 420mm Height: 370mm Cord: 1000mm Ceiling Cup: 120mm



PEN445 WOOD Polished Chrome Pendant with Wood

- 1 x 11W ES

Width: 300mm Height: 370mm Cord: 1000mm Ceiling Cup: 120mm



PEN446 WOOD Polished Chrome Pendant with Wood

- 1 x 11W ES

Width: 400mm Height: 385mm Cord: 1000mm Ceiling Cup: 120mm

PEN072 BUTTERFLY Pink Wooden Butterfly Pendant

- 1 x 60W ES

Width: 250mm Height: 800mm Length: 330mm Ceiling Cup: 120mm

WOOD AND WOOD FINISH PENDANTS

WOOD AND WOOD FINISH PENDANTS



WOOD AND WOOD FINISH PENDANTS

PEN819 BEAD Metal and Wood Bead Pendant Colour: White Washed

- 3 x 60W ES (11W)

Width: 500mm Height: 650mm Chain: 1100mm Ceiling Cup: 120mm

PEN821 BEAD

Metal and Wood Bead Pendant Colour: Matt Black

- 3 x 60W ES (11W)

Width: 410mm Height: 300mm Chain: 1100mm Ceiling Cup: 120mm

> Also Available: TL650 BEAD



PEN820 BEAD Metal and Wood Bead Pendant Colour: Matt Black and Natural Wood

- 3 x 60W ES (11W)

Length: 600mm Width: 250mm Height: 220mm Chain: 1100mm Ceiling Cup: 250mm x 110mm



PEN822 BEAD Metal and Wood Bead Pendant Colour: Matt White

- 1 x 60W ES (11W)

Width: 380mm Height: 380mm Chain: 1100mm Ceiling Cup: 120mm



PEN350 STONE Cement and Metal Cage Pendant

- 1 x 60W ES

Width: 180mm Height: 280mm Chain: 800mm Ceiling Cup: 100mm

PEN351 STONE Satin Chrome and Cement Pendant


- 1 x 60W ES

Width: 290mm Height: 200mm Chain: 700mm Ceiling Cup: 100mm CEMENT PENDANTS 9

Cement and Metal Cage Pendant

- 1 x 60W ES

Width: 180mm Height: 280mm Chain: 800mm Ceiling Cup: 100mm



NATURAL

PEN767 WHITE Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 400mm Height: 240mm Cord: 1200mm Ceiling Cup: 125mm

PEN768 WHITE Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 500mm Height: 300mm Cord: 1200mm Ceiling Cup: 125mm



- 1 x 11W ES (LED or CFL Only)

Width: 320mm Height: 400mm Cord: 1200mm Ceiling Cup: 125mm

PEN770 BROWN Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 500mm Height: 300mm Cord: 1200mm Ceiling Cup: 125mm

PEN769 BROWN Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 400mm Height: 240mm Cord: 1200mm Ceiling Cup: 125mm

NATURAL

PEN808 BAMBOO Bamboo Pendant Colour: Natural/Black

- 1 x 60W ES (LED or CFL only)

Width: 350mm Height: 310mm Cord: 1300mm Ceiling Cup: 110mm PEN809 BAMBOO Bamboo Pendant Colour: Natural/Black

- 1 x 60W ES (LED or CFL only)

Width: 350mm Height: 380mm Cord: 1300mm Ceiling Cup: 110mm





ALL 11111



PEN514 BAMBOO Metal and Bamboo Pendant

- 1 x 11W ES (LED or CFL only)

Width: 490mm Height: 290mm Cord: 1400mm Ceiling Cup: 120mm

PEN811 WOOD Wood Pendant Colour: Natural/Black

- 1 x 60W ES (LED or CFL only)

Width: 300mm Height: 300mm Cord: 1200mm Ceiling Cup: 110mm

PEN810 WOOD Wood Pendant Colour: Natural/Black

- 1 x 60W ES (LED or CFL only)

Width: 400mm Height: 250mm Cord: 1200mm Ceiling Cup: 110mm

NATURAL

PEN773 NATURAL Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 320mm Height: 260mm Cord: 1200mm Ceiling Cup: 125mm

PEN774 NATURAL Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 250mm Height: 300mm Cord: 1200mm Ceiling Cup: 125mm



PEN194/1 BLACK Black Outer Bamboo with Natural Inner Twine

- 1 x 60W ES

Width: 400mm Height: 400mm Cord: 1000mm Ceiling Cup: 120mm



PEN775 COFFEE Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 220mm Height: 300mm Cord: 1200mm Ceiling Cup: 125mm



PEN218 RATTAN Metal and Rattan Pendant

- 1 x 60W ES

- 1 x 60W ES

Width: 230mm

Width: 230mm Height: 330mm Cord: 1000mm Ceiling Cup: 100mm

56 NATURAL PENDANTS


Bamboo Cover

- 1 x 60W ES

Width: 400mm

Height: 350mm Cord: 1000mm Ceiling Cup: 120mm

BLISTER PACKS - PVC





PEN285/1 PVC and Silicon Pendant, Blister Pack

- 1 x 18W ES Energy Saver

Length: 1500mm Ceiling Cup: 117mm

Colours Available: Black, White

BLISTER PACKS





PEN540 BROWN BRONZE Brown Bronze Cord



PEN541 RED BRONZE Red Bronze Cord



PEN542 ANTIQUE BRONZE Antique Bronze Cord



PEN543 MATT NICKEL Matt Nickel Cord



PEN551 SATIN Satin Chrome Cord

- 1 x 60W ES

Width: 50mm Height: 95mm Cord: 1200mm Ceiling Cup: 100mm

> Blister Pack: Width: 170mm Height: 240mm

BLISTER PACKS





PEN779 ANTIQUE Antique Brass Black Twist Cord



PEN780 COFFEE Coffee Colour Brown Textile Cord



PEN781 ALUMINIUM Aluminium Colour Grey Twist Cord

- 1 x 60W (11W) ES

Width: 51mm Height: 97mm Cord: 1000mm Ceiling Cup: 100mm



PEN782 ROSE Rose Gold Colour Brown Twist Cord



PEN783 BLACK Black Black Textile Cord PEN784 GUN METAL Gun Metal Colour

Black Twist Cord

BLISTER PACKS PENDANTS 397

SPOTLIGHTS

POLISHED CHROME SPOTLIGHTS





S065/4 CHROME Polished Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 80mm Length: 600mm Recommended bulb to use



GU10

GU10 LED

Ω.

POLISHED CHROME SPOTLICHTS 9

SATIN CHROME SPOTLIGHTS



S168/2 SATIN Satin Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 180mm

Also Available: S167 MATT BLACK RANGE

S168/3 SATIN

Satin Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 230mm

Also Available: S167 MATT BLACK RANGE

Recommended bulb to use



GU10

GU10 LED


SATIN CHROME SPOTLIGHTS




GU10

401

SATIN CHROME SPOTLIGHTS





SATIN CHROME SPOTLIGHTS



S163/1 SATIN Satin Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm Head Length: 140mm





S163/2 SATIN Satin Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 120mm Length: 540mm






Base: 120mm Length: 800mm



Recommended bulb to use

GU10 GU10 LE



SATIN CHROME SPOTLIGHTS



S123/1 SATIN

Satin Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm

Also Available: S123/1 COPPER S150/1 WHITE

S123/2 SATIN Satin Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 100mm Length: 360mm

Also Available: S123/2 COPPER S150/2 WHITE

Satin Chrome Spotlight - 3 x 50W GU10 (Not Included)

S123/3 SATIN

Base: 100mm Length: 610mm

Also Available: S123/3 COPPER **S150/3 WHITE**



S151/4 SATIN Satin Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 100mm Length: 630mm

Also Available: **S123/4 SATIN** S150/4 WHITE

SATIN CHROME SPOTLIGHTS



S123/4 SATIN Satin Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 100mm Length: 400mm

Also Available: **S150/4 WHITE S151/4 SATIN**

406

GU10



SATIN CHROME SPOTLIGHTS



S050/1 SC/CHR Satin and Polished Chrome Spotlight

> - 1 x GU10 (Not Included) Base: 103mm





- 2 x GU10 (Not Included)

Base: 110mm Length: 420mm









S050/3 SC/CHR Satin and Polished Chrome Spotlight

- 3 x GU10 (Not Included)

Base: 110mm Length: 540mm







S050/4 SC/CHR Satin and Polished Chrome Spotlight

- 4 x GU10 (Not Included)

Base: 110mm Length: 720mm

SATIN CHROME SPOTLIGHTS 408



GU10 GU10 LED

SATIN CHROME SPOTLIGHTS



S171/1 SATIN Satin Chrome and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm

Satin Chrome and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 180mm



- 3 x 50W GU10 (Not Included)

Base: 230mm

Recommended bulb to use



GU10 LED

409

SATIN CHROME SPOTLIGHTS




S010/1 SATIN

Satin Chrome Spotlight Swivel and Tilt

- 1 x 50W GU10 (Not Included)

Base: 119mm




- 2 x 50W GU10 (Not Included)


Width: 70mm Length: 300mm











COPPER SPOTLIGHTS



COPPER SPOTLIGHTS





S156/2 BK/COPPER Black and Copper Spotlight


- 2 x 50W GU10 (Not Included)

Base Width: 70mm Length: 300mm

Also Available: S156/2 BK/CHR




SATIN BRASS SPOTLIGHTS



5410 BRASS SPOTLIGHTS

SATIN BRASS SPOTLIGHTS



SATURN SPOTLIGHTS



S005/1 Switch Included

- 1 x R50 SES

Width 80mm

Colours Available: Gun Metal, Satin Chrome, White



Width: 190mm

Colours Available: Gun Metal, Satin Chrome, White


S005/3R

- 3 x R50 SES

Width: 230mm

Colours Available: Gun Metal, Satin Chrome, White

SATURN SPOTLIGHTS







LED R50

SATURN SPOTLIGHTS







R50











PAINTED SPOTLIGHTS



Matt White Spotlight

- 1 x 50W GU10 (Not Included)

Width: 83mm

S164/2 WHITE Matt White Spotlight

- 2 x 50W GU10 (Not Included)

Width: 190mm

S164/3 WHITE Matt White Spotlight

- 3 x 50W GU10 (Not Included)

Width: 240mm

Recommended bulb to use





PAINTED SPOTLIGHTS 425

GU10

PAINTED SPOTLIGHTS

S066/1 WH/CHR White and Polished Chrome Spotlight

The and I bished Chrome Sporing

- 1 x 50W GU10 (Not Included)

Base: 80mm



P2

S066/2 WH/CHR White and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 120mm

S066/3 WH/CHR White and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 170mm

S162/2 WHITE White and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Length: 300mm x 70mm

426





PAINTED SPOTLIGHTS



S064/1 BLACK Black and Polished Chrome Spotlight - 1 x 50W GU10 (Not Included)

Base: 80mm



Black and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm Length: 255mm







S064/3 BLACK Black and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm Length: 410mm



Base: 80mm Length: 600mm

Also Available: WB124/1 BLACK SL019 BLACK



GU10

PAINTED SPOTLIGHTS



S156/1 BK/CHR

Polished Chrome and Black Spotlight

- 1 x 50W GU10 (Not Included)

Base: 140mm x 70mm

Also Available: S156/1 BK/COPPER

S156/2 BK/CHR Polished Chrome and Black Spotlight

- 2 x 50W GU10 (Not Included)

Base Width: 70mm Length: 300mm

Also Available: S156/2 BK/COPPER





PAINTED SPOTLIGHTS

GU10 LED

GU10

PAINTED SPOTLIGHTS



S056/1 BLACK Polished Chrome and Matt Black Spotlight

- 1 x 50W GU10 (Not Included)

Base: 100mm



- 2 x 50W GU10 (Not Included)

Base: 70mm Length: 280mm



S056/3 BLACK Polished Chrome and Matt Black Spotlight

- 3 x 50W GU10 (Not Included) Width: 230mm



PAINTED SPOTLIGHTS



S402/1 BLACK Black and Polished Chrome Spotlight with Wood Finish

> - 1 x 40W SES (Not Included) Base: 80mm



S402/2 BLACK Black and Polished Chrome Spotlight with Wood Finish

- 2 x 40W SES (Not Included)

Base: 80mm Length: 250mm





S402/3 BLACK Black and Polished Chrome Spotlight with Wood Finish

- 3 x 40W SES (Not Included)

Base: 80mm Length: 450mm



S402/4 BLACK Black and Polished Chrome Spotlight with Wood Finish

- 4 x 40W SES (Not Included)

Base: 80mm Length: 700mm

Also Available: PEN647/3 BLACK PEN649/3 BLACK

PAINTED SPOTLIGHTS





S401/1 WHITE White and Polished Chrome Spotlight with Wood Finish

- 1 x 40W SES (Not Included)

Base: 80mm

S401/2 WHITE White and Polished Chrome Spotlight with Wood Finish

- 2 x 40W SES (Not Included)

Base: 80mm Length: 250mm



S401/3 WHITE White and Polished Chrome Spotlight with Wood Finish

- 3 x 40W SES (Not Included)

Base: 80mm Length: 450mm



Also Available: PEN644/3 WHITE PEN646/3 WHITE

PAINTED SPOTLIGHTS



S400/1 BLACK Black and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm

Also Available: SL400 BLACK

S400/2 BLACK Black and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm Length: 250mm







Black and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm Length: 385mm



S400/4 BLACK Black and Polished Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 80mm Length: 600mm

PAINTED SPOTLIGHTS 432





GU10 LED

GU10



PAINTED SPOTLIGHTS



- 3 x LED GU10 (Not Included)

Base: 350mm x 40mm

434 PAINTED SPOTLIGHTS



GU10 LED

GU10

PAINTED SPOTLIGHTS

S177/1 MATT WHITE Matt White Metal Spotlight

- 1 x LED GU10 (Not Included)

Base: 55mm

S177/2 MATT WHITE Matt White Metal Spotlight

- 2 x LED GU10 (Not Included)

Base: 255mm x 40mm

- 1



- 3 x LED GU10 (Not Included) Base: 350mm x 40mm

Recommended bulb to use



PAINTED SPOTLICHTS 5

PAINTED SPOTLIGHTS



- 1 x 50W GU10 (Not Included)

Base: 80mm

Also Available: S168 SATIN RANGE

S167/2 MATT BLACK

Matt Black and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 180mm

Also Available: S168 SATIN RANGE

S167/3 MATT BLACK

Matt Black and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 230mm

Also Available: S168 SATIN RANGE

Recommended bulb to use



GU10 LED

GU10

PAINTED SPOTLIGHTS



- 1 x 50W GU10 (Not Included)

Base: 80mm

S170/2 CHROME/WHITE Matt White and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 180mm





S170/3 CHROME/WHITE Matt White and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm Length: 500mm Recommended bulb to use



PAINTED SPOTLICHTS 7

GU10

PAINTED SPOTLIGHTS





S120/1 BLACK Matt Black Spotlight

- 1 x 50W GU10 (Not Included) Base: 80mm



- 3 x 50W GU10 (Not Included)

Base: 180mm

Recommended bulb to use



A PAINTED SPOTLIGHTS
8

8 GU10 LED

GU10

S120/2 BLACK Matt Black Spotlight

- 2 x 50W GU10 (Not Included)

Base: 150mm

Spotlights

PAINTED SPOTLIGHTS



S121/1 WHITE Matt White Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm

S121/2 WHITE Matt White Spotlight

- 2 x 50W GU10 (Not Included)

Base: 150mm

S121/3 WHITE Matt White Spotlight

- 3 x 50W GU10 (Not Included)

Base: 180mm

Recommended bulb to use



GU10 LED

PAINTED SPOTLICHTS 9

Spotlights

PAINTED SPOTLIGHTS



S405/1 GREY Grey and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S165/1 MATT BLACK

Matt Black and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm

Also Available: S166 MATT WHITE RANGE





- 2 x 50W GU10 (Not Included)

Base: 80mm Length: 300mm

Also Available: S166 MATT WHITE RANGE



 PAINTED SPOTLIGHTS

 740



Recommended bulb to use



GU10 LED

0 0

GU10

S165/3 MATT BLACK Matt Black and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm Length: 500mm

Also Available: S166 MATT WHITE RANGE

Spotlights

PAINTED SPOTLIGHTS




TABLE & FLOOR LAMPS

5. 7.

151

Carl.

CRYSTAL LED STANDING LAMP



SL095 CRYSTAL

Polished Chrome Standing Lamp with Crystals and Remote Control

- 176W LED (Included)

1 x LED Driver (Included) 1 x ON/OFF Foot Switch (Included)

> 3 Colour Temperatures: 2700K - 6500K Lumen: 11 000 CRI > 80 PF > 0.6

> > Height: 1530mm Base: 300mm

LED STANDING LAMPS

SL402 BLACK Aluminium and Opal Glass Standing Lamp

> Colour: Sand Black On / Off Foot Switch

- 24W LED (Included)

Colour Temp: 4000K Lumen: 1920 CRI: >80 PF: >0.9

Height: 1200mm Base: 240mm

Also Available: PEN791/3 BLACK SL403 GOLD Aluminium and Opal Glass Standing Lamp

Colour: Gold On / Off Foot Switch

- 24W LED (Included)

Colour Temp: 4000K Lumen: 1920 CRI: >80 PF: >0.9

Height: 1200mm Base: 240mm

Also Available: PEN790/3 GOLD

SL017 LED Silver Aluminium Polycarbonate LED Floor Lamp On / Off Foot Switch

- 20W LED (Included) 1 x LED Driver (Included)

> Height: 1450mm Base: 200mm

SL083 LED

Matt White Aluminium and Acrylic LED Floor Lamp with Remote Control

- 40W LED (Included) 1 x LED Driver (Included)


Colour Temp: 2700K – 6500K Lumen: 2600

> Height: 1580mm Base: 290mm

Features:

On / Off Remote Control and Foot Switch Increase and Decrease Brightness Sleep Mode with 2W LED Brightness

LED STANDING LAMPS



Mother Lamp:

- 21W LED (Included) 1 x LED Driver (Included)

Colour Temp: 4000K Lumen: 1500

Son Lamp: - 7W LED (Included) 1 x LED Driver (Included) Colour Temp: 4000K Lumen: 500

> Height: 1700mm Base: 250mm Width: 220mm

SL094 BLACK Aluminium and PVC LED Standing Lamp On / Off Foot Switch

> - 28W LED (Included) 1 x LED Driver (Included)

> > Colour Temp: 3000K Lumen: 1680

Width: 380mm Height: 1175mm Base: 200mm

SL404 MATT BLACK Metal LED Floor Standing Lamp On / Off Foot Switch

- 7W LED (Included)

Colour Temp: 3000K Lumen: 1100 CRI: >80 PF: >0.5

Height: 1500mm Base: 180mm

LED STANDING LAMPS 45

STANDING LAMPS



STANDING LAMPS



SL087 Metal and Polished Chrome Mother and Son Floor Lamp with PVC Covers

> - 1 x 40W (11W) SES - 1 x 60W (11W) ES

> > Height: 1790mm Base: 220mm

Colours Available: Black, White SL062 SILVER Antique Matt Silver Floor Lamp On / Off Foot Switch

- 2 x GU10 (Not Included)

Height: 1600mm Base: 220mm SL1097 Floor Lamp with Double Switch

- 2 x 60W ES

Height: 1604mm Base: 230mm

Colours Available: Black, White SL089 Metal and Polished Chrome Floor Lamp with Gooseneck Arms

- 2 x 60W (11W) ES

Height: 1630mm Base: 220mm

Colours Available: Black, White



448

STANDING LAMPS

SL018 BLACK Metal and Wood Standing Lamp with Black Fabric Shade On / Off Foot Switch

- 1 x 11W ES

Height: 1700mm Base: 270mm Shade Width: 300mm

> Also Available: TL141 BLACK

SL084 CHROME

Wood and Polished Chrome Standing Lamp with White Fabric Shade On / Off Foot Switch

- 1 x 60W (14W) BC

Height: 1620mm Width: 660mm Shade: 415mm x 480mm x 280mm





SL037 SATIN Satin Chrome Standing Lamp with Grey Fabric Shade On / Off Foot Switch - 1 x 60W ES

> Height: 1550mm Base: 250mm

Shade: 400mm x 270mm

SL052 CHROME

Polished Chrome with Silver Patterned Shade 1 x On / Off Foot Switch

- 1 x 40W ES

Height: 1500mm Width: 400mm Base: 240mm Shade: 400mm x 200mm

449

STANDING LAMPS



SL401 MATT BLACK Floor Lamp with Smoke Colour Glass On / Off Foot Switch

- 6 x 40W G9 (Not Included)

Width: 280mm Height: 1630mm Base: 250mm SL072 BLACK Metal Base with Smoke colour Glass

- 2 x 60W (11W) ES

Width: 420mm Height: 1670mm Base: 700mm SL082 SMOKE Metal Floor Lamp with Smoke Colour Glass On / Off Foot Switch

- 3 x 60W (11W) ES (Not Included)

Width: 470mm Height: 1400mm Glass Height: 540mm Glass Width: 430mm

STANDING LAMPS



Metal Floor Lamp with Cognac Colour Glass On / Off Foot Switch

- 1 x 60W (11W) ES (Not Included)

Height: 1780mm Width: 200mm Base: 250mm SL080 BLACK Metal Floor Standing Lamp On / Off Foot Switch

- 6 x 40W (11W) ES (Not Included)

Height: 1600mm Base: 300mm Width: 580mm

Also Available: PEN596 BLACK SL034 CHROME

Polished Chrome Floor Lamp with Frosted Glass On / Off Foot Switch

- 1 x 60W ES

Height: 1600mm Base: 580mm Head Width: 240mm

RECHARGEABLE LED TABLE LAMPS

TL655 BLACK

Rechargeable Mini LED Table Lamp with Touch Control Switch and USB Charging Cable 40 Degree Rotation Head

- 4W LED

Material: ABS Colour Temp: CCT - 3 Temperatures Battery: 1200mAh Charging Time: 4 Hours Discharging Time: 4-10 Hours

> Width: 139mm Height: 195mm

Also Available: TL656 WHITE

TL656 WHITE

Rechargeable Mini LED Table Lamp with Touch Control Switch and USB Charging Cable 40 Degree Rotation Head

- 4W LED

Material: ABS Colour Temp: CCT - 3 Temperatures Battery: 1200mAh Charging Time: 4 Hours Discharging Time: 4-10 Hours

> Width: 139mm Height: 195mm

Also Available: TL655 BLACK

TL657 GREY Rechargeable LED Table Lamp with Touch Control Switch and USB Charging Cable

- 3W LED

Material: PMMA Colour Temp: CCT - 3 Temperatures Battery: 1200mAh Charging Time: 4 Hours Discharging Time: 3-10 Hours

> Width: 151mm Height: 275mm

TL649 WHITE Rechargeable LED Table Lamp, IP20 Dimmable and CCT, USB Charging Port

- 10W LED (Included) - 5V Power Supply Adapter and USB (Included)

> Material: ABS Colour Temp: 3000K – 6000K Lumen: 500 CRI: >80 PF: >0.5

> > Features:

Touch Switch to switch the light on and off Touch "M" to change colour temperatures Touch "M" over 3 seconds to change brightness

> Lithium Battery 1200mA Charging Time: 2-3 hours Discharging Time: 2.5 hours

> > Height: 550mm Base: 150mm

RECHARGEABLE LED TABLE LAMPS

TL646 BLACK

Rechargeable LED Table Lamp, IP20 Touch Switch with 3 step brightness USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included)

- 5V Power Supply Adapter and USB (Included)

Material: ABS

Colour Temp: 4000K Lumen: 250

CRI: >80

PF: >0.5 Lithium Battery 1200mA Charging Time: 2-3 hours Discharging Time: 2.5 hours Height: 540mm Base: 150mm



Rechargeable LED Table Lamp, IP20 Touch Switch with 3 step brightness USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included) - 5V Power Supply Adapter and USB (Included)

> Material: ABS Colour Temp: 4000K Lumen: 250 CRI: >80 PF: >0.5 Lithium Battery 1200mA

Charging Time: 2-3 hours Discharging Time: 2.5 hours

Height: 540mm Base: 170mm x 115mm

Touch Front Silver Switch to switch on and off and for brightness Press Front Silver Switch for CCT Time and Calender Setting: Push the button "M",

Time and Calender Setting: Push the button "M", then push button "S", when the figure start flashing, using up and down button to set, push "S" to next figure.

Features: Dimmable and CCT Display with Time, Calender, Temperature and Alarm Settings

Alarm Setting: Push the button "M" twice, when the display top shows "Alarm", Push button "S", when the figure start flashing, using up and down button to set. "SNOOZE" time is 60 seconds, push "S" to shut snooze.

Temperature: Push "Down" Button to change degree from Celsius to Fahrenheit

Lithium Battery 1200mA Charging Time: 2-3 hours Discharging Time: 2.5 hours

Height: 480mm Base: 95mm x 75mm



Rechargeable LED Table Lamp, IP20 Dimmable and CCT USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included) - 5V Power Supply Adapter and USB (Included)

> Material: ABS Colour Temp: 3000K - 6000K Lumen: 280 CRI: >80 PF: >0.5

LED LAMPS

TL182 WHITE

LED, ABS and Metal Desk Lamp Flexi Arm and USB Port Touch Switch with 3 Brightness Settings

> - 4W LED (Included) - 1 x 5V USB (Included)

Colour Temp: 4000K Lumen: 210

Base: 170mm x 100mm Flexi Arm: 320mm Head: 170mm x 60mm

TL183 SILVER

LED, Aluminium, Metal and Plastic Desk Lamp Moveable Arm and USB Port Touch Switch with 3 Brightness Settings Arm Base can be rotated 45 degrees left or right Arm Bracket at the top can be adjusted up and down 180 degrees

> - 5W LED (Included) - 1 x 5V USB (Included)

Colour Temp: Natural Light Lumen: 370

Base: 170mm x 100mm Arm: 330mm Head: 285mm x 35mm



LED Desk Lamp with Touch Sensor Switch 3 Colour Temperatures and Dimmer Switch Moveable Arm

> - 8W LED (Included) 1 x LED Driver

Material: ABS Lamp body Colour Temp: 3000K, 4000K, 6000K Lumen: 250 – 480

> Height: 380mm Base: 187mm Head Length: 183mm

Colours Available: Black, White

Also Available: TL627 TL627 LED Desk Lamp with Wireless Mobile Charger Touch Sensor Switch 3 Colour Temperatures and Dimmer Switch Moveable Arm

- 8W LED (Included) 1 x LED Driver

Material: ABS Lamp body Colour Temp: 3000K, 4000K, 6000K Lumen: 250 – 480

> Height: 380mm Base: 187mm Head Length: 183mm

Colours Available: Black, White

Also Available: TL626



LED LAMPS

TL039 BLACK 13W LED Desk Lamp

4 Operating Modes: Read Mode (5300K) Study Mode (6200K) Relax Mode (4200K) Sleep Mode (3300K) 5 Level Dimmer

QI Wireless Charging Function for Smart Phones 5V USB Port at Base for charging Mobile Phones Timer Control Function to automatically turn off the light in 1 hour 90° Parallel Arm, 275° Arm Rotation, 180° Head Rotation

> - 13W LED (Included) 1 x LED Driver (Included)

Height: 470mm Arm Length: 350mm Arm Width: 45mm Base: 170mm x 180mm TL188 LED PVC Desk Lamp Rotating Head On/Off Switch

- 3W LED (Included)

Colour Temp: 4000K Lumen: 180

Height: 320mm Base: 120mm Head Length: 270mm

Colours Available: Black, White

TL024 LED

LED Desk Lamp Touch Sensor Switch and Dimmer Double Colour Temperature and Brightness are Dimmable Rubber Hose and Head can be adjusted by multi-angle 300mm Vertical Range Illumination

> - 10W LED (Included) 1 x LED Driver (Included)

Press Mode: Cool White LED Switch on Press Mode again: Warm White LED Switch on Press Mode again: Both Cool and Warm LED Switch on

> Height: 600mm Base: 175mm

TL025 LED

LED Desk Lamp Touch Sensor Switch, Dimmer and separate Clamp Double Colour Temperature and Brightness are Dimmable Adjustable Head with Active Turning Directions 300mm Vertical Range Illumination

> - 10W LED (Included) 1 x LED Driver (Included)

Press Mode: Cool White LED Switch on Press Mode again: Warm White LED Switch on Press Mode again: Both Cool and Warm LED Switch on

> Height: 600mm Base: 220mm x 158mm

TL025 CLAMP

LED LAMPS 5

LED LAMPS

TL821 WHITE

LED Desk Lamp with 3 Level Touch Dimmer White Base with RGB Colour Changing Touch Dimmer Adjustable Head and Moveable Arms

> - 9W LED (Included) 1 x LED Driver (Included)

> > Colour Temp: 5000K Lumen: 550

> > > Height: 450mm Base: 135mm

TL026 LED LED Desk Lamp

with Touch Sensor Switch and Dimmer Touch and 3 Grades Dimming Adjustable Head and Moveable Arm 300mm Vertical Range Illumination

> - 6W LED (Included) 1 x LED Driver (Included)

> > Colour Temp: 4600K Lumen: 350

> > > Height: 410mm Head: 165mm Base: 165mm

Colours Available: Silver, White

TL628 LED Desk Lamp ABS Lampbody, Flexible Rubber Arm

> - 8W LED (Included) 1 x LED Driver (Included)

Colour Temp: 3000K – 6000K Lumen: 250 – 480

> Base: 190mm Arm: 380mm Head: 145mm

Colours Available: Black, Silver

TL185 LED Metal Desk Lamp with Rotatable Head

- 1 x 9W LED GU10 (Not Included)

Height: 446mm Base: 140mm

Colours Available: Black, White

LED LAMPS



Width: 194mm

Base: 150mm

Also Available: WB800 CHROME

DESK LAMPS



Base: 142mm Arm: 390mm Head Length: 100mm Head Width: 70mm

Colours Available: Satin,White



TL312 SATIN Satin Chrome Desk Lamp with Switch

- 1 x 60W ES

Arm: 280mm Base: 140mm





TL005 Metal and Plastic Desk Lamp

- 1 x 60W ES

Flexi Arm: 220mm Base: 143mm

Colours Available: Black, White

Also Available: CL005



TL186 Metal Desk Lamp with USB Port On/Off Switch

- 1 x 60W (11W) ES - 1 x 5V USB (Included)

> Height: 360mm Base: 125mm

Colours Available: Black, White

DESK LAMPS

TL311 Metal Desk Lamp with Flexi Arm

- 1 x 60W ES

Flexi Arm: 470mm Base: 170mm

Colours Available: Black, Silver, White

Also Available: TL310 SL1098 TL310 Metal Desk Lamp with Flexi Arm

- 1 x 40W SES

Flexi Arm: 230mm Base: 145mm

Colours Available: Black, White

Also Available: TL311 SL1098



TL053 Metal and PVC Adjustable Desk Lamp

- 1 x 60W ES

Height: 550mm Base: 150mm

Colours Available: Black, White TL813 Metal and Plastic Desk Lamp with 3 x Magnifier and Clamp

- 1 x 40W ES

Height: 830mm Head Length: 220mm Arm: 395mm and 415mm Base: 210mm

Colours Available: Black, White

DESK LAMPS



CLIP ON DESK LAMPS

CL008 BLACK Matt Black Metal Clip on Spotlight with Switch

- 1 x 50W GU10 (Not Included)

Height: 95mm (Excluding Clamp) Clamp: 112mm x 75mm

> Colours Available: Matt Black, Matt White

Also Available: S120 Spotlight Range





CL008 WHITE Matt White Metal Clip on Spotlight with Switch

- 1 x 50W GU10 (Not Included)

Height: 95mm (Excluding Clamp) Clamp: 112mm x 75mm

> Colours Available: Matt Black, Matt White

Also Available: S121 Spotlight Range

CL005 Metal Clip On Desk Lamp

- 1 x 60W ES

Flexi Arm: 115mm Clamp: 120mm x 106mm

Colours Available: Black, White

Also Available: TL005 BLACK, WHITE

METAL LAMPS



TL194 Metal Table Lamp

- 1 x 60W (11W) ES

Height: 220mm Base: 180mm

Colours Available: Black, White





TL195 Polished Chrome Metal and Wood Table Lamp

- 1 x 60W (11W) ES

Height: 270mm Base: 220mm

Colours Available: Black, White





TL193 Metal and Wood Table Lamp

- 1 x 60W (11W) ES

Height: 400mm Base: 160mm

Colours Available: Black, White



TL141 BLACK Metal and Wood Table Lamp with Black Fabric Shade

- 1 x 11W ES

Height: 750mm Base: 190mm Shade Width: 250mm

> Also Available: SL018 BLACK

TL144 BLACK Metal Table Lamp

- 2 x 60W ES

Height: 500mm Base: 190mm Width: 260mm

Also Available: PEN725/1 BK/GD PEN726/3 BK/GD

METAL LAMPS 3

METAL LAMPS



METAL LAMPS



- 1 x 40W ES (Not Included)

Base: 100mm Height: 295mm



Height: 320mm Base: 120mm

METAL LAMPS



TL600 MATT BLACK Table Lamp with Smoke Colour Glass

- 4 x 40W G9 (Not Included)

Height: 500mm Width: 280mm Base: 150mm TL175 COGNAC Metal Table Lamp with Cognac Colour Glass

- 1 x 60W (11W) ES

Height: 620mm Width: 300mm Base: 200mm



TL650 BEAD Metal and Wood Bead Table Lamp Colour: Matt Black

- 1 x 60W ES (11W)

Height: 610mm Width: 335mm

Also Available: PEN821 BEAD



TL818 SMOKE Metal Table Lamp with Smoke Colour Glass

- 1 x 40W (11W) ES

Height: 450mm Width: 235mm

Also Available: SL082 SMOKE

466 66

METAL LAMPS



TL150 STRAW AQ Bronze Table Lamp with Beige Fabric Shade

- 1 x 60W (14W) SES

Height: 350mm Base: 115mm Shade: 100mm x 160mm x 190mm

Also Available: TL149 STRAW SATIN



TL150 BEIGE AQ Bronze Table Lamp with Beige Fabric Shade

- 1 x 60W (14W) SES

Height: 350mm Base: 115mm Shade: 100mm x 160mm x 190mm

> Also Available: TL149 BEIGE SATIN





TL202 Metal Table Lamp with Fabric Shade

- 1 x 60W (11W) ES

Height: 290mm Base: 115mm Shade: 160mm x 160mm x 160mm



TL822 BLACK/GOLD

Black/Gold Aluminium Table Lamp with Hessian Shade

- 1 x 60W ES (Not Included)

Height: 680mm Base: 245mm x 110mm Shade: 335mm x 240mm



- 1 x 60W ES

Height: 635mm Base: 150mm Shade: 200mm x 415mm x 245mm



SATIN CHROME LAMPS



TL180 SATIN Satin Chrome Table Lamp with Hessian Shade

- 1 x 40W (14W) SES

Height: 370mm Base: 110mm Shade: 135mm x 180mm x 155mm



TL181 SATIN Satin Chrome Table Lamp with Hessian Shade

- 1 x 40W (14W) SES

Height: 435mm Base: 110mm Shade: 160mm x 250mm x 180mm



TL177 SATIN CHROME Satin Chrome Table Lamp with Smoke Colour Fabric Shade

- 1 x 40W (14W) BC

Height: 430mm Base: 110mm Shade: 280mm x 280mm x 180mm

TL2250 SATIN Satin Chrome Table Lamp with Fabric Shade

- 1 x 60W ES

Height: 600mm Base: 180mm Shade: 300mm

A SATIN CHROME LAMPSB SATIN CHROME LAMPS

TL155 SATIN Satin Chrome Table Lamp with Hessian Colour Fabric Shade

- 1 x 60W (14W) ES

Height: 580mm Base: 150mm Shade: 220mm x 260mm x 270mm

SATIN CHROME LAMPS



- 1 x 60W (14W) SES

Height: 350mm Base: 115mm Shade: 100mm x 160mm x 190mm

> Also Available: TL150 BEIGE AQ



L149 STRAW SATIN Satin Chrome Table Lamp with Cream Fabric Shade

- 1 x 60W (14W) SES

Height: 350mm Base: 115mm Shade: 100mm x 160mm x 190mm

> Also Available: TL150 SATIN AQ



TL012 SATIN Satin Chrome and Crystal Table Lamp with Hessian Shade

- 1 x 40W ES (LED or CFL Only)

Height: 415mm Base: 130mm Shade: 160mm x 250mm x 180mm



TL187 SATIN CHROME Satin Chrome Acrylic and Clear Table Lamp with White Shade

- 1 x 11W SES

Height: 385mm Base: 120mm Shade: 85mm x 160mm x 145mm



TL089 PEARL WHITE Satin Chrome Table Lamp with Oval Pearl White Shade

- 1 x 60W ES

Height: 380mm Width: 150mm Shade: 160mm x 280mm x 220mm




TL196 SATIN Twin Set (2 lamps per box) Satin Chrome Table Lamp with Beige Shade

-1 x 18W E27 (Energy Saver)

Height: 350mm Base: 120mm x 120mm Shade: 120mm x 120mm x 260mm

SATIN CHROME LAMPS



SATIN CHROME LAMPS



TL635 SATIN Metal Table Lamp

- 1 x 40W ES (Not Included)

Base: 100mm Height: 295mm

Also Available: TL633 SAND BLACK TL634 SAND WHITE TL636 SATIN BRASS TL637 GUN METAL





- 2 x 40W ES (Not Included)

Base: 120mm Height: 320mm

Also Available: TL652 MATT BLACK TL653 BLACK BRASS TL654 BRASS SATIN CHROME LAMPS 7

POLISHED CHROME LAMPS



POLISHED CHROME LAMPS



BTL021 CHROME Polished Chrome Table Lamp

- 1 x 60W (14W) BC

Height: 640mm Base: 160mm





TL176 CHROME Polished Chrome Table Lamp with Cream Fabric Shade

- 1 x 40W (14W) BC

Height: 440mm Base: 130mm Shade: 230mm x 300mm x 190mm



BTL052 CHROME Polished Chrome Table Lamp

- 1 x 60W BC


Height: 380mm Base: 130mm



TL400 CHROME Polished Chrome Table Lamp with Silver Patterned Shade

- 1 x 40W ES

Height: 470mm Width: 200mm Base: 150mm



BTL623 CHROME Polished Chrome Table Lamp

- 1 x 40W (11W) SES

Height: 355mm Base: 110mm

Also Available: BTL624 SATIN BTL625 BLACK



TL812 CHROME Polished Chrome Table Lamp

with Clear Acrylic Crystals

- 1 x 60W ES

Height: 380mm Width: 130mm Base: 120mm

Also Available: CH522/3 CHROME CH522/5 CHROME PEN433/1 CHROME PEN434/3 CHROME PEN435/3 CHROME WB522/1 CHROME

RESIN LAMPS



BTL2444 FOSSIL Resin Table Lamp

- 1 x 60W BC

Height: 300mm Base: 100mm



BTL007 ELEPHANT Resin Table Lamp

- 1 x 60W BC

Height: 320mm Base: 140mm



Resin Table Lamp

- 1 x 60W BC

Height: 345mm Base: 118mm



BTL2448 DARK Resin Table Lamp

- 1 x 60W BC

Height: 450mm Base: 120mm



BTL2447 DARK Resin Table Lamp

- 1 x 60W BC

Height: 340mm Base: 100mm

RESIN LAMPS



TL117 BROWN Resin Table Lamp with Square Cream Shade - 1 x 60W ES Height: 405mm Base: 117mm Shade: 170mm

TL118 BROWN Resin Table Lamp with Square Parchment Shade

- 1 x 60W ES

Height: 405mm Base: 117mm Shade: 170mm

RESIN LAMPS 5

ACRYLIC AND CRYSTAL LAMPS



BTL009 CH **Clear Acrylic Table Lamp**

- 1 x 60W BC

Height: 335mm Base: 130mm



BTL014 Clear Acrylic Table Lamp

- 1 x 40W BC

Height: 340mm Width: 120mm





Height: 455mm Base: 140mm

LAVA LAMPS



TL106 RAINBOW


Colour Changing Lava Lamp

- 1 x 25W SES (Included)

Height: 415mm Base: 108mm

Also Available:

TL108 Red / Yellow TL108 Yellow / Purple TL108 White / Pink TL108 Blue / Clear TL108 Yellow / Blue TL108 Red / Clear



TL108 Lava Lamp with Silver Base

- 1 x 20W SES (Included)

Height: 345mm Base: 86mm

Colours Available:

Red / Yellow Yellow / Purple White / Pink Blue / Clear Yellow / Blue Red / Clear

> YELLOW PURPLE

YELLOW

WHITE PINK BLUE CLEAR YELLOW BLUE RED CLEAR LAVA LAMPS 7



478

SH3 100mm x 300mm x 190mm SH4 100mm x 400mm x 235mm

SH3 100mm x 300mm x 190mm SH4 100mm x 400mm x 235mm

SHADES



SH6 Cylindrical Shade 145mm x 410mm x 215mm

> Colours Available: Cream, Hessian

SH7 Cylindrical Shade 220mm x 510mm x 290mm

> Colours Available: Cream, Hessian



BEIGE



CHAMPAGNE



FABRIC SHADES SH010: 190mm x 230mm x 170mm SH011: 265mm x 300mm x 220mm

Colours Available: Beige, Champagne, Grey, White SHADES 479



TIN

WIRE SYSTEMS - 12V







WSC001 SAT Wire System Kit

LED DC12V

Includes: - 5 x 5W LED MR16 (Included) 1 x LED Driver (Included) 10 meter cable (5 meter span) Colour Temp: 3000K

Colour Temp: 4000K







WSC007 MATT BLACK oll Wire System Kit Includes: - 6 x 5W 12V LED (Included) 1 x LED Driver (Included) 20 meter cable (10 Metre Span) Material: Metal and Aluminium Colour Temp: 4000K Lumen: 2400 481 9999

WIRE SYSTEMS - 12V

0.4

. .

S570/1M WHITE

1 Meter 3 Pin Track 220V – 240V Power Feed Included

S571/2M WHITE

2 Meter 3 Pin Track 220V – 240V Power Feed Included

S572/1M BLACK 1 Meter 3 pin Track 220V – 240V Power Feed (Included)

S573/2M BLACK 2 Meter 3 pin Track 220V – 240V Power Feed (Included)



PART507 WHITE 3 Wire Connector for Track Lighting



S551 WHITE Type I Straight Connector for Track Lighting



S552 WHITE Type L Flexible L Shape Connector for Track Lighting



S555 TYPE T WHITE White T Type Joiner for 3 Wire Track



3 Wire Connector for Track Lighting



S553 BLACK TYPE I Centre Straight Connector for Track Lighting



S554 BLACK TYPE L Flexible L Shape Connector for Track Lighting



S556 TYPE T BLACK Black T Type Joiner for 3 Wire Track

S116/1 BLACK Matt Black Die Cast Aluminium Tracklight 220V – 240V

- 1 x 60W ES (Not Included)

Bracket and Head Length: 185mm Bracket and Head Width: 151mm Height: 317mm

> S117/1 BLACK Matt Black Die Cast Aluminium Tracklight

with Silver Trim 220V – 240V

- 1 x 50W GU10 (Not Included)

Head Length: 130mm Head Width: 711mm Height: 162mm

PEN234 Aluminium Pendant with Track Adaptor

> - 3W LED (Included) 1 x LED Driver (Included)

Colour Temp: 4000K Lumen: 150

Width: 30mm Height: 304mm Cord: 700mm Ceiling Cup: 80mm

Colours Available: Sand Black Sand White



S112/20 BLACK

Plastic and Aluminium Tracklight

- 20W LED (Included) 1 x Electronic Driver (Included)

> Colour Temp: 4000K Lumen: 1600

Head Length: 120mm Head Width: 83mm Height: 190mm





S107 BLACK Die Cast Aluminium Tracklight

1 x 50W GU10 (Not Included)
 220V – 240V

Head Length: 125mm Head Width: 50mm Height: 180mm

Colours Available: Black, White



LED, Die Cast Aluminium and PMMA Tracklight Full Arm and Head Rotation 1 x Electronic Driver (Included) Colour Temp: 4000K

S108/1 BLACK

- 10W LED (Included)

Lumen: 800 Head Length: 160mm Head Width: 65mm Height: 150mm

S109/1 BLACK

- 20W LED (Included)

Lumen: 1550 Head Length: 185mm Head Width: 85mm Height: 170mm

S110/1 BLACK

- 30W LED (Included)

Lumen: 2350 Head Length: 205mm Head Width: 95mm Height: 180mm

Colours Available: Black, White TRACK LIGHTING 485

S111/1 BLACK Die Cast Aluminium Tracklight

- 1 x 50W GU10 (Not Included) 220V - 240V

> Head Length: 108mm Head Width: 53mm Height: 168mm Base: 100mm



S111/1 WHITE White Die Cast Aluminium Tracklight

- 1 x 50W GU10 (Not Included) 220V – 240V

> Head Length: 108mm Head Width: 53mm Height: 168mm Base: 100mm

Colours Available: Black, White **S118/1 WHITE**

Matt White Die Cast Aluminium Tracklight with Silver Trim

- 1 x 50W GU10 (Not Included) 220V - 240V

> Head Length: 130mm Head Width: 711mm Height: 162mm

S101/10 WHITE LED, White Die Cast Aluminium and Polycarbonate Tracklight, Full Arm and Head Rotation

- 10W LED (Included) 1 x Electronic Driver (Included) 220V – 240V

> Colour Temp: 4000K Lumen: 700

> > Width: 125mm Height: 200mm

S102/20 WHITE

LED, White Die Cast Aluminium and Polycarbonate Tracklight, Full Arm and Half Head Rotation

- 20W LED (Included) 1 x Electronic Driver (Included) 220V – 240V

> Colour Temp: 4000K Lumen: 1400

> > Width: 170mm Height: 220mm

S100/1 WHITE

Die Cast Aluminium and Plastic Tracklight

- 1 x 50W GU10 (Not Included)

Width: 57mm Height: 80mm Arm: 40mm

S106 WHITE

Die Cast Aluminium Tracklight

- 1 x 50W GU10 (Not Included) 220V – 240V

> Head Length: 100mm Head Width: 70mm Height: 180mm

Colours Available: Black, White



S107 WHITE

Die Cast Aluminium Tracklight

- 1 x 50W GU10 (Not Included) 220V – 240V

> Head Length: 125mm Head Width: 50mm Height: 180mm

Colours Available: Black, White

Plastic and Aluminium Tracklight 1 x Electronic Driver (Included) Colour Temp: 4000K

S113/20 WHITE

- 20W LED (Included)

Lumen: 1600 Head Length: 120mm Head Width: 83mm Height: 190mm

S115/30 WHITE

- 30W LED (Included)

Lumen: 2400 Head Length: 135mm Head Width: 98mm Height: 220mm

LED, White Die Cast Aluminium and Polycarbonate Tracklight Full Arm and Head Rotation 1 x Electronic Driver (Included) 220V – 240V Colour Temp: 4000K

> **S104/20W** - 20W LED (Included)

> > Lumen: 1400 Width: 180mm Height: 230mm

S105/30W - 30W LED (Included)

> Lumen: 2100 Width: 180mm Height: 230mm



LED, Die Cast Aluminium and Polycarbonate Tracklight Full Arm and Head Rotation 1 x Electronic Driver (Included) Colour Temp: 4000K

S108/1 WHITE

- 10W LED (Included) Lumen: 800 Width: 65mm Height: 150mm Length: 160mm

S109/1 WHITE

- 20W LED (Included) Lumen: 1550 Width: 85mm Height: 170mm Length: 185mm

S110/1 WHITE

- 30W LED (Included) Lumen: 2350 Width: 95mm Height: 180mm Length: 203mm



WALL BRACKETS

LED NIGHT LIGHT



WB318 PIR

Polycarbonate Night Light with Day / Night Motion Sensor

- 0.8W LED

Colour Temp: 3000K Lumen: 50

1 x PIR Sensor (Included) Detecting Angle: 120 degrees Detecting Distance: 3 – 5M Time Delay: 30 seconds 3 x AAA Batteries (Not Included)

> Width: 90mm Height: 90mm Depth: 38mm





WB319 ON/OFF

Polycarbonate Night Light with ON/OFF Switch

- 0.8W LED

Colour Temp: 3000K Lumen: 50

ON/OFF Switch (Included) 3 x AAA Batteries (Not Included)

> Width: 90mm Height: 90mm Depth: 38mm





LED SIGNAGE

Brushed Silver IP20

- 1W LED

Width: 110mm Depth: 30mm



WB305 BLUE Male Restroom Sign



WB306 BLUE Female Restroom Sign



WB307 RED No Smoking Sign



WB308 ORANGE Café Sign



WB309 BLUE Bathroom / Lavatory Sign



WB310 Green Exit Sign




WB311 GREEN Wifi Sign



WB312 ORANGE Knife and Fork Restaurant Sign

LED



WB198 GOLD Colour: Gold

LED

- 20W LED (Included)

Colour Temp: 3000K Lumen: 1600

WB314 WHITE White Aluminium and Plastic Wall Bracket

> Width: 520mm Height: 50mm

WB316 WHITE

White Aluminium and Plastic Wall Bracket

- 20W LED (Included)

Colour Temp: 4000K Lumen: 1600

> Width: 570mm Height: 50mm

WB313 WHITE White Aluminium and Plastic Wall Bracket

- 18W LED (Included)

Colour Temp: 3000K Lumen: 1440

> Width: 320mm Height: 350mm

WB315 WHITE White Aluminium and Plastic Wall Bracket

- 20W LED (Included)

Colour Temp: 4000K Lumen: 1600

> Width: 400mm Height: 50mm

LED



WB177 WHITE White Aluminium and Acrylic, Not Dimmable

- 6W LED (Included) 1 x Electronic Driver (Included)

> Colour Temp: 4000K Lumen: 420

> > Height: 50mm Length: 220mm Depth: 100mm

WB178 WHITE White Aluminium and Acrylic, Not Dimmable

> - 12W LED (Included) 1 x Electronic Driver (Included)

> > Colour Temp: 4000K Lumen: 960

Height: 50mm Length: 485mm Depth: 100mm

WB182 WHITE White Iron, Aluminium and Acrylic Moveable Arm Not Dimmable

- 8W LED (Included) 1 x Electronic Driver (Included)

> Colour Temp: 4000K Lumen: 560

> > Height: 55mm Length: 485mm Depth: 70mm



WB342 LED White Aluminium with Acrylic, Up and Down Facing

- 12W LED (Included) 1 x Electronic Driver (Included)

> Colour Temp: 4000K Lumen: 960

Height: 80mm Length: 375mm Depth: 100mm

WB207 WHITE

LED Stainless Steel and Polycarbonate Wall Light IP44

> - 9W LED (Included) 1 x LED Driver (Included)

Colour Temp: 4000K Lumen: 630

> Length: 630mm Height: 80mm Depth: 60mm

Also Available: PEN209 WHITE LED WALL BRACKETS 3

LED

WB214 WHITE

Matt White Metal Wall Bracket with Back Light and 2 Switches

- 1 x 3W LED (Included) Lumen: 140

- 1 x 8W LED - Backlight (Included) Lumen: 800

Colour Temp: 4000K

Width: 140mm Height: 140mm Depth: 73mm

WB215 WHITE

Matt White Metal Wall Bracket with Back Light and 2 Switches

- 1 x 50W GU10 (Not Included)

- 1 x 8W LED - Backlight (Included) Lumen: 800

Colour Temp: 4000K

Diameter: 150mm Depth: 105mm



WB098 BLACK LED, PC Wall Bracket IP65

- 12W LED (Included)

Colour Temp: 4200K Lumen: 580 CRI >80 PF>0.9

> Width: 120mm Length: 265mm Depth: 81mm

4 LED WALL BRACKETS

140

١

٩

WB272 BLACK


LED, 201 Stainless Steel Bathroom Mirror Light or Picture Light with PC Diffuser IP20

- 9W LED (Included)

Colour Temp: 4000K Lumen: 540 Beam Angle: 120 degrees

> Length: 405mm Depth: 110mm

LED



WB339 LED White Aluminium with Acrylic, Not Dimmable

> - 6W LED (Included) 1 x Electronic Driver (Included)

> > Colour Temp: 4000K Lumen: 480

> > > Width: 220mm Height: 160mm Depth: 50mm



WB196 COFFEE Aluminium and Acrylic LED Wall Bracket Colour: Brushed Coffee

- 21W LED (Included)

Colour Temp: 4000K Lumen: 1680 CRI: >80 PF: >0.9

Height: 300mm Depth: 70mm

WB121 LED Aluminium and Iron

LED Wall Bracket IP20

- 6W LED (Included) 1 x LED Power Supply (Included)

> Colour Temp: 4000K Lumen: 430

> > Length: 275mm Height: 60mm Depth: 110mm

WB122 LED Aluminium and Iron

LED Wall Bracket IP20

- 12W LED (Included) 1 x LED Power Supply (Included)

> Colour Temp: 4000K Lumen: 960

> > Length: 450mm Height: 60mm Depth: 115mm

WB180 WHITE White Iron and Aluminium Not Dimmable

- 16W LED (Included) 1 x Electronic Driver (Included)

> Colour Temp: 4000K Lumen: 1120

> > Height: 190mm Length: 300mm Depth: 40mm

LED



WB022 LED Colour: Grey Metal and Acrylic LED Fitting with Moveable Centre Ring

- 18W LED (Included) Electronic Driver (Included)

> Colour Temp: 4000K Lumen: 885

> > Width: 250mm Depth: 60mm



WB023 LED Colour: Black

WB9007 CHROME

Polished Chrome and Acrylic LED Wall Bracket

- 20W LED (Included) LED Power Supply (Included)

> Colour Temp: 4000K Lumen: 350

> > Width: 85mm Height: 610mm



WB9008 CHROME

Polished Chrome and Acrylic LED Wall Bracket

- 39W LED (Included) LED Power Supply (Included)

> Colour Temp: 4000K Lumen: 680

> > Width: 180mm Height: 855mm

LED



WB345 LED Polished Chrome LED Picture Light

- 7W LED (Included) 1 x LED Power Supply (Included)

> Colour Temp: 4000K Lumen: 560

Length: 555mm Width: 80mm Depth: 110mm



WB334 LED LED, White Patterned Glass with Crystals and Polished Chrome Clips

> - 6W LED (Included) 1 x LED Power Supply 2 x 3W LED Strips

> > Width: 300mm Height: 160mm Depth: 95mm

Also Available: CF334 LED



WB346 LED LED, Stainless Steel Wall Bracket with Clear Glass and K9 Crystals

- 10W LED (Included) 1 x Electronic Driver (Included)

> Colour Temp: 4000K Lumen: 900

Width: 100mm Length: 420mm Height: 60mm

LED

WB100 WHITE

LED, Metal Wall Bracket with Rotating Arm and Switch

- 3W LED (Included) 1 x LED Power Supply (Included)

> Colour Temp: 4000K Lumen: 150

> > Width: 75mm Height: 160mm Depth: 140mm



WB040/1 SATIN Satin Chrome Wall Fitting with Gooseneck Arm for LED and Switch

> - 1 x 1W LED 1 x LED Electronic Transformer

Width: 60mm Height: 80mm LED Gooseneck Arm: 330mm



WB041/1 CHROME Polished Chrome Wall Fitting with Gooseneck Arm for LED and Switch

> - 1 x 1W LED 1 x LED Electronic Transformer

Width: 60mm Height: 80mm LED Gooseneck Arm: 330mm



- 5W LED (Included)

Colour Temp: 4000K Lumen: 350

Base: 120mm x 80mm Height: 340mm Depth: 470mm Cord: 2400mm

Also Available: WB373 MATT BLACK WB373 MATT BLACK Metal LED Wall Bracket with Moveable Arm, Swivel Head and Switch Black Cord Wire connected to fitting with 2 prong plug

- 5W LED (Included)

Colour Temp: 4000K Lumen: 350

Base: 120mm x 80mm Height: 340mm Depth: 470mm Cord: 2400mm

Also Available: WB372 SATIN BRASS

498 RACKETS

LED





Head: 78mm

WB219 Metal LED Wall Light with Flexible Arm and Switch

- 3W LED (Included) 1 x LED Driver (Included)

Colour Temp: 4000K Lumen: 240

> Width: 65mm Arm: 280mm Head: 75mm

Colours Available: White - Rubberized Arm Satin Chrome - Gooseneck Arm WB220 Metal LED Wall Light with Flexible Rubber Arm and Switch

> - 3 x 1W LED (Included) 1 x LED Driver (Included)

Colour Temp: 4000K Lumen: 240

> Width: 65mm Arm: 280mm Head: 80mm

WITH USB PORTS



WB212 WHITE

Aluminium and Acrylic Wall Bracket with 2 USB Ports and Switch

- 11W and 5W LED (Included)

Colour Temp: 4000K Lumen: 1280

> Length: 300mm Width: 115mm Depth: 145mm



WB204 MATT WHITE Aluminium and Acrylic Bedside Wall Bracket Set with 2 USB Ports and 2 Switches (2 per box)

- 11W and 5W LED (Included)

Colour Temp: 4000K Lumen: 1280

> Length: 300mm Width: 115mm Depth: 145mm



WB205 MATT BLACK

Aluminium and Acrylic Bedside Wall Bracket Set with 2 USB Ports and 2 Switches (2 per box)

- 11W and 5W LED (Included)

Colour Temp: 4000K Lumen: 1280

> Length: 300mm Width: 115mm Depth: 145mm

WITH USB PORTS



WB173/1 USB Satin Chrome Wall Bracket with Gooseneck Arm for LED, USB and Switch

- 1 x 1W LED (Included) 1 PC 5V 2A USB 1 x LED Electronic Transformer

> Colour Temp: 3000K Lumen: 120

Base Width: 75mm Base Height: 130mm LED Gooseneck Arm: 330mm WB174/1 USB Satin Chrome Wall Bracket with Gooseneck Arm for LED, Phone Tray, USB and Switch

> - 1 x 1W LED (Included) 1 PC 5V 2A USB 1 x LED Electronic Transformer

> > Colour Temp: 3000K Lumen: 120

Base Width: 150mm Base Height: 145mm LED Gooseneck Arm: 330mm

WB171/2 USB

Satin Chrome Wall Bracket with White Fabric Shade Gooseneck Arm for LED, USB and 2 Switches

- 1 x 40W/11W ES (Not Included) - 1 x 1W LED (Included) 1 PC 5V 2A USB 1 x LED Electronic Transformer

> Colour Temp: 3000K Lumen: 120

Base Width: 110mm Base Height: 115mm LED Gooseneck Arm: 240mm Shade: 180mm (W) x 150mm (H) WB172/2 USB

Satin Chrome Wall Bracket with White Fabric Shade Gooseneck Arm for LED, USB and 2 Switches

- 1 x 40W/11W SES (Not Included) - 1 x 1W LED (Included) 1 PC 5V 2A USB 1 x LED Electronic Transformer

Colour Temp: 3000K

Lumen: 120

Base Width: 110mm Base Height: 160mm LED Gooseneck Arm: 235mm Shade: 120mm (W) x 130mm (H)

WALL BRACKETS WITH USB PORTS 1



WB030/2 CHROME

Polished Chrome Wall Fitting with Silver Thread Shade Gooseneck Arm for LED and two Switches

> - 1 x 40W ES - 1 x 1W LED

Base: 150mm x 100mm Height: 320mm LED Gooseneck Arm: 295mm Shade: 180mm x 180mm x 120mm

WB031/2 CHROME

Polished Chrome Wall Fitting with White Shade Gooseneck Arm for LED and two Switches

> - 1 x 40W ES - 1 x 1W LED

Base: 150mm x 100mm Height: 320mm LED Gooseneck Arm: 295mm Shade: 180mm x 180mm x 120mm



WB033/2 SATIN

Satin Chrome Fitting with White Shade Gooseneck Arm for LED and two Switches

- 1 x 40W SES - 1 x 1W LED

Base: 160mm x 110mm Height: 240mm LED Gooseneck Arm: 240mm Shade: 120mm (W) x 130mm (H)

205 WALL BRACKETS

WB032/2 SATIN

Satin Chrome Fitting with White Shade Gooseneck Arm for LED and two Switches

> - 1 x 40W ES - 1 x 1W LED

Base: 110mm Height: 265mm LED Gooseneck Arm: 240mm Shade: 180mm (W) x 150mm (H)

WB894 SC/CR

Satin and Polished Chrome Swing Arm Wall Fitting with Cream Shade and Switch

- 1 x 40W SES

Base: 120mm Width: 195mm Height: 243mm Shade: 200mm



WB894 SC/WH

Satin and Polished Chrome Swing Arm Wall Fitting with White Shade and Switch

- 1 x 40W SES

Base: 120mm Width: 195mm Height: 243mm Shade: 200mm





WB370 SATIN BRASS Metal Wall Bracket with Moveable Arms, Swivel Head and Switch Black Cord Wire connected to fitting with 2 prong plug

-1 x GU10 LED (Not Included)

Base Width: 120mm Arms: 250mm and 275mm Head Length: 120mm Head Width: 55mm Cord: 2400mm

Also Available: WB371 MATT BLACK



WB374 BRASS BLACK Metal Wall Bracket with Moveable Arm,

Swivel Head and Switch Black Cord Wire connected to fitting with 2 prong plug

- 1 x ES LED (Not Included)

Colour: Matt Black and Brass Base Width: 120mm Head Width: 140mm Height: 300mm Depth: 290mm Cord: 2400mm



WB371 MATT BLACK

Metal Wall Bracket with Moveable Arms, Swivel Head and Switch Black Cord Wire connected to fitting with 2 prong plug

- 1 x GU10 LED (Not Included)

Base Width: 120mm Arms: 250mm and 275mm Head Length: 120mm Head Width: 55mm Cord: 2400mm

Also Available: WB370 SATIN BRASS



WB004 SATIN Satin Chrome Wall Fitting with Flexible Arm

- 1 x R50 SES

Base: 85mm Arm: 240mm Head: 110mm x 62mm



WB006 SATIN CHROME

Satin Chrome Wall Fitting with Switch and Flexible Arm

- 1 x 50W GU10

Base: 100mm Arm: 250mm

WB105/1 SATIN

Polished and Satin Chrome Wall Bracket with Switch and Gooseneck Arm

- 1 x 50W GU10 (Not Included)

Base Width: 75mm Base Height: 160mm Gooseneck Arm: 285mm Head Length: 98mm Head Width: 60mm

WB124/1 BLACK

Black and Polished Chrome Wall Fitting with Gooseneck Arm and Switch

- 1 x 50W GU10 (Not Included)

Base: 80mm Height: 350mm Gooseneck Arm: 220mm

Also Available: S064 BLACK Spotlight Range SL019 WB005 SATIN CHROME

Satin Chrome Wall Fitting with Switch and Flexible Arm

- 1 x GU10

Base: 100mm Arm: 250mm

WB2023 CHR/SC

Satin and Polished Chrome Wall Fitting with Switch and Flexible Arm

- 1 x GU10 (Not Included)

Can be used with either: GU10, CFL GU10 or LED GU10

> Base: 105mm Arm: 190mm

WB125/1

Metal Wall Bracket with Switch and Flexible Rubber Arm

- 1 x 50W GU10 (Not Included)

Base Width: 100mm Height: 380mm



WB2022 SATIN/NIC

Satin Chrome with Swivel Head

- 2 x 40W G9

Base Width: 85mm Head Width: 30mm Length: 353mm Depth: 200mm





WB185 SATIN Satin Nickle Picture Light

- 5W LED (Included)

Colour Temp: 4000K Lumen: 838 CRI: >80 PF: >0.9

> Length: 460mm Depth: 220mm



Colour Temp: 4000K Lumen: 838 CRI: >80 PF: >0.9

Length: 460mm Depth: 220mm



WB9002 GLASS Glass Wall Bracket with Satin Chrome Clips

- 2 x 40W SES

Width: 280mm Height: 300mm Depth: 100mm



WB9003 GLASS Glass Wall Bracket with Satin Chrome Clips

- 2 x 40W SES


Width: 280mm Height: 300mm Depth: 100mm



WB9004 GLASS Glass Wall Bracket with Satin Chrome Clips

- 2 x 40W SES

Width: 280mm Height: 300mm Depth: 100mm



WB3356 SATIN Frosted Glass with Chrome Clips

- 1 x 60W SES

Width: 190mm Height: 220mm Depth: 70mm



WB3357/1 WHITE Patterned Glass with Chrome Clips

- 1 x 60W ES

Width: 320mm Height: 170mm Depth: 70mm



WB270 WHITE Metal and Patterned Glass with Polished Chrome Clips

- 1 x 60W/11W ES

Width: 160mm Height: 280mm Depth: 80mm



WB271 WHITE Metal and Glass with Polished Chrome Clips

- 1 x 60W/11W ES

Width: 160mm Height: 280mm Depth: 80mm



WB078/1 Patterned Glass with Polished Chrome Clips

- 1 x 60W ES

Width: 175mm Height: 220mm Depth: 75mm



WB079/1 Patterned Glass with Polished Chrome Clips

- 1 x 60W ES

Width: 175mm Height: 220mm Depth: 75mm



WB080/1 Patterned Glass with Polished Chrome Clips

- 1 x 60W ES

Width: 175mm Height: 220mm Depth: 75mm



WB081/1 Patterned Glass with Polished Chrome Clips

- 1 x 60W ES

Width: 175mm Height: 220mm Depth: 75mm



WB1130 Glass Wall Bracket

with Black Striped Glass

- 1 x 60W ES

Width: 150mm Height: 240mm Depth: 90mm



WB1129 CHROME

Polished Chrome Wall Bracket with Clear Frosted Glass

- 1 x 60W ES

Width: 160mm Height: 240mm Depth: 90mm



WB1132 CHROME

Polished Chrome Wall Bracket with Glass and Crystals On / Off Pull Switch

- 2 x 40W SES

Width: 180mm Height: 320mm Depth: 125mm



WB045/1 CHROME

Polished Chrome with Clear Acrylic Crystals

- 1 x 40W SES

Width: 190mm Height: 215mm Depth: 80mm

Also Available: PEN045/1 CHROME

WB039/1 CHROME Polished Chrome and Clear Glass

- 1 x 40W ES

Width: 370mm Height: 120mm

208 WALL BRACKETS





Width: 145mm Height: 300mm Depth: 220mm

Also Available: PEN921 SATIN

WB922 SATIN Satin Chrome Wall Bracket with Clear Glass

- 1 x 40W ES

Width: 140mm Height: 300mm Depth: 240mm

Also Available: PEN922 SATIN WALL BRACKETS 9



WB487/1 BLACK Metal Wall Bracket

- 1 x 60W/11W ES

Width: 130mm Height: 250mm Depth: 170mm





WB804/1 BK/GD Metal Wall Bracket with Smoke Colour Glass

- 1 x 11W ES

Width: 130mm Height: 210mm Depth: 180mm

WB708 BLACK Metal and Clear Glass Wall Bracket

- 1 x 60W/11W ES

Width: 110mm Height: 335mm Depth: 180mm



WB712 BLACK Metal Wall Bracket with Clear Glass

- 1 x 11W ES

Width: 160mm Height: 360mm Depth: 170mm

015 WALL BRACKETS

WB529/1 BLACK Metal Wall Bracket

- 1 x 60W ES

Width: 220mm Height: 300mm Depth: 280mm

Also Available: PEN529/3 BLACK

Wall Brackets



WB097/2 BK/GD Metal Wall Bracket with Faded Amber Glass

- 2 x 60W ES

Width: 420mm Height: 365mm Depth: 200mm



WB075/2 BLACK Metal Wall Bracket

- 2 x 60W SES

Width: 290mm Height: 320mm Depth: 120mm



WB108/1 RUST Metal Wall Bracket with Faded Brown Glass

- 1 x 60W ES

Width: 110mm Height: 280mm Depth: 205mm



WB067/1 RUST Metal Wall Bracket with Alabaster Glass

- 1 x 60W ES

Width: 190mm Height: 250mm Depth: 315mm



WB169/1 BLACK/BROWN Metal Wall Bracket with Alabaster Glass

- 1 x 60W ES

Width: 170mm Height: 140mm Depth: 220mm



WB452/1 M/BK Metal Wall Bracket with Alabaster Glass

- 1 x 60W ES

Width: 130mm Height: 235mm Depth: 195mm



WB454/1 CHARCOAL Metal Wall Bracket

with Frosted Glass

- 1 x 60W ES

Width: 140mm Height: 270mm Depth: 230mm



WB1131 Brown Metal with Frosted Glass

- 1 x 60W ES

Width: 180mm Height: 290mm Depth: 105mm









PART002 Metal Ceiling Cup Satin Chrome Width: 93mm



PART003 Metal Ceiling Cup Black Width: 93mm



PART004 Metal Ceiling Cup French/White Width: 93mm



PART005 Metal Ceiling Cup Antique Brass Width: 93mm



PART022 Metal Ceiling Cup White Width: 93mm



PART006 100mm Metal Rod 10 for PART001 Polished Chrome

PART007 100mm Metal Rod for PART002 Satin Chrome



PART008 100mm Metal Rod for PART003 Black



PART009 100mm Metal Rod for PART004 French/White

PART010 100mm Metal Rod for PART005 Antique Brass



PART023 100mm Metal Rod for PART005 White



PART011 Bull Ring Polished Chrome



PART012 Bull Ring Satin Chrome



PART013 Bull Ring Black



PART014 Bull Ring French/White



PART015 Bull Ring Antique Brass



PART024 Bull Ring White



PART016 Ceiling Cup Hook



PART017 Black Wire Anchorage



PART018 Clear Wire Anchorage



PART021 Twist Bracket (Packet of 10)

Width: 10mm Length: 62mm



PART025 Plastic Candle Sleeve Colour: White

Height: 100mm Diameter: 22mm



PART106 White BC Plastic Lampholder with Ring



PART107 Black BC Plastic Lampholder with Ring



PART102 ES Porcelain Lampholder with Bracket



PART101 SES White Plastic Lampholder with Ring



PART103 White ES Plastic Lampholder with Ring



PART104 Black ES Plastic Lampholder with Ring



PART100 SES White Plastic Lampholder No Thread



PART105 ES Plastic Lampholder No Thread



PART108 ES Black Plastic Lampholder No Thread



PART038 Black Female Cord grip with Threaded Rod



PART040 M10 Nut (Packet of 10)



PART200 Plastic On/Off Switch



PART039 Clear Female Cord grip with Threaded Rod



PART044 Black Cord grip



PART042 Ceiling Cup Hook

Width: 19mm Length: 80mm Depth: 31mm



PART110 1200mm Black Chain, Ceiling Hook and 2 Screws for: PEN923/100 BLACK PEN924/150 BLACK PEN925/200 BLACK



PART045 Clear Cord grip



PART043 M10 Threaded Rod (Packet of 50)

Width: 10mm Length: 15mm



PART111 Black Chain sold per meter for: PEN923/100 BLACK PEN924/150 BLACK PEN925/200 BLACK



PART112 Metal Springs for Down Light 10 Pieces per pack

Width: 50mm



PART113 - 3.7V Lithium Battery 1800 mAh with Protection IC Board

> Width: 20mm Height: 70mm



PART019 65mm Base for 1 Light Spotlight Colour: White



PART020 65mm Base for 1 Light Spotlight Colour: Satin Chrome



PART201 S005 Perspex Ring Diameter: 85mm



80mm Ceiling Cup PART026 Matt Black PART027 Matt White PART028 Satin Chrome



250mm 3 Light Ceiling Cup PART029 Matt Black PART030 Matt White PART031 Satin Chrome



450mm 5 Light Ceiling Cup PART032 Matt Black PART033 Matt White PART034 Satin Chrome



PART035 Black Lampholder Cup

Width: 43mm Height: 65mm



PART036 White Lampholder Cup

Width: 43mm Height: 65mm



PART037 Satin Chrome Lampholder Cup Satin Chrome Lampholder Cup

Width: 43mm Height: 65mm



PART041

Width: 43mm Height: 43mm



PART608 5W LED Bulb for DL031 Colour Temp: 4000K

PART609 5W LED Bulb for DL030 Colour Temp: 2700K

> Width: 52mm Height: 37mm



DL GU10 BRACKET Down Lighter Converter

Converts from a 12V Down Lighter to a 220V - 240V Down Lighter

> Height of Bracket: 80mm Length of Cord: 140mm



DL GU10 LAMPHOLDER GU10 Ceramic Lampholder Including Wire Length of Cord:190mm



PART801 Green Glass for TL021

> Width: 135mm Length: 225mm

PART802 White Glass for TL021

> Width: 135mm Length: 225mm

PART803 Glass for FTL623

Width: 60mm Length: 1200mm

BALLASTS AND TRANSFORMERS



PART705 1 x 14W T5 Electronic Ballast for ML020



PART704 2 x 14W T5 Electronic Ballast for FTL622



PART703 2 x 28W T5 Electronic Ballast for FTL623



PART706 2 x 54W Electronic Ballast for FTL602

LED COBS, KITS AND DRIVERS



PART610 LED Kit for FCF048 and FCF050

Diameter: 130mm



PART613 LED Kit for FCF044, FCF046, FCF064, FCF077, FCF078, FCF082

Diameter: 135mm



PART109 2 x LED Starters in a Polybag Only suitable for single input T8 LED TUBE

> Height: 40mm Width: 20mm

PART707 CBB61 Capacitor for FCF004

> Width: 30mm Length: 40mm Wire: 180mm

PART650 1W LED COB with 450mm Wire and LED Driver

3W LED COB with 450mm Wire and LED Driver

LED DRIVERS




PART604 10W LED Driver for FL040

PART605 20W LED Driver for FL041

PART606 30W LED Driver for FL042

PART607 50W LED Driver for FL043 LED COB



PART684 10W LED COB for FL040

PART685 20W LED COB for FL041

PART686 30W LED COB for FL042

PART687 50W LED COB for FL043 PARTS 519

DIMMABLE LED DRIVERS



PART600 Dimmable LED Driver 3W – 6W

To Match with LED Downlight: DL701, DL702, DL711, DL712

Driver Type: Constant Current Power: 3W – 6W Input: AC110 – 265V 50/60 Hz Output: DC9 – 22V 300 mA ± 3%

Width: 35mm Length: 70mm Connector Length: 100mm



PART601 Dimmable LED Driver 8W – 12W

To Match with LED Downlight: DL703, DL713

Driver Type: Constant Current Power: 8W – 12W Input: AC110 – 265V 50/60 Hz Output: DC24 – 42V 300 mA ± 3%

> Width: 40mm Length: 90mm Connector Length: 100mm



PART602 Dimmable LED Driver 13W – 18W

To Match with LED Downlight: DL704, DL705, DL714, DL715

To Match with LED Ceiling Fitting: CF544 S, CF545 S, CF546 S, CF549 S

Driver Type: Constant Current Power: 13W - 18WInput: AC110 - 265V 50/60 Hz Output: DC38 - 65V 300 mA ± 3%

> Width: 47mm Length: 130mm Connector Length: 100mm



PART603 Dimmable LED Driver 19W – 24W

To Match with LED Ceiling Fitting: CF544 L, CF545 L, CF546 L, CF549 L

Driver Type: Constant Current Power: 19W – 24W Input: AC110 – 265V 50/60 Hz Output: DC57 – 80V 300 mA ± 3%

> Width: 47mm Length: 130mm Connector Length: 100mm



PART611 Dimmable LED Driver 3W – 6W To Match with LED Downlight: DL701, DL702, DL711, DL712

Driver Type: Constant Current Power: 3W – 6W Input: AC110 – 265V 50/60 Hz Output: DC9 – 22V 120 mA ± 3%

> Width: 35mm Length: 70mm Connector Length: 100mm




PART612 Dimmable LED Driver 8W – 12W To Match with LED Downlight: DL703, DL713

Driver Type: Constant Current Power: 8W – 12W

Power: 80V – 120V Input: AC110 – 265V 50/60 Hz Output: DC24 – 42V 120 mA ± 3%

> Width: 40mm Length: 90mm Connector Length: 100mm

REMOTE AND RECEIVER FOR CEILING FITTINGS



REMOTE AND RECEIVER FOR CEILING FANS



PART503

Ceiling Fan Remote and Receiver for:

FCF007, FCF038



PART504 Ceiling Fan Bronze Remote and Receiver for: FCF013, FCF040, FCF041, FCF043 FCF048, FCF049, FCF050, FCF051



PART505 Ceiling Fan White Remote and Receiver for:

FCF044, FCF045, FCF046, FCF047, FCF055



PART511 FCF Bluetooth Remote and Receiver for FCF061 and FCF062



PART512 DC Ceiling Fan Remote and Receiver with Light for FCF044, FCF046, FCF059



PART513 DC Ceiling Fan Remote and Receiver without Light for FCF045, FCF047



PART514 DC Ceiling Fan Remote and Receiver without Memory Function PARTS

21

BATTERY BACKUP EMERGENCY LIGHTING



PART509 EMERGENCY

Connect to Permanent Live Wire to Charge Battery Emergency Power Kit Replacement Light Fitting must have an External Driver

To Convert Light Source: 5 - 40W LED Downlight, Panel and Ceiling to Emergency Light

- 30% of Power Output when the power goes down Emergency Duration: 180 minutes @ 3Watts approximately

Includes: Pilot light and push button tester 2 x Connectors to Driver and LED Lamps

> Length: 180mm Width: 42mm



PART510 EMERGENCY

Connect to Permanent Live Wire to Charge Battery Emergency Power Kit Replacement

> To Convert up to 20W LED Downlight or LED Tube to Emergency Light

Same Power Output as Original Light Source (Less than 20W) Light Source: 5 – 20W LED Lamp Power: 20W Emergency Duration: 60 – 90 minutes

> Length: 215mm Width: 42mm

CHAIN AND WIRE SOLD PER METER

WIRE



WIRE 008 Metal Hose Wire Colour: Chrome



WIRE 009 Metal Hose Wire Colour: Gun Metal



WIRE013 2 Core Wire for 12V or LED fittings WIRE 014 4mm Cable for Wire System Kits WIRE 2 CORE 2 Core Transparent Wire WIRE 3 CORE

3 Core Transparent Wire (Including Earth)







CHAIN







AFRICAN AN BROWN B 4mm



K FRENCH WHITE 3mm OLD GOLD 3mm 5mm POLISHED CHROME 3mm 4mm 5mm RUST SATIN 4mm CHROME 4mm 5mm

PARTS 523



CORD WIRE - SOLD PER METER

2 CORE TWISTED MATERIAL CORD WIRE



3 CORE MATERIAL CORD WIRE



STARTS 524

3 METER AND 5 METER WIRE - PRE-PACK 2 CORE TWISTED MATERIAL CORD WIRE



GREY WIRE 060-3M 3 METERS WIRE 080-5M 5 METERS

Also Available: WIRE 010



BROWN WIRE 061-3M 3 METERS WIRE 081-5M 5 METERS

Also Available: WIRE 011



BLACK WIRE 062-3M 3 METERS WIRE 082-5M 5 METERS

Also Available: WIRE 012

3 CORE MATERIAL CORD WIRE

BLACK & WHITE MIX

WIRE 056-3M

3 METERS

WIRE 076-5M

5 METERS

Also Available:

WIRE 006



GREY WIRE 051-3M 3 METERS

5 METERS

Also Available: WIRE 001



LIGHT BROWN WIRE 055-3M 3 METERS WIRE 075-5M 5 METERS

Also Available: WIRE 005



BLACK & WHITE WIRE 052-3M 3 METERS WIRE 072-5M

5 METERS Also Available: WIRE 002

WHITE & GREY WIRE 053-3M 3 METERS

WIRE 073-5M 5 METERS

Also Available: WIRE 003



RED COPPER WIRE 054-3M 3 METERS WIRE 074-5M 5 METERS

Also Available: WIRE 004



BLACK WIRE 057-3M 3 METERS WIRE 077-5M 5 METERS

*

Also Available: WIRE 007



CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
BH013	263	BTL025	470	BULB LED 121	37	BULB LED 222	35
BH021	268	BTL026	470	BULB LED 122	37	BULB LED 223	35
BH022	268	BTL031	476	BULB LED 129	34	BULB LED 224	35
BH023	268	BTL052	473	BULB LED 130	33	BULB LED 225	35
BH026	268	BTL2444	474	BULB LED 131	39	BULB LED 230	32
BH027	268	BTL2447	474	BULB LED 132	39	BULB LED 231	32
BH028	268	BTL2448	474	BULB LED 132	33	BULB LED 232	32
BH033	267	BTL623	464, 473	BULB LED 133	33	BULB LED 232	32
BH050	262	BTL624	464, 470	BULB LED 134	33 34	BULB LED 233	32
BH050 BH051	262	BTL625	404, 470 464	BULB LED 135 BULB LED 136	34 34	BULB LED 234 BULB LED 235	32
BH051 BH052	262	BTL903	404 470	BULB LED 130	34 44	BULB LED 235 BULB LED 236	32
BH057/2	262	BTL903 BTL908	470	BULB LED 140 BULB LED 145		BULB LED 230 BULB LED 237	36
					44		
BH058/1	262	BTL9303	474	BULB LED 146	44	BULB LED 238	36
BH060	264	BULB 700	32	BULB LED 153	37	BULB LED 239	36
BH061	264	BULB 701	32	BULB LED 154	37	BULB LED 240	36
BH062	264	BULB 702	34	BULB LED 155	37	BULB LED 241	36
BH064	269	BULB 704	32	BULB LED 156	46	BULB LED 242	36
BH066	269	BULB 705	36	BULB LED 157	45	BULB LED 243	36
BH067	269	BULB 707	38	BULB LED 162	39	BULB LED 244	36
BH068	267	BULB 708	38	BULB LED 163	39	BULB LED 245	38
BH074	265	BULB 710	43	BULB LED 164	39	BULB LED 246	38
BH075	265	BULB 711	43	BULB LED 165	39	BULB LED 247	38
BH076	265	BULB 712	43	BULB LED 166	43	BULB LED 248	38
BH082	265	BULB 713	43	BULB LED 167	43	BULB LED 249	38
BH083	265	BULB 714	45	BULB LED 172	41	BULB LED 250	38
BH090	263	BULB 715	45	BULB LED 176	48, 187	BULB LED 251	40
BH091	263	BULB 716	45	BULB LED 177	48, 187	BULB LED 252	40
BH110	270	BULB 718	45	BULB LED 178	48, 187	BULB LED 253	40
BH112	270	BULB 719	41	BULB LED 179	48, 187	BULB LED 254	40
BH113	270	BULB 720	41	BULB LED 180	48, 187	BULB LED 260	44
BH114	269	BULB 721	41	BULB LED 181	48, 187	BULB LED 261	44
BH120	270	BULB 723	46	BULB LED 184	48	BULB LED 262	33
BH121	270	BULB 724	46	BULB LED 185	48	BULB LED 263	33
BH124	266	BULB 725	46	BULB LED 187	49	BULB LED 264	33
BH125	266	BULB 727	44	BULB LED 190	32	BULB LED 265	39
BH128	267	BULB LAVA LAMF		BULB LED 191	32	BULB LED 266	39
BH129	267	BULB LED 100	34	BULB LED 192	32	BULB LED 267	35
BH130	267	BULB LED 101	34	BULB LED 193	32	BULB LED 268	44
BH131	267	BULB LED 102	34	BULB LED 194	32	BULB LED 269	42
BH132	266	BULB LED 103	34	BULB LED 195	32	BULB LED 270	42
BH133	266	BULB LED 104	33	BULB LED 196	45	BULB LED 271	42
BH134	266	BULB LED 105	33	BULB LED 197	44	BULB LED 272	42
BH135	266	BULB LED 106	33	BULB LED 198	44	BULB LED 273	35
BH136	266	BULB LED 107	33	BULB LED 199	44	BULB LED 280	4, 30
BH137	266	BULB LED 108	46	BULB LED 200	44	BULB LED 281	4, 30
BH138	266	BULB LED 109	46	BULB LED 201	48, 187	BULB LED 282	4, 30
BH139	266	BULB LED 110	46	BULB LED 202	48, 187	BULB LED 283	4, 30
BH2080	265	BULB LED 111	46	BULB LED 203	48, 187	BULB LED 284	4, 30
BH2081	263	BULB LED 112	41	BULB LED 204	48, 187	BULB LED 285	35
BH408	264	BULB LED 113	41	BULB LED 205	49, 235	BULB LED 286	35
BTL007	474	BULB LED 115	39	BULB LED 206	49, 235	BULB LED 287	35
BTL009	476	BULB LED 116	39	BULB LED 207	49, 235	BULB LED 288	4, 30
BTL014	476	BULB LED 117	39	BULB LED 208	48, 187	BULB LED 290	5, 31, 187
BTL021	473	BULB LED 118	39	BULB LED 209	48, 187	BULB LED 291	5, 31, 187
BTL023	470	BULB LED 119	37	BULB LED 220	48, 187	BULB LED 292	5, 31, 187
BTL024	470	BULB LED 120	37	BULB LED 221	35	BULB LED 293	5, 31, 187
526		1		I		•	, ,

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
BULB LED 900	50, 200	CF0664	64, 222	CF295	70	CF384/5	82
BULB LED 901	50, 200	CF0665	64, 222	CF296	70	CF414	86
BULB LED 902	51, 201	CF083	59	CF298	70	CF427/4	95
BULB LED 903	51, 201	CF096/5	79	CF2999	85	CF430/2	95
BULB LED 905	2, 28	CF099	96, 223	CF3005	92	CF432/2	95
BULB LED 906	2, 28	CF118/24	65	CF3008	92	CF468/5	80
BULB LED 907	47	CF12005	88	CF3014	93	CF469/3	80
BULB LED 908	47	CF12009	88	CF3017	94	CF469/4	80
BULB LED 909	47	CF121	57, 225	CF3031	83	CF480/3	94
BULB LED 910	47	CF122	57, 225	CF3040	97, 227	CF481/4	94
BULB LED 911	47	CF123	57, 225	CF311	76	CF484/2	95
BULB LED 912	47	CF124	61, 226	CF312/5	76	CF493	87
BULB LED 913	47	CF125	61, 226	CF314/9	79	CF494	87
BULB LED 914	47	CF126	61, 226	CF315/8	73	CF495	87
BULB LED 915	47	CF127	61, 226	CF318	72	CF496	87
BULB LED 916	40, 219	CF128	61, 226	CF320	69	CF497	94
BULB LED 918	47	CF1299	84	CF322	91	CF513	87
BULB LED 919	47	CF130	61, 226	CF326	84	CF520	73
BULB LED 920	47	CF131	59	CF327	84	CF535	62
BULB LED 921	1, 27	CF132	6, 53	CF328	83	CF536	62
BULB LED 922	1, 27	CF133	6, 53	CF330	83	CF537	62
BULB LED 923	1, 27	CF134	6, 53	CF331	68	CF538	62
BULB LED 924	2, 28	CF1361	91	CF333	68	CF541	66
BULB LED 925	2, 28	CF1362	91	CF334	66	CF543	66
BULB LED 930	5, 31	CF1550	92	CF335	58, 224	CF544	63
BULB LED 931	5, 31	CF160	67	CF336	58, 224	CF545	63
BULB LED 932	3, 29	CF161	67	CF337	58, 224	CF546	63
BULB LED 934	3, 29	CF162	67	CF338	58, 224	CF548	63
BULB LED 935	3, 29	CF163	75	CF3401	86	CF550	63
BULB LED 936	3, 29	CF164	74	CF3402	86	CF560/4	81
BULB R7S	49	CF165	75	CF3403	86	CF561/4	81
BULB T5 TUBE	48, 187	CF166	74	CF3404	86	CF562/8	81
BULB T8 TUBE	48, 187	CF170	60	CF344	58, 224	CF563/8	81
CF010/12	71	CF171	60	CF345	58, 224	CF564	56, 223
CF011/9	71	CF172	60	CF346	58, 224	CF565	56, 223
CF012	54, 220	CF173/13	77	CF347	58, 224	CF566	56, 223
CF013	54, 220	CF187	89	CF3505	85	CF567	56, 223
CF014	54, 220	CF188	89	CF3507	85	CF569	59
CF015/5	79	CF189	89	CF3508	85	CF570/6	67
CF016/9	80	CF190	89	CF3509	85	CF573	69
CF017	61, 225	CF2008	88	CF360	90	CF631	90
CF021	93	CF222	65	CF361	90	CF634/4	90
CF033/6	69	CF246	55, 221	CF362	90	CF637	91
CF046/9	56, 221	CF247	55, 221	CF364	57, 225	CF642/3	78
CF047/13	56, 221	CF249	55, 221	CF365	57, 225	CF643/3	78
CF048/18	56, 221	CF250	55, 221	CF366	57, 225	CF673	65, 223
CF049/24	56, 221	CF251	55, 221	CF367	64, 222	CF674	65, 223
CF050/36	56, 221	CF255	54, 220	CF368	64, 222	CF721/10	73
CF052	78	CF256	54, 220	CF370	61, 225	CF722/5	78
CF053	54, 220	CF257	54, 220	CF372	59, 225	CF723	60
CF054	54, 220	CF2826/6	71	CF375	64, 222	CF725	60
CF055	54, 220	CF286/6	77	CF376	64, 222	CF727	67
CF056	73	CF288	72	CF377	64, 222	CF728	64, 222
CF057/8	82	CF289	85	CF380	97, 227	CF729	64, 222
CF058/8	82	CF293	86	CF381/8	79	CF730	55, 221
CF0663	64, 222	CF294	70	CF383/4	91	CF731	55, 221
				·			527

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
CF732	55, 221	CH252/3	122	CH481/3	129	DL008	155
CF734	55, 221	CH252/5	122	CH481/5	129	DL009	159
CF735	55, 221	CH253/3	136	CH481/9	129	DL018	155
CF816/4	95	CH253/5	136	CH5035/6	126	DL019	159
CF8206	93	CH254/12	142	CH5035/8+4	126	DL023	157, 216
CF8207	93	CH255	142	CH507/4	141	DL023 DL028	155
CH001	97, 227	CH256	105	CH508/6	141	DL020 DL030	155
CH001 CH002	57, 227 57, 226	CH257	105			DL030 DL031	151
CH002 CH003	96, 220			CH509/8	141	DL031 DL032	
	90, 227 96, 227	CH258/4	137	CH510/8	125		157, 216
CH004		CH259/4	137	CH511/15	106	DL033/3	150
CH005	96, 227	CH260/12	143	CH511/6	106	DL034	150
CH006	57, 226	CH264/5	141	CH512/9	100	DL035	150
CH019/3	121	CH265/5	141	CH513/6	140	DL036	150
CH019/5	121	CH266/5	110	CH514/3	138	DL037	161
CH065/3	131	CH267/12+6	107	CH515/6	116	DL039	159
CH065/5	131	CH267/5	107	CH517	99	DL041	158
CH065/8	131	CH267/8+4	107	CH518	99	DL046	160
CH079/3	121	CH3050/12	109	CH519	99	DL047	160
CH079/5	121	CH3050/24	109	CH521/3	114	DL050	156
CH081/3	139	CH3052/12	112	CH521/5	114	DL054	161
CH082/4	139	CH3052/6	112	CH521/9	114	DL055	161
CH087/5	116	CH3054/6	110	CH522/3	115	DL056	161
CH088/3	117	CH3056/6	113	CH522/5	115	DL057	161
CH100/10	142	CH3063/6	128	CH523/3	132	DL058	161
CH1032/3	135	CH3068/3	134	CH523/5	132	DL059	161
CH1032/5	135	CH3068/5	134	CH524/3	132	DL062	149
CH104/3	108	CH340/4	117	CH524/5	132	DL063	149
CH104/5	108	CH341/4	139	CH529/3	137	DL064	149
CH104/8+4	108	CH342/5	140	CH531/3	138	DL066	158
CH1334/6	127	CH343	103	CH532	100	DL067	158
CH1334/9	127	CH344	102	CH533	100	DL070	165, 234
CH1470/3	128	CH360/3	133	CH534/6	143	DL072	164
CH1478/5	126	CH360/5	133	CH537/3	125, 142	DL073	164
CH167/5	124	CH366/3	135	CH537/5	125, 142	DL074	164
CH168/5	124	CH366/5	135	CH661/5	113	DL075	164
CH178/3	116	CH374/3	128	CH663/5	118	DL076	164
CH178/5	116	CH374/5	128	CH663/9	118	DL077	164
CH179/3	123	CH375/5	135	CH665/3	123	DL081	159
CH179/5	123	CH383/5	120	CH665/5	123	DL082	159
CH2027/5	126	CH384/5	120	CH890/3	145	DL086	154
CH231/3	120	CH388/3	111	CH891/8	145	DL087	154
CH231/5	120	CH388/5	111	CH892/3	144	DL088	154
CH233/10	104	CH388/9	111	CH893/1	144	DL089	154
CH234/11	104	CH3901/3	132	CH894/3	144	DL090	154
CH235/10	103	CH3901/5	132	CH895/3	144	DL091	154
CH236/6	103	CH392/5	101	CH896/3	144	DL101	160
CH238/3	138	CH445/3	119	CHAIN	523	DL102	160
CH239/5	124	CH445/5	119	CL005	461	DL107	156
CH240/12	117	CH469/10	101	CL008	438, 439, 461	DL108	156
CH241/5	139	CH470/5	102	DL GU10 BRACKE		DL118	148
CH243	101	CH471/3	102	DL GU10 LAMPHO	DLDER 147, 517	DL119	148
CH246/4	140	CH473/4	102	DL001	158	DL120	148
CH250/3	122	CH475/3	130	DL003	158	DL121	148
CH250/5	122	CH475/6	130	DL004	160	DL122	148
CH251/3	136	CH475/9	130	DL005	160	DL123	148
CH251/5	136	CH476/5	119	DL006	160	DL124	148
528						· -	

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
DL125	148	ECP605	25	ESW001	16	FAN010	172
DL130	149	ECP606	25	ESW001/2	16	FAN012	172
DL131	149	ECP610	15	ESW002	16	FAN013	172
DL132	149	ECP611	15	ESW002/2	16	FAN014/3	171
DL133	149	ECP612	15	ESW003	16	FAN015	7, 169
DL134	149	ECP613	15	ESW003/2	16	FAN016	7, 169
DL135	149	ECP614	15	ESW004	16	FAN017	7, 169
DL233	155	ECP615	15	ESW004/2	16	FAN018	7, 169
DL244	155	ECP616	15	ESW005	17	FAN019	7, 169
DL251	152	ECP617	15	ESW006	17	FAN020	7, 169
DL254	153	ECP618	15	ESW007	17	FCF004	173
DL255	153	ECP619	15	ESW008	17	FCF007	174
DL256	154	ECP620	15	ESW030	20	FCF013	177
DL261	152	ECP621	15	ESW031	20	FCF018	179
DL262	152	ECP622	25	ESW032	19	FCF031	174
DL263	152	ECP623	25	ESW033	18	FCF037	176
DL264 DL265	153 153	ECP624 ECP635	25 25	ESW034	18 10	FCF038	176
DL265 DL266	153	ECP635 ECP635/2	25 25	ESW035	19 19	FCF040	174
DL200 DL271	154	ECP635/2 ECP636	25 25	ESW037 ESW038	18 19	FCF041 FCF042	174 177
DL271 DL499	163	ECP030 ECP637	25 25	ESW030 ESW039	19 19	FCF042 FCF043	185
DL499 DL500	167	ECP637 ECP640	25 25	ESW039 ESW040	19	FCF043 FCF044	178
DL501	163	ECP640	25	ESW040	18	FCF044 FCF045	178
DL502	163	ECP642	25	ESW042	18	FCF046	178
DL503	163	EPL301	23	ESW043	18	FCF047	178
DL504	163	EPL320	22	ESW071	16	FCF048	175
DL510	65, 164	EPL321	22	ESW071/2	16	FCF049	175
DL511	65, 164	EPL322	22	ESW072	16	FCF050	175
DL513	166	EPL323	21	ESW072/2	16	FCF051	175
DL514	167	EPL324	21	ESW073	16	FCF053	177
DL515	166	EPL325	23	ESW073/2	16	FCF054	176
DL516	166	EPL326	24	ESW074	16	FCF055	184
DL517	167	EPL327	24	ESW074/2	16	FCF056	185
DL550	162	EPL328	24	ESW075	17	FCF057	184
DL551	162	EPL329	24	ESW076	17	FCF059	179
DL552	162	EPL330	24	ESW077	17	FCF060	179
DL553	162	EPL331	21	ESW078	17	FCF061	185
DL554	162	EPL332	23	ESW080	20	FCF062	184
DL555	162	EPL333	23	ESW081	20	FCF063	180
DL556	162	EPL334	23	ESW082	19	FCF064	180
DL557	162	EPL349	22	ESW083	18	FCF072	180
DL558	162 163	EPL350 EPL351	22	ESW084	18	FCF073	180
DL701 DL702	163	EPL351 EPL352	22 22	ESW085 ESW087	19 18	FCF074	181
DL702 DL703	163	EPL352 EPL353	22	ESW087 ESW088	10	FCF075 FCF076	181 181
DL703	163	EPL355	21	ESW088 ESW089	19	FCF076 FCF077	182
DL705	163	EPL355	23	ESW000	19	FCF077	182
DL711	163	EPL356	23	ESW090	19	FCF078	182
DL712	163	EPL357	24	ESW092	18	FCF080	183
DL713	163	EPL358	24	ESW092	24	FCF081	183
DL714	163	EPL359	24	FAN EXT 02	209	FCF082	183
DL715	163	EPL360	24	FAN EXT 03	209	FL005	299
DL997	150	EPL361	21	FAN EXT 04	209	FL006	299
DL999	150	EPL362	23	FAN EXT 05	209	FL009	294
ECP601	25	EPL363	23	FAN EXT 06	209	FL010	296
ECP601/2	25	EPL364	23	FAN008/3	170	FL011	296
				·			529

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
FL012	296	FTL042	198	FTL737	193	HVS405	203
FL013	296	FTL043	197	FTL741	190	L004	248
FL030	298	FTL044	197	FTL742	190	L005	256
FL031	295	FTL045	197	FTL743	190	L030	239
FL032	298	FTL046	197	FTL744	190	L037	238
FL033	295	FTL047	197	FTL745	190	L038	238
FL034	298	FTL048	197	FTL746	190	L039	238
FL035	298	FTL049	197	GL6101	286	L040	238
FL045	298	FTL050	197	GL6109	286	L046	239
FL046	299	FTL054	188	GL6110	286	L047	239
FL047	299	FTL055	188	GS001	293	L048	239
FL070	297	FTL056	188	GS002	293	L051	247
FL071	297	FTL057	188	GS004/1	293	L052	257
FL072	297	FTL058	188	GS005/2	293	L053	285
FL073	297	FTL059	188	GS006	293	L054	284
FL074	295	FTL110	191	GS008	293	L055	284
FL075	295	FTL111	191	GS010	292	L058	240
FL076	9, 230, 295	FTL112	191	GS011	292	L059	240
FL077	9, 230	FTL113	191	GS012	292	L070	285
FT004	287	FTL150	193	GS013	292	L072	284
FT009	287	FTL210	191	GS014	292	L079	242
FT010	287	FTL211	191	HVS001	204	L080	282
FT013	287	FTL212	191	HVS002	204	L081	236
FT014	287	FTL213	191	HVS003	204	L082	241
FT020	288	FTL601	197	HVS004	204	L083	237
FT021	288	FTL602	197	HVS005	204	L084	237
FT022	288	FTL622	198	HVS006	204	L086	241
FT025	288	FTL623	198	HVS007	204	L089	236
FT027	289	FTL700	194	HVS008	204	L090	237
FT030	289	FTL701	194	HVS009	204	L093	237
FT031	289	FTL702	194	HVS010	204	L106	251
FT032	289	FTL703	194	HVS011	204	L112	282
FT035	288	FTL704	194	HVS012	204	L119	279
FT036	288	FTL705	194	HVS120	205	L121	280
FT038	289	FTL708	194	HVS121	205	L122	280
FTL001	189	FTL709	194	HVS122	205, 206, 207	L123	281
FTL002	189	FTL710	191	HVS122	205, 200, 201	L124	281
FTL003	189	FTL711	191	HVS124	205	L125	280
FTL004	189	FTL712	191	HVS231	206	L126	280
FTL005	189	FTL713	191	HVS232	206	L127	280
FTL006	189	FTL714	199	HVS233	206	L128	280
FTL007	193	FTL715	199	HVS234	206	L130	281
FTL008	193	FTL719	195	HVS235	206	L131	281
FTL009	193	FTL720	195	HVS236	206	L132	279
FTL011	192	FTL721	195	HVS237	206	L133	279
FTL012	192	FTL722	195	HVS238	206, 207	L149	244
FTL013	192	FTL723	195	HVS239	206, 207	L157	283
FTL015	189	FTL724	195	HVS240	200, 207	L158	283
FTL020	196	FTL725	199	HVS350	200	L159	250
FTL021	196	FTL727	199	HVS350 HVS351	207	L163	250
FTL022	196	FTL728	199	HVS352	207	L171	282
FTL022	196	FTL731	199	HVS400	207	L172	282
FTL023	196	FTL732	199	HVS400 HVS401	202	L172	246
FTL024	196	FTL733	195	HVS401 HVS402	202	L174 L175	240
FTL020	190	FTL735	193	HVS402 HVS403	202	L175	282
FTL040	198	FTL736	193	HVS403 HVS404	203	L197	282
	100	112100	100		200	L130	202
530							


CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
L202	248	L365	276	L606	240	ML052	212
L203	249	L366	276	L607	242	ML053	214
L204	256	L367	276	L608	284	ML054	213
L212	248	L368	276	L609	290	ML055	214
L213	249	L369	246	L610	242	ML056	214
L214	256	L370	247	L611	242	ML057	210
L222	248	L371	247	L612	236	ML058	211
L223	249	L373	257	L613	241	ML059	213
L224	256	L374	257	L614	237	ML060	215
L231	246	L375	276	L616	236	ML061	211
L236	243	L376	276	L8082	248	PART001	513
L237	243	L377	273	L8083	256	PART002	513
L240	244	L378	276	L9007	271	PART003	513
L244	271	L379	276	L9008	271	PART004	513
L245	278	L380	247	L9009	271	PART005	513
L246	278	L381	247	LFL004/1	259	PART006	513
L247	278	L4000	248	LFL005/3	259	PART007	513
L248	278	L4001	257	LFL006/1	259	PART008	513
L249	278	L4482	237	LFL007/1	261	PART009	513
L255	246	L4998	245	LFL008/3	261	PART010	513
L256	246	L4999	245	LFL012	290	PART011	513
L258	255	L5001	245	LFL014/1	261	PART012	513
L260	279	L5002	245	LFL015/3	261	PART013	513
L270	283	L5051	245	LFL017	260	PART014	513
L271	283	L508	291	LFL018	260	PART015	513
L272	279	L509	254	LFL019	260	PART016	514
L303	273	L510	254	LFL023	290	PART017	514
L304	273	L511	257	LFL026	291	PART018	514
L307	274	L512	243	LFL027	258	PART019	516
L308	274	L513	254	LFL028	291	PART020	516
L309	274	L514	251	LFL030	275	PART021	514
L310	275	L515	258	LS009/1	8, 229	PART022	513
L311	275	L516	254	LS018	8, 229	PART023	513
L312	273	L517	254	LS020	231	PART024	513
L313	273	L518	251	LS021	231	PART025	514
L320	272	L519	251	LS022	233	PART026	516
L321	272	L520	251	LS023	232	PART027	516
L322	274	L522	246	LS024	231	PART028	516
L326	271	L523	244	LS025	231	PART029	516
L331	277	L524	244	LS026	232	PART030	516
L332	277	L525	252	LS030	233	PART031	516
L333	271	L526	252	LS031	233	PART032	516
L340	272	L527	285	ML005	217	PART033	516
L341	274	L528	252	ML009	217	PART034	516
L342	277	L529	285	ML020	218	PART035	516
L343	277	L530	285	ML021	218	PART036	516
L344	277	L531	285	ML025	211	PART037	516
L345	277	L532	252	ML026	215	PART038	515
L350	255	L533	253	ML027	213	PART039	515
L351	255	L534	253	ML030	217	PART040	515
L352	255	L535	253	ML036	215	PART041	516
L353	255	L536	253	ML039	218	PART042	515
L360	247	L601	242	ML044	210	PART043	515
L361	250	L603	236	ML045	210	PART044	515
L362	257	L604	236	ML047	210	PART045	515
L363	250	L605	240	ML051	212	PART100	514
						L	531

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
PART101	514	PART802	517	PEN223/3	331	PEN314	384
PART102	514	PART803	517	PEN224/3	357	PEN320	320
PART103	514	PEN004	303	PEN225/3	357	PEN334/1	361
PART104	514	PEN006	302	PEN227/1	302	PEN336/1	355
PART105	514	PEN007	303	PEN228/1	331	PEN339/1	353
PART106	514	PEN009	303	PEN2298/1	348	PEN340/1	304
PART107	514	PEN014	301	PEN2299/3	348	PEN340/1 PEN341/3	351
PART107	514	PEN025	376	PEN2299/3 PEN2307	302		
PART100 PART109	514	PEN025 PEN026	370			PEN349	389
PART109 PART110		PEN020 PEN027		PEN2308	302	PEN350	389
	381, 515		362	PEN2318	302	PEN351	389
PART111	381, 515	PEN029	332	PEN2319	302	PEN369	347
PART112	515	PEN030	362	PEN2322	302	PEN371	306
PART113	13, 515	PEN032/3	364	PEN2324/1	305	PEN372	306
PART200	515	PEN040	352	PEN233	380	PEN375	387
PART201	516	PEN044	352	PEN234	484	PEN376/1	372
PART500	521	PEN045/1	359	PEN235	315	PEN377/4	372
PART501	521	PEN046/1	321	PEN236	315	PEN386	387
PART502	521	PEN072	386	PEN241/1	316	PEN388	387
PART503	521	PEN076/3	348	PEN243/1	310	PEN393/1	306
PART504	521	PEN077/3	348	PEN243/3	310	PEN399	313
PART505	521	PEN094/1	372	PEN244/1	310	PEN414	347
PART506	521	PEN097	354	PEN244/3	310	PEN415	347
PART507	483	PEN1031	354	PEN245/1	311	PEN416	347
PART508	483	PEN1032	332	PEN245/3	311	PEN420/1	383
PART509	13, 522	PEN1109/3	332	PEN246/1	311	PEN421/1	383
PART510	13, 522	PEN1291/3	332	PEN246/3	311	PEN422/1	304
PART511	521	PEN133	303	PEN247/16	373	PEN429/1	390
PART512	521	PEN135	303	PEN248/32	373	PEN430/1	390
PART513	521	PEN136	303	PEN2485/1	355	PEN431/1	394
PART514	521	PEN139	303	PEN2489	355	PEN433/1	360
PART600	520	PEN163	353	PEN262	356	PEN434/3	360
PART601	520	PEN164	353	PEN263	356	PEN435/3	360
PART602	520	PEN167/1	359	PEN264	317	PEN442/1	305
PART603	520	PEN175/5	358	PEN265	317	PEN444	386
PART604	519	PEN187/1	313	PEN266	317	PEN445	386
PART605	519	PEN190/1	390	PEN270/1	302	PEN446	386
PART606	519	PEN191/1	390	PEN272/1	304	PEN448	333
PART607	519	PEN194/1	393	PEN273/1	304	PEN450	350
PART608	151, 517	PEN195/1	359	PEN277/1	304	PEN452/6	326
PART609	151, 517	PEN201	328	PEN280/1	368	PEN453/12	326
PART610	519	PEN203	319	PEN280/3	369	PEN460/5	321
PART611	520	PEN204	313	PEN280/6	369	PEN461/5	321
PART612	520	PEN206/3	316	PEN280/8	368	PEN462	340
PART613	519	PEN207	316	PEN281/6	366	PEN463	340
PART650	519	PEN208	319	PEN284/1	349	PEN464	380
PART651	519	PEN209	379	PEN284/3	349	PEN470/6	345
PART684	519	PEN210	378	PEN284/5	349	PEN471/7	345
PART685	519	PEN211	378, 379	PEN285/1	395	PEN472/14	345
PART686	519	PEN212	378, 379	PEN291	365	PEN486/1	358
PART687	519	PEN213	315	PEN297	366	PEN487	365
PART703	518	PEN214	315	PEN302	355	PEN498/1	322
PART704	518	PEN216	305	PEN303	355	PEN500	325
PART705	518	PEN217	305	PEN305	322	PEN501	325
PART706	518	PEN218	394	PEN306	322	PEN502	325
PART707	519	PEN219	394	PEN307	387	PEN503	325
PART801	517	PEN221/1	306	PEN312	305	PEN514	392
532							

PEN515 319 PEN800 335 PEN701 323 PEN822 388 PEN516 319 PEN800 335 PEN730 370 PEN822 388 PEN517 319 PEN801 333 PEN731 370 PEN822 363 PEN5516 322 PEN801 322 PEN802 365 PEN5561 312 PEN804 328 PEN741 350 PEN8028 361 PEN5061 319 PEN804 328 PEN7424 350 PEN8028 365 PEN5395 367 PEN807 318 PEN744 320 PEN908 359 PEN536 341 PEN11 346 PEN741 323 PEN919 343 PEN536 341 PEN121 346 PEN781 329 PEN919 343 PEN536 341 PEN131 346 PEN744 323 PEN921 342 PEN536 361 PEN731 329	CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
PEN516 319 PEN801 334 PEN731 370 PEN825 383 PEN518 332 PEN001 333 PEN721 371 PEN025 383 PEN5581 332 PEN063 337 PEN741 320 PEN028 385 PEN52811 319 PEN603 318 PEN741 350 PEN007 359 PEN5281 327 PEN007 318 PEN741 350 PEN007 359 PEN536 361 PEN011 346 PEN744 320 PEN012 307 PEN535 341 PEN11 346 PEN7501 322 PEN92011 342 PEN536 341 PEN131 346 PEN7501 323 PEN2211 342 PEN537 341 PEN613 336 PEN761 323 PEN22116 342 PEN541 366 PEN2416 351 PEN761 339 PEN22100W 381 PEN543	PEN515	319	PEN599	335	PEN729/1	323	PEN821	388
PENS17 319 PENR01 334 PEN731 370 PEN823 356 PENS18 322 PENR02 333 PEN721 350 PEN802 356 PENS2611 312 PEN803 337 PEN741 350 PEN804 385 PENS281 319 PEN804 328 PEN741 350 PEN805 365 PENS2915 367 PEN807 318 PEN7441 320 PEN808 359 PENS34 341 PEN11 346 PEN7441 353 PEN919 343 PENS35 341 PEN121 346 PEN751 323 PEN921 342 PENS36 341 PEN213 346 PEN756 344 PEN223100W 381 PENS41 386 PEN22416 351 PEN7571 324 PEN924150W 381 PENS43 396 PEN2249 333 PEN764 339 PEN224150W 381 PENS43	PEN516	319	PEN600					
PENS26/1 322 PENN03 337 PEN740 328 PENN03 385 PENS261 319 PENN06 318 PEN741 350 PEN007 398 PENS264 328 PEN606 318 PEN7414 350 PEN007 399 PENS30 367 PEN607 318 PEN7414 320 PEN078 355 PENS33 311 PEN610 346 PEN7411 322 PEN912 377 PENS36 341 PEN612 346 PEN7501 322 PEN9211 342 PENS36 341 PEN612 346 PEN7501 322 PEN9211 342 PEN537 341 PEN612 346 PEN7501 323 PEN760 334 PEN9241150W 381 PEN541 396 PEN6249 333 PEN761 339 PEN924150W 381 PEN543 396 PEN6245 944 PEN924150W 381 PEN544	PEN517	319	PEN601	334	PEN731	370	PEN825	363
PENS28/1 319 PEN044 328 PEN741 350 PEN3028 351 PENS29/5 367 PEN607 318 PEN743/1 316 PEN905 385 PENS29/5 367 PEN609 317 PEN743/1 316 PEN907 389 PENS3 341 PEN611 346 PEN744/1 333 PEN912 307 PENS3 341 PEN611 346 PEN751 322 PEN9211 342 PEN53 341 PEN613 346 PEN7571 344 PEN92214 342 PEN541 396 PEN6216 351 PEN7573 344 PEN922100W 381 PEN542 396 PEN6259 333 PEN761 339 PEN922100W 381 PEN543 396 PEN6259 331 PEN7673 344 PEN927150W 381 PEN543 396 PEN6250 371 PEN764 339 PEN92710W 381 <t< td=""><td>PEN518</td><td>382</td><td>PEN602</td><td>333</td><td>PEN732</td><td>371</td><td>PEN902</td><td>356</td></t<>	PEN518	382	PEN602	333	PEN732	371	PEN902	356
PENS28/1 319 PEN064 328 PEN741 350 PEN028/3 351 PENS28/6 367 PEN007 318 PEN743/1 316 PEN907 389 PENS309 367 PEN609 317 PEN743/1 316 PEN907 389 PENS36 341 PEN611 346 PEN743 320 PEN912 307 PENS36 341 PEN611 346 PEN751 322 PEN9211 342 PENS37 341 PEN613 346 PEN751 323 PEN9211 342 PENS43 396 PEN6216 351 PEN761 329 PEN9221 342 PENS41 396 PEN6259 333 PEN761 334 PEN927100W 381 PENS43 396 PEN6250 331 PEN762 334 PEN927100W 381 PENS43 396 PEN6253 317 PEN764 339 PEN927100W 381 PEN	PEN525/1	322	PEN603	337	PEN740	323	PEN903	385
PENS28/4 328 PENN06 318 PEN742/4 350 PENN05 385 PENS29/5 367 PENN07 318 PEN74/1 316 PENN07 359 PENS30/5 367 PENN01 346 PEN74/1 320 PENN012 307 PENS35 341 PENS11 346 PEN7011 322 PEN9211 342 PENS38 333 PENS17 370 PENS713 344 PEN9221 342 PENS41 366 PENS246 351 PEN75713 344 PEN9221100W 381 PENS41 366 PENS2479 333 PEN761 339 PEN922100W 381 PENS43 366 PENS2579 334 PEN922100W 381 PENS44 306 PENS271 317 PEN763 334 PEN922100W 381 PENS45 320 PENS371 312 PEN767 391 S00511 418 PENS45 320	PEN526/1	319	PEN604	328	PEN741	350	PEN9042/8	
PENS29/5 367 PEN007 318 PEN743/1 316 PEN07 359 PENS30 367 PEN007 348 PEN745 320 PEN308 359 PENS35 341 PEN610 346 PEN745 320 PEN912 307 PENS36 341 PEN611 346 PEN741 323 PEN9211 342 PENS37 341 PEN613 346 PEN7511 323 PEN9221 342 PEN543 396 PEN6216 351 PEN7773 344 PEN9222 342 PEN541 396 PEN6216 351 PEN761 339 PEN925200W 381 PEN543 396 PEN6259 333 PEN761 339 PEN925200W 381 PEN544 306 PEN6373 312 PEN764 399 PEN925200W 381 PEN544 306 PEN6373 312 PEN768 391 S00574 418 PEN544 </td <td>PEN528/4</td> <td>328</td> <td>PEN606</td> <td>318</td> <td>PEN742/4</td> <td>350</td> <td>PEN905</td> <td></td>	PEN528/4	328	PEN606	318	PEN742/4	350	PEN905	
PEN534 341 PEN610 346 PEN745 320 PEN912 307 PEN535 341 PEN611 346 PEN748/1 353 PEN920/1 343 PEN536 341 PEN612 346 PEN7511 322 PEN920/1 342 PEN537 341 PEN613 346 PEN7576 344 PEN9221 342 PEN541 396 PEN621/6 351 PEN77/3 344 PEN924/150W 381 PEN542 396 PEN628/5 333 PEN761 339 PEN928/100W 381 PEN543 396 PEN628/5 320 PEN53 334 PEN928/10W 381 PEN544 317 PEN630 371 PEN763 334 PEN928/10W 381 PEN549 366 PEN631/3 312 PEN764 391 S005/2 418 PEN551 396 PEN640/1 334 PEN977 391 S005/3 418	PEN529/5	367	PEN607	318	PEN743/1	316		
PENS35 341 PEN611 346 PEN74µ1 353 PEN919 343 PENS36 341 PEN612 346 PEN750/1 322 PEN920/1 343 PENS37 341 PEN613 346 PEN751 322 PEN921 342 PENS36 333 PEN616 351 PEN575/3 344 PEN921/00W 381 PENS41 396 PEN624/9 333 PEN760 334 PEN923/100W 381 PEN542 396 PEN62/85 364 PEN762 334 PEN926/10W 381 PEN545 320 PEN630 371 PEN762 334 PEN926/10W 381 PEN548 320 PEN630 371 PEN764 391 S005/2 419 PEN548 320 PEN630/3 312 PEN766 391 S005/2 419 PEN551 366 PEN641 354 PEN77 391 S005/3 419 PEN5	PEN530/9	367	PEN609	317	PEN744	320	PEN908	359
PENS36 341 PEN612 346 PENS0/1 322 PENS0/1 343 PENS37 341 PEN613 346 PEN751 323 PEN92/1 342 PENS48 339 PEN617 370 PEN756 344 PEN92/2 342 PENS41 396 PEN621/6 351 PEN761 334 PEN92/1/00W 381 PEN542 396 PEN6269 333 PEN761 339 PEN926/100W 381 PEN543 396 PEN628/5 364 PEN761 339 PEN926/100W 381 PEN543 396 PEN630 371 PEN763 334 PEN92/11/0W 381 PEN544 366 PEN630 371 PEN767 391 S005/2 419 PEN541 336 PEN641 344 PEN771 391 S005/37 418 PEN551 307 PEN642 309 PEN773 393 S010/2 410 PEN	PEN534	341	PEN610	346	PEN745	320	PEN912	307
PENS37 341 PEN613 366 PEN751 323 PEN821 342 PENS38 339 PEN617 370 PEN756 344 PEN922 342 PENS41 396 PEN621/6 331 PEN761 339 PEN9221/150W 381 PENS42 396 PEN625/9 333 PEN761 334 PEN9221/00W 381 PENS43 396 PEN628/5 364 PEN762 334 PEN9271/150W 381 PEN543 320 PEN637/1 312 PEN764 339 PEN92200W 381 PEN549 360 PEN637/1 312 PEN768 391 S005/2 419 PEN551 396 PEN640/1 354 PEN769 391 S005/3R 418 PEN551 366 PEN64/3 309 PEN771 391 S005/3R 418 PEN555 307 PEN64/3 309 PEN774 393 S010/1 410 IPEN555 <td>PEN535</td> <td>341</td> <td>PEN611</td> <td>346</td> <td>PEN748/1</td> <td>353</td> <td>PEN919</td> <td>343</td>	PEN535	341	PEN611	346	PEN748/1	353	PEN919	343
PENS38 339 PEN617 370 PEN756 344 PEN922 342 PENS40 396 PEN621/6 351 PEN757/3 344 PEN922/10W 381 PENS41 396 PEN623/9 333 PEN761 339 PEN925/200W 381 PEN543 396 PEN623/9 331 PEN761 334 PEN925/200W 381 PEN545 320 PEN630 371 PEN763 334 PEN925/200W 381 PEN545 320 PEN630 371 PEN763 334 PEN925/200W 381 PEN544 320 PEN631 370 PEN766 391 S005/2 419 PEN5451 366 PEN643/3 394 PEN770 391 S005/3 419 PEN551 36 PEN641 344 PEN773 393 S010/4 410 PEN555 307 PEN64/3 309 PEN773 393 S010/2 410 <t< td=""><td>PEN536</td><td>341</td><td>PEN612</td><td>346</td><td>PEN750/1</td><td>322</td><td>PEN920/1</td><td>343</td></t<>	PEN536	341	PEN612	346	PEN750/1	322	PEN920/1	343
PEN840 366 PEN821/6 351 PEN757/3 344 PEN8221/00W 381 PEN541 396 PEN624/9 333 PEN760 334 PEN922/100W 381 PEN542 396 PEN625/9 333 PEN761 339 PEN925/100W 381 PEN545 320 PEN6205 371 PEN763 334 PEN926/100W 381 PEN547 317 PEN630 371 PEN763 334 PEN928/100W 381 PEN549 366 PEN637/1 312 PEN768 331 S005/2 419 PEN549 366 PEN637/1 324 PEN768 331 S005/2 419 PEN551 366 PEN647/3 394 PEN770 311 S005/3 419 PEN555 307 PEN647/3 308 PEN771 331 S005/3 419 PEN556 307 PEN647/3 308 PEN775 333 S010/2 410	PEN537	341	PEN613	346	PEN751	323	PEN921	342
PENS41 396 PEN624/9 333 PEN760 334 PEN924/150W 381 PEN542 396 PEN625/9 333 PEN761 339 PEN925/200W 381 PEN543 396 PEN625/9 344 PEN762 334 PEN926/100W 381 PEN544 320 PEN631 370 PEN763 334 PEN928/200W 381 PEN548 320 PEN631 370 PEN764 399 PEN928/200W 381 PEN544 320 PEN631 370 PEN764 391 S005/2 419 PEN5471 336 PEN6411 394 PEN770 391 S005/3 419 PEN555 307 PEN64/3 309 PEN771 391 S010/2 410 PEN556 307 PEN64/3 308 PEN775 393 S010/2 410 PEN556 307 PEN64/3 308 PEN779 397 S010/2 410 <	PEN538	339	PEN617	370	PEN756	344	PEN922	342
PENE42 396 PENC25/9 333 PEN761 339 PEN25/200W 381 PEN543 396 PEN628/5 364 PEN762 334 PEN926/100W 381 PEN547 317 PEN630 371 PEN763 334 PEN928/200W 381 PEN548 320 PEN637/1 312 PEN763 391 S005/2 419 PEN549 366 PEN637/3 312 PEN768 391 S005/2 419 PEN551 396 PEN6401 354 PEN770 391 S005/3 419 PEN551/1 336 PEN641 394 PEN771 391 S005/3 419 PEN555 307 PEN642 394 PEN771 391 S005/3 419 PEN555 307 PEN642 308 PEN774 393 S010/1 410 PEN556 307 PEN647/3 308 PEN774 393 S010/3 410 PEN557	PEN540	396	PEN621/6	351	PEN757/3	344	PEN923/100W	381
PENS43 396 PEN628/5 364 PEN762 334 PEN26100W 381 PEN545 320 PEN630 371 PEN763 334 PEN927/150W 381 PEN547 317 PEN631 370 PEN764 339 PEN928200W 381 PEN548 320 PEN637 312 PEN767 391 S005/2 419 PEN551 396 PEN6411 354 PEN769 391 S005/2R 418 PEN551 336 PEN642 394 PEN771 391 S005/3R 419 PEN553 307 PEN642 394 PEN771 393 S010/1 410 PEN556 307 PEN6473 308 PEN773 393 S010/2 410 PEN557 318 PEN620 382 PEN781 397 S042/2 413 PEN560 307 PEN670/1 384 PEN781 397 S042/2 413 PEN561	PEN541	396	PEN624/9	333	PEN760	334	PEN924/150W	381
PEN645 320 PEN630 371 PEN763 334 PEN22/150W 381 PEN547 317 PEN637/1 312 PEN764 339 PEN22/200W 381 PEN548 320 PEN637/1 312 PEN768 391 S005/2 419 PEN551 396 PEN641 354 PEN769 391 S005/3 418 PEN553/1 336 PEN641 394 PEN771 391 S005/3 419 PEN555/1 336 PEN641 309 PEN774 393 S005/3 419 PEN555 307 PEN646/3 309 PEN774 393 S010/2 410 PEN556 307 PEN64/3 308 PEN775 393 S010/3 410 PEN556 318 PEN662 322 PEN780 397 S042/1 413 PEN562 367 PEN670/1 352 PEN781 397 S042/2 413 PEN565	-		PEN625/9	333	PEN761	339	PEN925/200W	381
PEN547 317 PEN631 370 PEN764 339 PEN28/200W 381 PEN548 320 PEN637/1 312 PEN767 391 S005/2 419 PEN551 396 PEN640/1 354 PEN769 391 S005/2 419 PEN5511 336 PEN641 394 PEN770 391 S005/3 419 PEN553/1 336 PEN642 394 PEN771 393 S005/3 419 PEN555 307 PEN64/3 309 PEN774 393 S010/2 410 PEN555 307 PEN64/73 308 PEN775 393 S010/2 410 PEN556 307 PEN662 382 PEN780 397 S042/2 413 PEN559 307 PEN670/1 382 PEN781 397 S042/3 413 PEN562 367 PEN686 332 PEN784 397 S042/3 412 PEN562	PEN543	396	PEN628/5	364	PEN762	334	PEN926/100W	381
PEN548 320 PEN637/1 312 PEN767 391 S005/1 418 PEN549 366 PEN630/3 312 PEN768 391 S005/2 419 PEN551 396 PEN640/1 354 PEN769 391 S005/2R 418 PEN551/1 336 PEN641/2 394 PEN771 391 S005/3R 418 PEN554/1 336 PEN644/3 309 PEN773 393 S005/4 419 PEN555 307 PEN64/3 309 PEN775 393 S010/2 410 PEN556 307 PEN649/3 308 PEN779 397 S010/3 410 PEN558 318 PEN662 382 PEN781 397 S042/1 413 PEN560 307 PEN679/1 354 PEN781 397 S042/3 413 PEN562 367 PEN686 332 PEN783 397 S042/3 412 PEN563/3 <td>PEN545</td> <td></td> <td>PEN630</td> <td>371</td> <td>PEN763</td> <td>334</td> <td>PEN927/150W</td> <td>381</td>	PEN545		PEN630	371	PEN763	334	PEN927/150W	381
PEN549 366 PEN638/3 312 PEN768 391 S005/2 419 PEN5511 336 PEN640/1 354 PEN770 391 S005/2R 418 PEN552/1 336 PEN642 394 PEN770 391 S005/3R 418 PEN553/1 336 PEN642 394 PEN771 391 S005/3R 418 PEN555 307 PEN646/3 309 PEN775 393 S010/1 410 PEN556 307 PEN647/3 308 PEN775 393 S010/2 410 PEN556 307 PEN647/3 308 PEN775 393 S010/2 413 PEN559 307 PEN662 382 PEN781 397 S042/2 413 PEN560 307 PEN679/1 382 PEN781 397 S042/3 413 PEN561 327 PEN686 332 PEN781 397 S042/4 412 PEN563/3			PEN631		PEN764	339	PEN928/200W	381
PEN551 396 PEN640/1 354 PEN769 391 S005/2R 418 PEN552/1 336 PEN641 394 PEN771 391 S005/3 419 PEN553/1 336 PEN642 394 PEN771 391 S005/3 418 PEN555 307 PEN64/3 309 PEN773 393 S010/1 410 PEN555 307 PEN646/3 309 PEN775 393 S010/2 410 PEN556 307 PEN640/3 308 PEN775 393 S010/2 410 PEN556 307 PEN649/3 308 PEN79 397 S042/1 413 PEN550 307 PEN649/3 308 PEN780 397 S042/2 413 PEN560 307 PEN679/1 382 PEN783 397 S042/4 413 PEN562 367 PEN686 332 PEN79/3 374 S048/1 412 PEN563/3			PEN637/1		PEN767	391	S005/1	418
PEN552/1 336 PEN641 394 PEN770 391 S005/3 419 PEN553/1 336 PEN64/2 394 PEN771 391 S005/3 418 PEN554/1 336 PEN64/3 309 PEN773 393 S010/1 410 PEN555 307 PEN64/3 308 PEN775 393 S010/2 410 PEN556 318 PEN64/3 308 PEN779 397 S042/1 413 PEN558 318 PEN662 382 PEN780 397 S042/2 413 PEN560 307 PEN670/1 354 PEN781 397 S042/2 413 PEN562 367 PEN686 332 PEN783 397 S042/4 412 PEN563/3 327 PEN681 376 PEN791/3 374 S048/4 412 PEN571/12 340 PEN693 361 PEN793/10 374 S048/4 412 PEN571/12 </td <td>PEN549</td> <td></td> <td>PEN638/3</td> <td>312</td> <td></td> <td>391</td> <td>S005/2</td> <td>419</td>	PEN549		PEN638/3	312		391	S005/2	419
PEN553/1 336 PEN642 394 PEN771 391 S005/3R 418 PEN554/1 336 PEN644/3 309 PEN773 393 S005/4 419 PEN555 307 PEN64/3 309 PEN774 393 S010/2 410 PEN556 307 PEN64/3 308 PEN775 393 S010/2 410 PEN557 318 PEN649/3 308 PEN779 397 S042/1 413 PEN559 307 PEN670/1 382 PEN782 397 S042/3 413 PEN560 307 PEN670/1 382 PEN782 397 S042/3 413 PEN562 367 PEN686 332 PEN783 397 S048/1 412 PEN562/5 327 PEN688 377 PEN791/3 374 S048/4 412 PEN571/2 340 PEN690 377 PEN791/3 374 S048/4 420 PEN571/2 </td <td></td> <td></td> <td>PEN640/1</td> <td></td> <td>PEN769</td> <td>391</td> <td>S005/2R</td> <td>418</td>			PEN640/1		PEN769	391	S005/2R	418
PEN55/11 336 PEN644/3 309 PEN773 393 S005/4 419 PEN555 307 PEN646/3 309 PEN774 393 S010/1 410 PEN556 307 PEN64/73 308 PEN775 393 S010/2 410 PEN557 318 PEN649/3 308 PEN775 397 S042/1 413 PEN558 318 PEN662 382 PEN781 397 S042/2 413 PEN560 307 PEN6700/1 354 PEN783 397 S042/2 413 PEN562 367 PEN686 332 PEN783 397 S042/4 412 PEN563/3 327 PEN688 377 PEN791/3 374 S048/3 412 PEN571/2 340 PEN690 377 PEN791/3 374 S048/4 412 PEN571/2 340 PEN691 363 PEN791/3 374 S048/4 412 PEN571/3					PEN770		S005/3	419
PEN555 307 PEN64/3 309 PEN774 393 S010/1 410 PEN556 307 PEN64/73 308 PEN775 393 S010/2 410 PEN556 318 PEN64/3 308 PEN770 397 S010/3 410 PEN558 318 PEN662 382 PEN780 397 S042/1 413 PEN559 307 PEN6700/1 354 PEN782 397 S042/2 413 PEN562 367 PEN686 332 PEN783 397 S042/4 413 PEN562/2 367 PEN686 372 PEN784 397 S048/1 412 PEN570/3 327 PEN688 376 PEN791/3 374 S048/3 412 PEN571/2 340 PEN690 376 PEN791/3 374 S048/4 412 PEN571/2 336 PEN691 363 PEN791/1 S049/1 420 PEN573/1 340 <td></td> <td></td> <td></td> <td></td> <td>PEN771</td> <td></td> <td>S005/3R</td> <td>418</td>					PEN771		S005/3R	418
PEN556 307 PEN647/3 308 PEN775 393 S010/2 410 PEN557 318 PEN649/3 308 PEN779 397 S010/3 410 PEN558 318 PEN662 382 PEN780 397 S042/1 413 PEN559 307 PEN670/1 354 PEN781 397 S042/2 413 PEN560 307 PEN679/1 382 PEN783 397 S042/3 413 PEN562 367 PEN686 332 PEN783 397 S048/2 412 PEN564/5 327 PEN688 377 PEN790/3 374 S048/2 412 PEN571/2 340 PEN690 377 PEN791/3 374 S048/4 412 PEN571/12 340 PEN691 363 PEN791/3 374 S048/4 420 PEN571/1 340 PEN691 363 PEN791/12 375 S049/2 420 PEN575<							S005/4	
PEN557 318 PEN649/3 308 PEN779 397 S010/3 410 PEN558 318 PEN662 382 PEN780 397 S042/1 413 PEN559 307 PEN6700/1 354 PEN781 397 S042/2 413 PEN560 307 PEN679/1 382 PEN783 397 S042/4 413 PEN562 367 PEN686 332 PEN783 397 S042/4 413 PEN564/5 327 PEN688 377 PEN79/0/3 374 S048/3 412 PEN570/3 337 PEN689 376 PEN79/1/3 374 S048/4 412 PEN571/2 340 PEN690 377 PEN792/10 374 S048/4 412 PEN571/2 336 PEN691 363 PEN792/10 374 S048/4 412 PEN575 371 PEN693 312 PEN792/12 375 S049/4 420 PEN							S010/1	
PEN558318PEN662382PEN780397S042/1413PEN559307PEN6700/1354PEN781397S042/2413PEN560307PEN679/1382PEN782397S042/3413PEN562367PEN686332PEN783397S042/4413PEN563/3327PEN686332PEN784397S048/1412PEN564/5327PEN688376PEN791/3374S048/2412PEN570/3337PEN689376PEN792/10374S048/4412PEN571/2340PEN690377PEN792/10374S048/4412PEN572/1336PEN691363PEN793/10374S049/1420PEN575371PEN693312PEN795/12375S049/3420PEN576341PEN694333PEN796372S049/4420PEN577338PEN695339PEN797375S050/1408PEN582385PEN696356PEN802/1353S055/1402PEN584385PEN70/6358PEN804382S050/3408PEN586324PEN714328PEN805333S055/1402PEN586324PEN714328PEN805333S055/1402PEN588314PEN718384PEN805333S055/3402PEN591 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
PEN559307PEN6700/1354PEN781397S042/2413PEN560307PEN679/1382PEN782397S042/3413PEN562367PEN686332PEN783397S042/4413PEN563/3327PEN686377PEN784397S048/1412PEN564/5327PEN688377PEN790/3374S048/2412PEN570/3337PEN689376PEN791/3374S048/3412PEN571/2340PEN690377PEN792/10374S048/4412PEN572/1336PEN691363PEN793/10374S048/4420PEN575/1371PEN693312PEN795/12375S049/2420PEN576371PEN693312PEN795/12375S049/3420PEN576341PEN693312PEN795/12375S050/1408PEN582385PEN697313PEN802382S050/3408PEN582385PEN697313PEN804382S050/3408PEN586324PEN710313PEN805383S055/1402PEN586324PEN716329PEN808392S055/3402PEN589314PEN717329PEN809392S056/3402PEN595371PEN721384PEN811392S056/1429PEN59					PEN779	397		
PEN560307PEN679/1382PEN782397S042/3413PEN562367PEN686332PEN783397S042/4413PEN563/3327PEN687376PEN784397S048/1412PEN564/5327PEN689376PEN791/3374S048/2412PEN570/3337PEN689376PEN791/3374S048/3412PEN571/2340PEN690377PEN792/10374S048/4412PEN572/1336PEN691363PEN793/10374S049/1420PEN575371PEN693312PEN795/12375S049/2420PEN575371PEN693312PEN795/12375S050/1408PEN577338PEN695339PEN797375S050/1408PEN582385PEN696356PEN802/1353S050/2408PEN583385PEN696358PEN803382S050/3402PEN587324PEN710313PEN803382S055/1402PEN587324PEN714328PEN807383S055/1402PEN588324PEN714329PEN809392S055/3402PEN590314PEN718384PEN811392S056/1429PEN595371PEN721384PEN811392S056/1429PEN595								
PEN562367PEN686332PEN783397S042/4413PEN563/3327PEN687376PEN784397S048/1412PEN564/5327PEN688377PEN791/3374S048/2412PEN570/3337PEN689376PEN791/3374S048/3412PEN571/2340PEN690377PEN792/10374S048/4412PEN571/2340PEN691363PEN793/10374S048/4420PEN573/1340PEN692/8361PEN794/12375S049/2420PEN575371PEN693312PEN796/12375S049/3420PEN576341PEN693312PEN796/12375S050/1408PEN576341PEN693339PEN797375S050/1408PEN582385PEN696366PEN802/1353S050/2408PEN583385PEN696358PEN803382S050/3402PEN586324PEN710313PEN805383S055/1402PEN588324PEN715329PEN808392S055/3402PEN589314PEN715329PEN808392S055/3402PEN591314PEN713344PEN811392S056/2429PEN595371PEN25/1330PEN811338S056/1429PEN59								
PEN563/3327PEN687376PEN784397S048/1412PEN564/5327PEN688377PEN790/3374S048/2412PEN570/3337PEN689376PEN791/3374S048/3412PEN571/2340PEN690377PEN792/10374S048/4412PEN572/1336PEN691363PEN793/10374S049/1420PEN572/1340PEN692/8361PEN794/12375S049/2420PEN575371PEN693312PEN795/12375S049/3420PEN575371PEN694333PEN796372S049/4420PEN575371PEN695339PEN797375S050/1408PEN582385PEN696356PEN802/1353S050/2408PEN583385PEN606356PEN803382S050/3408PEN584385PEN700/6358PEN803382S05/1402PEN587324PEN710313PEN805383S055/1402PEN588324PEN715329PEN808392S055/3402PEN590314PEN718384PEN810392S056/1429PEN591314PEN713330PEN813/1338S056/1429PEN595371PEN72/1330PEN813/1338S056/4429PEN								
PEN564/5327PEN688377PEN790/3374S048/2412PEN570/3337PEN689376PEN791/3374S048/3412PEN571/2340PEN690377PEN792/10374S048/4412PEN572/1336PEN691363PEN793/10374S049/1420PEN575/1340PEN692/8361PEN794/12375S049/2420PEN575371PEN693312PEN796/12375S049/3420PEN576341PEN693312PEN796372S049/4420PEN576341PEN693313PEN796372S050/1408PEN582385PEN695339PEN797375S050/1408PEN583385PEN696356PEN802/1353S050/2408PEN584385PEN700/6358PEN803382S050/3402PEN586324PEN710313PEN805383S055/1402PEN587324PEN715329PEN807383S055/2402PEN588324PEN718384PEN810392S056/1429PEN590314PEN718384PEN811392S056/1429PEN591314PEN713330PEN812/1338S056/1429PEN595371PEN725/1330PEN813/1338S056/1429PEN								
PEN570/3337PEN689376PEN791/3374\$048/3412PEN571/2340PEN690377PEN792/10374\$048/4412PEN572/1336PEN691363PEN793/10374\$049/1420PEN573/1340PEN692/8361PEN794/12375\$049/2420PEN575371PEN693312PEN795/12375\$049/3420PEN576341PEN694333PEN796372\$049/4420PEN577338PEN695339PEN797375\$050/1408PEN582385PEN696356PEN802/1353\$050/2408PEN583385PEN697313PEN803382\$050/3408PEN584385PEN700/6358PEN804382\$050/4402PEN586324PEN714328PEN807383\$055/2402PEN588324PEN715329PEN808392\$055/3402PEN589314PEN718384PEN811392\$056/1429PEN590314PEN718384PEN811392\$056/2429PEN595371PEN721330PEN811392\$056/3429PEN595371PEN721330PEN813/1338\$058/1403PEN596327PEN726/3300PEN813/1338\$058/1403PEN597<								
PEN571/2340PEN690377PEN792/10374S048/4412PEN572/1336PEN691363PEN793/10374S049/1420PEN573/1340PEN692/8361PEN794/12375S049/2420PEN575371PEN693312PEN795/12375S049/3420PEN576341PEN694333PEN796372S049/4420PEN577338PEN695339PEN797375S050/1408PEN582385PEN696356PEN802/1353S050/2408PEN583385PEN697313PEN803382S050/3408PEN586324PEN710313PEN805383S055/1402PEN588324PEN715329PEN808392S055/3402PEN589314PEN718384PEN811392S056/1429PEN590314PEN719384PEN811392S056/2429PEN595371PEN721384PEN811/1338S056/3429PEN595371PEN725/1330PEN813/1338S056/4429PEN596327PEN726/3330PEN814/3338S058/1403PEN596337PEN726/3330PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
PEN572/1336PEN691363PEN793/10374S049/1420PEN573/1340PEN692/8361PEN794/12375S049/2420PEN575371PEN693312PEN795/12375S049/3420PEN576341PEN694333PEN796372S049/4420PEN577338PEN695339PEN797375S050/1408PEN582385PEN696356PEN802/1353S050/2408PEN583385PEN697313PEN803382S050/3408PEN586324PEN710/6358PEN804382S050/4408PEN587324PEN715329PEN808392S055/3402PEN589314PEN717329PEN809392S056/1429PEN591314PEN719384PEN811392S056/2429PEN592312PEN721384PEN811392S056/3429PEN595371PEN721384PEN811338S056/3429PEN596327PEN726/3330PEN813/1338S056/4429PEN596327PEN726/3330PEN813/1338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN573/1340PEN692/8361PEN794/12375S049/2420PEN575371PEN693312PEN795/12375S049/3420PEN576341PEN694333PEN796372S049/4420PEN577338PEN695339PEN797375S050/1408PEN582385PEN696356PEN802/1353S050/2408PEN583385PEN697313PEN803382S050/3408PEN586324PEN710313PEN805383S055/1402PEN587324PEN714328PEN807383S055/2402PEN588324PEN715329PEN808392S055/3402PEN590314PEN717329PEN809392S056/1429PEN591314PEN718384PEN811392S056/2429PEN592312PEN721384PEN811392S056/3429PEN595371PEN725/1330PEN813/1338S056/3429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN575371PEN693312PEN795/12375S049/3420PEN576341PEN694333PEN796372S049/4420PEN577338PEN695339PEN797375S050/1408PEN582385PEN696356PEN802/1353S050/2408PEN583385PEN697313PEN803382S050/3408PEN584385PEN700/6358PEN804382S050/4408PEN586324PEN710313PEN805383S055/1402PEN587324PEN714328PEN807383S055/2402PEN588324PEN717329PEN808392S055/3402PEN590314PEN718384PEN810392S056/1429PEN591314PEN719384PEN811392S056/2429PEN595371PEN721330PEN813/1338S056/3429PEN596327PEN726/3330PEN813/1338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN576341PEN694333PEN796372S049/4420PEN577338PEN695339PEN797375S050/1408PEN582385PEN696356PEN802/1353S050/2408PEN583385PEN697313PEN803382S050/3408PEN584385PEN700/6358PEN804382S050/4408PEN586324PEN710313PEN805383S055/1402PEN587324PEN714328PEN807383S055/2402PEN588324PEN715329PEN808392S055/3402PEN589314PEN717329PEN809392S056/1429PEN590314PEN718384PEN811392S056/2429PEN591314PEN721384PEN811392S056/3429PEN595371PEN725/1330PEN813/1338S056/3429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN577338PEN695339PEN797375S050/1408PEN582385PEN696356PEN802/1353S050/2408PEN583385PEN697313PEN803382S050/3408PEN584385PEN700/6358PEN804382S050/4408PEN586324PEN710313PEN805383S055/1402PEN587324PEN714328PEN807383S055/2402PEN588324PEN715329PEN808392S055/3402PEN589314PEN717329PEN809392S056/1429PEN591314PEN718384PEN811392S056/2429PEN592312PEN721384PEN812/1338S056/3429PEN595371PEN725/1330PEN813/1338S056/3429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN582385PEN696356PEN802/1353S050/2408PEN583385PEN697313PEN803382S050/3408PEN584385PEN700/6358PEN804382S050/4408PEN586324PEN710313PEN805383S055/1402PEN587324PEN714328PEN807383S055/2402PEN588324PEN715329PEN808392S055/3402PEN589314PEN717329PEN809392S055/4402PEN590314PEN718384PEN810392S056/1429PEN591314PEN719384PEN811392S056/2429PEN595371PEN725/1330PEN813/1338S056/3429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN583385PEN697313PEN803382\$050/3408PEN584385PEN700/6358PEN804382\$050/4408PEN586324PEN710313PEN805383\$055/1402PEN587324PEN714328PEN807383\$055/2402PEN588324PEN715329PEN808392\$055/3402PEN589314PEN717329PEN809392\$055/4402PEN590314PEN718384PEN810392\$056/1429PEN591314PEN719384PEN811392\$056/2429PEN595371PEN721384PEN812/1338\$056/3429PEN596327PEN726/3330PEN813/1338\$058/1403PEN597335PEN727/1323PEN819388\$058/2403PEN598337PEN728323PEN820388\$058/3403								
PEN584385PEN700/6358PEN804382S050/4408PEN586324PEN710313PEN805383S055/1402PEN587324PEN714328PEN807383S055/2402PEN588324PEN715329PEN808392S055/3402PEN589314PEN717329PEN809392S055/4402PEN590314PEN718384PEN810392S056/1429PEN591314PEN719384PEN811392S056/2429PEN592312PEN721384PEN812/1338S056/3429PEN595371PEN725/1330PEN813/1338S056/4429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN586324PEN710313PEN805383S055/1402PEN587324PEN714328PEN807383S055/2402PEN588324PEN715329PEN808392S055/3402PEN589314PEN717329PEN809392S055/4402PEN590314PEN718384PEN810392S056/1429PEN591314PEN719384PEN811392S056/2429PEN592312PEN721384PEN812/1338S056/3429PEN595371PEN725/1330PEN813/1338S056/4429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN587324PEN714328PEN807383S055/2402PEN588324PEN715329PEN808392S055/3402PEN589314PEN717329PEN809392S055/4402PEN590314PEN718384PEN810392S056/1429PEN591314PEN719384PEN811392S056/2429PEN592312PEN721384PEN812/1338S056/3429PEN595371PEN725/1330PEN813/1338S056/4429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN588324PEN715329PEN808392S055/3402PEN589314PEN717329PEN809392S055/4402PEN590314PEN718384PEN810392S056/1429PEN591314PEN719384PEN811392S056/2429PEN592312PEN721384PEN812/1338S056/3429PEN595371PEN725/1330PEN813/1338S056/4429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN589314PEN717329PEN809392S055/4402PEN590314PEN718384PEN810392S056/1429PEN591314PEN719384PEN811392S056/2429PEN592312PEN721384PEN812/1338S056/3429PEN595371PEN725/1330PEN813/1338S056/4429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN590314PEN718384PEN810392S056/1429PEN591314PEN719384PEN811392S056/2429PEN592312PEN721384PEN812/1338S056/3429PEN595371PEN725/1330PEN813/1338S056/4429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN591314PEN719384PEN811392S056/2429PEN592312PEN721384PEN812/1338S056/3429PEN595371PEN725/1330PEN813/1338S056/4429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN592312PEN721384PEN812/1338S056/3429PEN595371PEN725/1330PEN813/1338S056/4429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN595371PEN725/1330PEN813/1338S056/4429PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN596327PEN726/3330PEN814/3338S058/1403PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN597335PEN727/1323PEN819388S058/2403PEN598337PEN728323PEN820388S058/3403								
PEN598 337 PEN728 323 PEN820 388 S058/3 403								
	FEIN390	337	PEN/20	323	PEN820	388	5058/3	

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
S058/4	403	S152/4	405	S401/2	431	SL401	450
S060/1	422	S156/1	415, 428	S401/3	431	SL402	444
S060/2	422	S156/2	415, 428	S401/4	431	SL403	444
S060/3	422	S156/3	415, 428	S402/1	430	SL404	445
S061/1	407	S161/1	424	S402/2	430	SL406	446
S061/2	407	S161/2	424	S402/3	430	TL005	458
S061/3	407	S161/3	424	S402/4	430	TL012	469
S063/1	411	S161/4	424	S404/1	411	TL021	460
S063/2	411	S162/2	426	S404/2	411	TL022	457
S063/3	411	S163/1	404	S405/1	440	TL023	457
S064/1	427	S163/2	404	S406/1	433	TL024	455
S064/2	427	S163/3	404	S406/2	433	TL025	455
S064/3	427	S164/1	425	S406/3	433	TL026	456
S064/4	427	S164/2	425	S406/4	433	TL039	455
S065/1	399	S164/3	425	S551 TYPE I	483	TL053	459
S065/2	399	S165/1	440	S552 TYPE L	483	TL066	475
S065/3	399	S165/2	440	S553 TYPE I	483	TL067	475
S065/4	399	S165/3	440	S554 TYPE L	483	TL084	475
S066/1	426	S166/1	441	S555 TYPE T	483	TL089	469
S066/2	426	S166/2	441	S556 TYPE T	483	TL106	477
S066/3	426	S166/3	441	S570/1M	482	TL108	477
S100/1	485, 486	S167/1	436	S571/2M	482	TL117	475
S101/10W	486	S167/2	436	S572/1M	482	TL118	475
S102/20W	486	S167/3	436	S573/2M	482	TL140	458
S104/20W	487	S168/1	400	SH010	479	TL141	463
S105/30W	487	S168/2	400	SH011	479	TL142	463
S106	485, 487	S168/3	400	SH2	478	TL143	463
S107	485, 487	S169/1	423	SH3	478	TL144	463
S108/1	485, 487	S169/2	423	SH355	478	TL149	469
S109/1	485, 487	S169/3	423	SH4	478	TL150	467
S110/1	485, 487	S170/1	437	SH6	479	TL155	468
S111/1	485, 486	S170/2	437	SH7	479	TL170	457
S112/20W	484	S170/3	437	SL005	448	TL175	466
S113/20W	487	S171/1	409	SL015	445	TL176	473
S115/30W	487	S171/2	409	SL016	448	TL177	468
S116/1	484	S171/3	409	SL017	444	TL178	472
S117/1	484	S172/1	416	SL018	449	TL179	472
S118/1	486	S172/2	416	SL019	446	TL180	468
S120/1	438	S172/3	416	SL034	451	TL181	468
S120/2	438	S173/1	417	SL037	449	TL182	454
S120/3	438	S173/2	417	SL052	449	TL183	454
S121/1	439	S173/3	417	SL062	447	TL185	456
S121/2	439	S176/1	434	SL072	450	TL186	458
S121/3	439	S176/2	434	SL080	451	TL187	469
S123/1	406, 414	S176/3	434	SL081	451	TL188	455
S123/2	406, 414	S177/1	435	SL082	450	TL193	462
S123/3	406, 414	S177/2	435	SL083	444	TL194	462
S123/4	406	S177/3	435	SL084	449	TL195	462
S150/1	421	S178/1	400	SL086	448	TL196	469
S150/2	421	S178/2	401	SL087	447	TL200	476
S150/3	421	S178/3	401	SL089	447	TL200	467
S150/4	421	S400/1	432	SL094	445	TL202	468
S151/4	406	S400/2	432	SL095	443	TL2250 TL310	459
S152/1	405	S400/2	432	SL1097	447	TL310	459
S152/2	405	S400/4	432	SL1097	448	TL312	458
S152/3	405	S400/4 S401/1	431	SL400	446	TL400	473
534			101	02.00		12100	עוד

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
TL600	466	WB080/1	507	WB272	218, 494	WB921	342, 509
TL620	464	WB081/1	507	WB273	219	WB922	342, 509
TL621	464	WB097/2	511	WB274	219	WIRE 001	524
TL622	464, 471	WB098	284, 494	WB3005	92	WIRE 002	524
TL626	454	WB100	498	WB3031	83	WIRE 003	524
TL627	454	WB105/1	504	WB305	490	WIRE 004	524
TL628	456	WB108/1	511	WB3054/2	110	WIRE 005	524
TL629	472	WB1129	508	WB306	490	WIRE 006	524
TL630	472	WB1130	508	WB3066/1	134	WIRE 007	524
TL631	472	WB1131	511	WB307	490	WIRE 008	523
TL632	472	WB1132	508	WB308	490	WIRE 009	523
TL633	465	WB12005	88	WB309	490	WIRE 010	524
TL634	465	WB12009	88	WB310	490	WIRE 010	524
TL635	465, 471	WB12003 WB121	495	WB311	490	WIRE 012	524
TL636	465	WB122	495	WB312	490	WIRE 012	523
TL637	465	WB124/1	504	WB313	492	WIRE 013	523
TL645	403	WB124/1 WB125/1	504 504	WB313 WB314	492 492		525
TL646	10, 453	WB129/1 WB1299/1	84	WB314 WB315	492 492	WIRE 051-3M	
TL647	10, 453	WB1299/1 WB1334/2	127			WIRE 052-3M	525 525
TL648				WB316	492	WIRE 053-3M	525 525
TL649	10, 453	WB1470/2	128	WB318	12, 489	WIRE 054-3M	525
	11, 452	WB167/1	124	WB319	12, 489	WIRE 055-3M	525
TL650	466	WB169/1	511	WB327	84	WIRE 056-3M	525
TL651	465, 471	WB171/2	501	WB328	83	WIRE 057-3M	525
TL652	465	WB172/2	501	WB330	83	WIRE 060-3M	525
TL653	465	WB173/1	501	WB334	66, 497	WIRE 061-3M	525
TL654	465	WB174/1	501	WB3356	506	WIRE 062-3M	525
TL655	11, 452	WB177	493	WB3357/1	506	WIRE 071-5M	525
TL656	11, 452	WB178	493	WB339	495	WIRE 072-5M	525
TL657	11, 452	WB180	495	WB342	493	WIRE 073-5M	525
TL800	457	WB182	493	WB345	497	WIRE 074-5M	525
TL802	467	WB184	505	WB346	497	WIRE 075-5M	525
TL812	473	WB185	505	WB370	503	WIRE 076-5M	525
TL813	459	WB186	217	WB371	503	WIRE 077-5M	525
TL818	466	WB187	217	WB372	498	WIRE 080-5M	525
TL819	460	WB188	217	WB373	498	WIRE 081-5M	525
TL820	460	WB194	491	WB374	503	WIRE 082-5M	525
TL821	456	WB195	491	WB388/2	111	WIRE 2 CORE	523
TL822	467	WB196	495	WB452/1	511	WIRE 3 CORE	523
WB004	504	WB197	491	WB454/1	511	WSC001	481
WB005	504	WB198	491	WB475/2	130	WSC003	481
WB006	504	WB2008	88	WB487/1	510	WSC007	481
WB022	496	WB2022	505	WB513	87	WSC008	234
WB023	496	WB2023	504	WB522/1	115, 360		
WB030/2	502	WB204	500	WB529/1	137, 510		
WB031/2	502	WB205	500	WB708	510		
WB032/2	502	WB206	491	WB712	329, 510		
WB033/2	502	WB207	379, 493	WB800	219		
WB039/1	508	WB212	500	WB804/1	510		
WB040/1	498	WB214	494	WB894	503		
WB041/1	498	WB215	494	WB9002	506		
WB045/1	359, 508	WB217	499	WB9003	506		
WB065/2	131	WB218	499	WB9004	506		
WB067/1	511	WB219	499	WB9007	496		
WB075/2	511	WB220	499	WB9008	496		
WB078/1	507	WB270	507	WB919	343, 509		
WB079/1	507	WB271	507	WB920/1	343, 509		
					2.0,000		535



CAPE TOWN 11 Fourth Street Montague Gardens Cape Town 7441	JOHANNESBU 40 - 42 Milkyway Ave Linbro Business Pa Linbro Park Johannesburg 2090
PO Box 339	PO Box 1194
Milnerton	Highlands North
7435	2037
GPS Co-ordinates:	GPS Co-ordinates
S33° 51' 34.3"	S26° 04' 01.7"
E18° 31' 06.3"	E28° 06' 56.5"
Tel: 021 - 551 7035 Fax: 021 - 551 7036 021 - 551 7109	Tel: 011 - 444 82 Fax: 011 - 608 07

salescpt@brightstarlighting.co.za

JRG

enue ark

es:

244 714

salesjhb@brightstarlighting.co.za

www.brightstarlighting.co.za

sales@brightstarlighting.co.za

AGENTS							
AFRICA	DURBAN	FREE STATE NORTHERN CAPE	EASTERN CAPE EAST LONDON PORT ELIZABETH				
		GRANT VAN ASWEGEN					
		Tel: 051 - 430 3321					
		Fax: 086 - 732 0783					
Tel: 011 - 444 8244	JOHN BENECKE	Cell: 083 - 285 8911	SAMANTHA MINNIE				
Fax: 011 - 608 0714	Cell: 072 - 686 0465	LISE-MARIE: 083 - 554 9695	Cell: 084 - 266 0989				
sales@brightstarlighting.co.za	john@brightstarlighting.co.za	admin@gpvanas.co.za	samminnie75@gmail.com				