




Bright Star LIGHTING



JANUARY 2024

CAPE TOWN 021 551 7035 JOHANNESBURG 011 444 8244

www.brightstarlighting.co.za sales@brightstarlighting.co.za

Supplementary

EMERGENCY / RECHARGEABLE PRODUCTS



BULB LED 937 WHITE



BULB LED 938 RED

LED Rechargeable Emergency Light with Handle

- 12W LED

Self Stand, Portable, Wall Mounted

Material: ABS

2 Pin Plug stored in the back of the fitting

5V1A USB Output

DC Input Charging Function

Specifications:

Light Source: 24 Pieces 0.5W 5730 SMD LEDS

Battery: 4000mAh Rechargeable

Charging Time: 16 Hours

Discharging Time: 15 - 24 Hours for Strong Mode


40 Hours for Soft Mode

Charge at least every three Months to keep the battery life longer

Width: 95mm

Height: 198mm

Depth: 85mm



BULB LED 929

Magnetic LED Module Emergency Kit

- 24W LED

Colour Temp: 4000K

Lumen: 2400

Emergency Power: 2W 200 Lumen

Battery: LI 3.7V 1800mAh

Charging Time: 6-8 Hours

Emergency Time: 3 Hours

Width: 211mm

Supplementary

EMERGENCY / RECHARGEABLE PRODUCTS



FAN024 BLACK

12" Rechargeable Oscillating Table Fan
Material: Plastic

Features:

3 Speed Setting, Low Noise, Adjustable Vertical Tilt
LED Light, 5V USB output, On/Off Switch
Fan Power: 5W
Battery: 6V 4.5Ah Lead Acid Rechargeable
Voltage: AC220V/DC6V
Frequency: 50/60Hz
Charging Time: 5-12 Hours
Discharging Time: 5-10 Hours

Includes:

1 x 3V 9W Solar Panel (230mm x 140mm) and 2800mm Cord
2 x Rechargeable Bulbs with 2700mm Cord, On/Off Switches and Hooks
1 x 2 Pin Plug with 1000mm Cord

Width: 345mm
Height: 415mm
Base: 200mm

When the LED gets dim, please recharge the product
Charge at least once in every 3 months for 8 Hours even when the appliance is not in use.
Keep the Fan Switch in OFF position when not in use

Supplementary

EMERGENCY / RECHARGEABLE PRODUCTS

RECHARGEABLE LAMP WHICH FITS ONTO AN OPEN WINE BOTTLE



TL038

Rechargeable Lamp
which fits onto an open wine bottle
Material: Metal
Type C USB Cable

- 2.5W LED (Included)

Colour Temp: 3000K
3 Grade Brightness
Battery: 2400mAh

Charging Time: 3 Hours
Discharge Time: 3-5 Hours

Width: 110mm
Height: 130mm

Colours Available:
Black, White

DETACHABLE HEAD FOR MULTIPLE APPLICATIONS CAN BE USED AS A TABLE LAMP, CLIP ON LAMP, MAGNETIZED WALL MOUNT OR TORCH



TL003

Rechargeable Light 4 in 1
Magnetic, Rechargeable Light
with Touch Control and USB Charging Cable

Detachable Head for Multiple Applications
Can be used as a Table Lamp, Clip on Lamp,
Magnetized Wall Mount or Torch
Material: Metal

- 3W LED (Included)

Colour Temp: 4000K
3 Grade Brightness
Battery: 1200mAh
Charging Time: 3 Hours
Discharge Time: 3-5 Hours

Table Lamp

Height: 340mm
Base: 120mm

Clip:

Width: 78mm
Length: 115mm

Torch/Head:

Width: 40mm
Length: 110mm

Magnetized Mounting Bracket:

Width: 40mm
Height: 45mm

Colours Available:
Black, White



EMERGENCY / RECHARGEABLE PRODUCTS



TL666 ANTIQUE

Rechargeable Metal Table Lamp, IP20
 Colour: Antique Brass
 USB Cable without Adapter
 Battery: Lithium 1200mAh

- 3W LED (Included)

Colour Temp: 3000K, 3 CCT and Dimmable
 Lumen: 120
 CRI: >80
 PF: 0.5

Charging Time: 3 Hours
 Discharging Time: 3-5 Hours

Width: 90mm
 Height: 220mm

OUTDOOR COLOUR CHANGING RECHARGEABLE LAMP




TL703 WHITE

Outdoor Colour Changing Rechargeable Lamp
 with Remote Control and USB Charging Cable, IP44
 Material: PE and ABS

- 2.8W LED

Battery: 1 x 3.7V 1200mAh
 USB Charging Cable
 Charging Time: 2-3 Hours
 Working Time: 10-12 Hours

Width: 140mm
 Height: 205mm (Excluding Handle)



TL663 BLACK

Rechargeable Table Lamp, IP20
 Material: ABS with Rubberized Flexi Arm
 Battery: Lithium 1200mAh

- 10W LED (Included)


Colour Temp: 3000k CCT and Dimmable
 Lumen: 500
 CRI: >80
 PF: 0.5

Charging Time: 2-3 Hours
 Discharging Time: 2.5 Hours

Height: 550mm
 Base: 150mm



TL664



TL665

TL664 WHITE TL665 BLACK

Rechargeable Metal Table Lamp, IP20
 Type C USB Cable without Adapter
 Battery: Lithium 1200mAh

- 3W LED (Included)

Colour Temp: 3000K, 3 CCT and Dimmable
 Lumen: 120
 CRI: >80
 PF: 0.5

Charging Time: 3 Hours
 Discharging Time: 3-5 Hours

Width: 110mm
 Height: 380mm
 Base: 100mm

Supplementary



LED Panel Light
with Colour Changing Switch on the back of the Downlight
IP54
Material: Polycarbonate
Colour Temp: 3 CCT: 3000K, 4000K, 6500K
CRI: >80
PF: 0.5

DL617 WHITE

- 5W LED (Included)
Lumen: 400
Cut Out: 75mm
Diameter: 95mm

DL618 WHITE

- 9W LED (Included)
Lumen: 700
Cut Out: 95mm
Diameter: 120mm

DL619 WHITE

- 12W LED (Included)
Lumen: 960
Cut Out: 120mm
Diameter: 145mm

DL620 WHITE

- 18W LED (Included)
Lumen: 1440
Cut Out: 145mm
Diameter: 170mm

DL621 WHITE

- 24W LED (Included)
Lumen: 1900
Cut Out: 195mm
Diameter: 220mm



DL233 GOLD SATIN

- 12V / 50W
Tilt, Bayonet Lock

Cut Out: 82mm
Diameter: 93mm

Colours Available:
Gold Satin, Satin Chrome, White



DL244 GOLD SATIN

- 12V / 50W
Straight, Bayonet Lock

Cut Out: 72mm
Diameter: 80mm

Colours Available:
Gold Satin, Satin Chrome, White



DL114 BLACK

DL115 WHITE

Material: Metal and Plastic

- 5W LED (Included)

Colour Temp: 4000K
Lumen: 400
Beam Angle: 45 Degrees
PF: >0.5

Diameter: 74mm
Height: 18mm



DL116 BLACK

DL117 WHITE

Material: Metal and Plastic

- 10W LED (Included)

Colour Temp: 4000K
Lumen: 850
Beam Angle: 45 Degrees
PF: >0.5

Diameter: 104mm
Height: 20mm



LED Surface Die Cast Aluminium with PC Cover

DL506 WHITE

- 6W LED (Included)

Colour Temp: 4000K
Lumen: 420mm

Diameter: 115mm
Height: 28mm

DL507 WHITE

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 840mm

Diameter: 165mm
Height: 28mm

DL510 WHITE

- 18W LED (Included)

Colour Temp: 4000K
Lumen: 1200mm

Diameter: 220mm
Height: 28mm

DL512 WHITE

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 1920mm

Diameter: 288mm
Height: 28mm

Supplementary



CF445 WHITE/COPPER

Metal Ceiling Fitting
with Acrylic Diffuser
Colour: White and Copper

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 2400

Diameter: 400mm
Height: 130mm



CF444 RATTAN

Metal Ceiling Fitting
with Natural Rattan and White Glass

- 1 x 40W (11W) ES (Not Included)

Width: 300mm
Height: 325mm
Ceiling Cup: 120mm



CF436 WOOD

Metal and Wood Ceiling Fitting
with Smoke Colour Glass
Colour: Black

- 1 x 40W (11W) ES (Not Included)

Width: 95mm
Height: 180mm
Ceiling Cup: 100mm



CF191 WHITE

Plastic Ceiling Socket
with ES (E27) Lampholder
Material: PP and PA

- 11W ES LED Bulb Only (Max.)

Width: 120mm
Height: 50mm



CF192 BLACK

Plastic Ceiling Socket
with ES (E27) Lampholder
Material: PP and PA

- 11W ES LED Bulb Only (Max.)

Width: 120mm
Height: 50mm



CF193 WHITE

Plastic Ceiling Socket
with ES (E27) Lampholder, IP20
Material: PP and PA

- 11W ES LED Bulb Only (Max.)

Width: 120mm
Height: 134mm



PART122

Rectangular Metal Ceiling Plate
Colour: Black

Length: 700mm
Width: 80mm



PART123

Rectangular Metal Ceiling Plate
Colour: Black

Length: 400mm
Width: 80mm

Supplementary



WB398/1 ANTIQUE

Metal Wall Bracket with Speckled Glass
Colour: Antique Bronze

- 1 x 40W (11W) SES

Width: 150mm
Height: 285mm
Depth: 175mm

Also Available:
CH398/3 ANTIQUE




CH398/3 ANTIQUE

Metal Chandelier with Speckled Glass
Colour: Antique Bronze

- 3 x 40W (11W) SES

Width: 440mm
Height: 310mm

Also Available:
WB398/1 ANTIQUE




CH397/12 GUN METAL

Metal and Plastic Chandelier with 2.4G Drive Remote Control

- 60W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 4600

Width: 900mm
Height: 1100mm
Ceiling Cup: 180mm



Supplementary



CH395/3 BLACK

Metal Chandelier

- 3 x 40W SES (Not Included)

Width: 450mm
Height: 400mm
Ceiling Cup: 100mm

Also Available:
CH395/5 BLACK



CH395/5 BLACK

Metal Chandelier

- 5 x 40W SES (Not Included)

Width: 480mm
Height: 400mm
Ceiling Cup: 100mm

Also Available:
CH395/3 BLACK



CH396/3 GOLD

Metal Chandelier

- 3 x 40W SES (Not Included)

Width: 450mm
Height: 400mm
Ceiling Cup: 100mm

Also Available:
CH396/5 GOLD



CH396/5 GOLD

Metal Chandelier

- 5 x 40W SES (Not Included)

Width: 480mm
Height: 400mm
Ceiling Cup: 100mm


Also Available:
CH396/3 GOLD



PEN870 ANTIQUE
Metal Pendant with White Inner

- 1 x 40W (11W) ES


Width: 370mm
Height: 190mm
Cord: 2000mm
Ceiling Cup: 120mm



PEN871 BLACK
Metal Pendant with White Inner

- 1 x 40W (11W) ES

Width: 370mm
Height: 190mm
Cord: 2000mm
Ceiling Cup: 120mm



PEN872 BRASS/BLACK
Metal Pendant with White Inner
Colour: Antique and Black

- 1 x 40W (11W) ES

Width: 360mm
Height: 160mm
Cord: 2000mm
Ceiling Cup: 130mm



PEN857/3 MARBLE

Metal Pendant with Marble Finish and Polished Chrome

- 3 x 40W (11W) SES

Height: 1500mm

Ceiling Cup: 200mm



PEN845/3 SATIN CHROME

Satin Chrome Pendant with White Inner

- 3 x 40W (11W) ES

Length: 860mm

Height: 375mm

Supplementary



PEN841 CHROME

Stainless Steel and Crystal Pendant
Colour: Polished Chrome

- 1 x 40W ES

Width: 200mm

Height: 270mm

Cord: 1000mm

Ceiling Cup: 100mm



PEN842 GOLD

Stainless Steel and Crystal Pendant
Colour: Gold

- 2 x 40W SES

Width: 200mm

Height: 270mm

Cord: 1000mm

Ceiling Cup: 100mm



PEN860 ROPE

Metal and Rope Pendant with Amber Inner Glass

- 1 x 40W (11W) ES

Width: 250mm

Height: 250mm

Cord: 1300mm

Ceiling Cup: 100mm



PEN817 BLACK

Metal Pendant, IP20
Colour: Black and Gold

- 72W LED (Included)

Colour Temp: 3000K

Lumen: 1300

CRI: >80

PF: 0.6

Width: 450mm

Height: 990mm

Ceiling Cup: 220mm x 1450mm



Supplementary



PEN858 ROPE

Metal and Rope Pendant
Colour: Matt Black

- 1 x 40W (11W) ES

Width: 260mm
Height: 360mm
Cord: 1300mm
Ceiling Cup: 100mm




PEN839 AMBER

Metal and Amber Glass Pendant

- 1 x 40W ES

Width: 140mm
Height: 520mm
Cord: 600mm
Ceiling Cup: 100mm



PEN859 ROPE

Metal and Rope Pendant
Colour: Matt Black

- 1 x 40W (11W) ES

Width: 290mm
Height: 160mm
Cord: 1300mm
Ceiling Cup: 100mm



PEN840 COPPER

Metal and Glass Pendant
Colour: Copper

- 1 x 40W ES

Width: 240mm
Height: 300mm
Cord: 900mm
Ceiling Cup: 100mm



PEN846 BLACK

Metal Pendant
with Clear Glass and Rope
Colour: Matt Black

- 1 x 40W (11W) ES

Width: 200mm
Height: 240mm
Cord: 1000mm
Ceiling Cup: 110mm

Supplementary



FCF019 WHITE

Ceiling Fan with Remote Control

Material: Plastic

15W DC Copper Coil Motor

- 30W LED (Included)

Colour Temp: 3 CCT 3000K – 6000K and Dimming

Lumen: 2900

CRI: >80

PF: 0.9

Width: 490mm

Height: 170mm



FCF020 BLACK

Ceiling Fan with Remote Control

Material: Plastic

15W DC Copper Coil Motor

- 38W LED (Included)

Colour Temp: 3 CCT 3000K – 6000K and Dimming

Lumen: 3400

CRI: >80

PF: 0.9

Width: 480mm

Height: 165mm



FCF021 WHITE

Ceiling Fan with Remote Control

Material: Plastic

20W DC Copper Coil Motor

- 38W LED (Included)

Colour Temp: 3 CCT 3000K – 6000K and Dimming


Lumen: 2290

CRI: >80

PF: 0.9

Width: 490mm

Height: 200mm



FRONT ANGLE

FAN025 BLACK

16" Wall Fan with Pull Switches
3 Speed Setting
Material: Plastic

Fan Power: 45W
Voltage: AC220V
Frequency: 50/60Hz

Height: 320mm
Base: 260mm x 125mm



SIDE ANGLE



FAN012

Can be used as either a Table Fan or Clip on Fan
6" (15cm) Plastic Fan
Power: 15W
2 Speed Control

Fan Grid: 200mm
Base: 170mm
Width: 200mm
Height: 320mm

Colours Available:
Black, White

Supplementary



S411/1 BLACK

Black Spotlight with Antique Trim and Tapered Head

- 1 x 25W GU10 (Not Included)

Base: 90mm x 70mm



S411/2 BLACK

Black Spotlight with Antique Trim and Tapered Head

- 2 x 25W GU10 (Not Included)

Base: 260mm x 60mm




S411/3 BLACK

Black Spotlight with Antique Trim and Tapered Head

- 3 x 25W GU10 (Not Included)

Base: 410mm x 60mm



S411/4 BLACK

Black Spotlight with Antique Trim and Tapered Head

- 4 x 25W GU10 (Not Included)

Base: 560mm x 60mm

Supplementary



S412/1 BLACK

Black Spotlight with Wood Finish

- 1 x 25W GU10 (Not Included)

Base: 90mm x 70mm



S412/2 BLACK

Black Spotlight with Wood Finish

- 2 x 25W GU10 (Not Included)

Base: 260mm x 60mm




S412/3 BLACK

Black Spotlight with Wood Finish

- 3 x 25W GU10 (Not Included)

Base: 410mm x 60mm



S412/4 BLACK

Black Spotlight with Wood Finish

- 4 x 25W GU10 (Not Included)

Base: 560mm x 60mm

Supplementary



S409/3 WHITE

Aluminium Tracklight, Blister Pack

- 3 x GU10 (Max. 40W) (Not Included)

Length: 1000mm

Height: 135mm



S410/3 BLACK

Aluminium Tracklight, Blister Pack

- 3 x GU10 (Max. 40W) (Not Included)

Length: 1000mm

Height: 135mm



S097/36W BLACK

- 36W LED (Included)

Lumen: 3000

Length: 700mm

Height: 83mm



Aluminium and PC Tracklight with Rotatable LED Arm

Colour Temp: 4000K

Beam Angle: 45 Degrees

S096/20W BLACK

- 20W LED (Included)

Lumen: 1900

Length: 404mm

Height: 83mm

Supplementary



ML062 BLACK

Colour: Matt Black



ML063 BRASS


Colour: Antique Brass

Rectangular Mirror with Metal Frame
LED and Touch Switch
Dimmable, IP44

- 18W LED (Included)

Colour Temp: CCT 3500K, 4000K, 5000K
Lumen: 320
CRI: >70
PF: >0.55

Width: 700mm
Height: 800mm



Vapour Proof Linear Light for LED Tubes, IP65
ABS Base with PC Diffuser, Single Wiring
Colour: Grey

FTL037 LED

- 1 x 9W T8 LED Tube (Not Included)

Width: 68mm
Length: 670mm
Depth: 56mm

Also Available:
FTL040 LED (2 x 9W T8)

Recommended Bulb:
BULB LED 176
BULB LED 177

FTL038 LED

- 1 x 18W T8 LED Tube (Not Included)

Width: 68mm
Length: 1280mm
Depth: 56mm

Also Available:
FTL041 LED (2 x 18W T8)

Recommended Bulb:
BULB LED 178
BULB LED 179

FTL039 LED

- 1 x 22W T8 LED Tube (Not Included)

Width: 68mm
Length: 1580mm
Depth: 56mm

Also Available:
FTL042 LED (2 x 22W T8)

Recommended Bulb:
BULB LED 180
BULB LED 181

Supplementary

SOLAR LIGHTING



LS033 SOLAR

Outdoor Solar Kit with Solar Panel
LED Bulbs and Remote Control
3.7-12V DC Driver
Input: DC 6V
Output: DC 12V
Lithium Battery: 3.7V 4800mAh

- 4 x 3W 12V DC LED Bulbs (Included)

On/Off Switch on the ES Lamp Holders
Remote Control with On/Off, Auto,
Dimmer function and Time setting
Colour Temp: 6500K
Lumen: 4 x 100

Charging Time: 8-12 Hours in Full Sunlight
Discharging Time: 8 Hours

Solar Panel:

Polysilicon 6V 4W
Width: 135mm
Height: 220mm
Cable: 5 Metres

WSC010 MULTICOLOUR

Solar Outdoor String Lights, IP65

- 10 x .03W ES LED (Included)

Material: Plastic, Copper and Aluminium
Sockets: 10 sockets 1M apart
Cord Length: 10M
Charging Time: 8 Hours
Discharge Time: 8-12 Hours

Includes:

10 Bulbs: 2 x Blue, 2 x Green, 2 x Red, 2 x White, 2 x Yellow

Solar Panel:

Width: 100mm
Height: 1100mm

Spike

Battery: 1200mAh Built in High Capacity

Features:


4 Brightness Adjustments
4 Step Timing Adjustments

Integrated Day / Night Sensor built into the Solar Panel
2 Installation methods: Can either be Ground or Wall Mounted



OUTDOOR LIGHTING

METAL



LFL031 BLACK

Metal LED Bollard
IP65

- 10W LED (Included)

Colour Temp: 3000K
Lumen: 700
CRI: >80
PF: 0.6

Length: 240mm
Height: 900mm
Width: 80mm

POLYCARBONATE



LFL040 BLACK

Polycarbonate Base
with Clear PC Cover
IP44

- 1 x 11W ES (Energy Saver or LED only)

Base: 155mm
Height: 600mm

Also Available:
LFL041 BLACK



LFL041 BLACK

Polycarbonate Base
with Clear PC Cover
IP44

- 1 x 11W ES (Energy Saver or LED only)

Base: 155mm
Height: 1100mm

Also Available:
LFL040 BLACK

OUTDOOR LIGHTING, IP65




L555 BLACK/GOLD

LED Wall Bracket, Up and Down Facing, IP65
Material: Die Cast Aluminium

- 4W LED (Included)

Colour Temp: 3000K
Lumen: 320
CRI: >80
PF: >0.55

Width: 90mm
Height: 90mm
Depth: 45mm




L556 BLACK/GOLD

LED Wall Bracket, Up and Down Facing, IP65
Material: Die Cast Aluminium

- 8W LED (Included)

Colour Temp: 3000K
Lumen: 640
CRI: >80
PF: >0.55

Length: 190mm
Height: 90mm
Depth: 45mm



L557 BLACK

Die Cast Aluminium Wall Light, IP65
Colour: Black and Gold

- 6W LED (Included)

Colour Temp: 3000K
Lumen: 480
CRI: >80
PF: 0.55

Width: 124mm
Height: 45mm



L562 BLACK/GOLD

Die Cast Aluminium, Up and Down Facing, IP65

- 10W LED (Included)

Colour Temp: 3000K
Lumen: 800
CRI: >80
PF: >0.55

Width: 100mm
Height: 200mm
Depth: 80mm



L565 BLACK/GOLD

Die Cast Aluminium, Up and Down Facing, IP65

- 6W LED (Included)

Colour Temp: 3000K
Lumen: 480
CRI: >80
PF: >0.55

Width: 100mm
Height: 280mm
Depth: 100mm

Supplementary

OUTDOOR LIGHTING, IP65



L563 BLACK

Die Cast Aluminium, Up and Down Facing, IP65

- 9W LED (Included)

Colour Temp: 3000K
Lumen: 720
CRI: >80
PF: >0.55

Length: 170mm
Height: 90mm
Depth: 55mm



L564 BLACK

Die Cast Aluminium, Up and Down Facing, IP65

- 11W LED (Included)

Colour Temp: 3000K
Lumen: 880
CRI: >80
PF: >0.55

Length: 225mm
Height: 98mm
Depth: 55mm



LED Wall Bracket, IP65
Material: Iron and PMMA
Colour Temp: 3000K
CRI: >70
PF: >0.5

L547 BLACK

- 10W LED (Included)
Lumen: 700

Length: 400mm
Width: 80mm
Depth: 40mm

L548 BLACK

- 25W LED (Included)
Lumen: 1750

Length: 800mm
Width: 80mm
Depth: 40mm



L549 BLACK

LED Wall Bracket, IP65
Material: Iron and PMMA

- 16W LED (Included)

Colour Temp: 3000K
Lumen: 1120
CRI: >70
PF: >0.5

Length: 570mm
Width: 50mm
Depth: 40mm



L550 BLACK

LED Wall Bracket, IP65
Material: Iron and PMMA

- 10W LED (Included)

Colour Temp: 3000K
Lumen: 700
CRI: >70
PF: >0.5

Length: 400mm
Width: 80mm
Depth: 40mm

Supplementary

OUTDOOR LIGHTING



L540 BLACK

Metal and Clear Glass, IP54
Colour: Black and Gold

- 20W LED (Included)

Colour Temp: 3000K
Lumen: 768
CRI: >80
PF: 0.9

Width: 200mm
Height: 550mm
Depth: 130mm

Also Available:
PEN817 BLACK



L541 BLACK

Metal and Acrylic, IP54
Colour: Texture Black

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 760
CRI: >80
PF: 0.9

Width: 140mm
Height: 350mm
Depth: 100mm



L546 BLACK

Die Cast Aluminium
Up and Down Facing Lantern, IP54

- 2 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 270 per LED
Beam Angle: 60 Degrees

Height: 215mm
Width: 72mm
Depth: 104mm



L558 BLACK

Die Cast Aluminium
Up and Down Facing, IP65

- 8W LED (Included)

Colour Temp: 3000K
Lumen: 720
CRI: >80
PF: >0.55

Length: 220mm
Height: 60mm
Depth: 55mm



L578 BLACK

Die Cast Aluminium with Glass
Down Facing, IP44

- 11W LED (Included)

Colour Temp: 4000K
Lumen: 1000

Width: 95mm
Height: 349mm
Depth: 120mm
Base: 120mm

Supplementary

OUTDOOR LIGHTING



L559 BLACK

Plastic Base with Opal PC Cover, IP65

- 18W LED (Included)

Colour Temp: 3000K
Lumen: 1260
CRI: >80
PD: 0.5

Width: 125mm
Height: 260mm
Depth: 100mm



L560 BLACK

LED, Plastic with Opal PC Cover, IP65

- 20W LED (Included)

Colour Temp: 3000K
Lumen: 1400
CRI: >80
PF: >0.5

Width: 160mm
Height: 200mm
Depth: 50mm



L561 BLACK

LED, Plastic with Opal PC Cover, IP65

- 20W LED (Included)

Colour Temp: 3000K
Lumen: 1400
CRI: >80
PF: >0.5

Width: 160mm
Height: 200mm
Depth: 50mm



FL080 BLACK

Solar LED Floodlight with Sensor, IP54
Material: Plastic with Tempered Glass Lens

- 16W LED Floodlight
- 5.5V/2W Panel

Colour Temp: 6000K
Lumen: 1600 / 100 Lumen Black Light
The Light Lumen stays at 100 Lumen.

Detecting Movement Increases Lumen to 1600 for 30 seconds

Battery: 18650 3000mAh
Detention Distance: 4-6 Meters
Detecting Time: 30 Seconds
Charging Time: 12-13 Hours
Discharging Time: 2-13 Hours

Discharged Current: 2A
Trigger Times: 150 times
Floodlight Width: 115mm
Floodlight Height: 75mm
Solar Panel Width: 145mm
Solar Panel Height: 90mm

OUTDOOR LIGHTING



L576 BLACK

Aluminium and Clear Glass, IP44

- 1 x 60W ES (Not Included)

Width: 155mm
Height: 255mm
Depth: 175mm



L577 BLACK

Aluminium Pillar with Clear Glass, IP44

- 1 x 60W ES (Not Included)

Width: 155mm
Height: 357mm



L543 BLACK

Metal and Aluminium
with Patterned Frosted Glass, IP54
Colour: Texture Black

- 2 x 60W (11W) ES (Not Included)

Width: 180mm
Height: 670mm
Depth: 220mm



L574 BLACK

Aluminium and Clear Glass, Wall Mount, IP44

- 1 x 60W ES (Not Included)

Width: 186mm
Height: 422mm
Depth: 232mm



L575 BLACK

Aluminium and Clear Glass, Hanging, IP44

- 1 x 60W ES (Not Included)

Width: 135mm
Height: 283mm
Chain: 800mm
Ceiling Cup: 110mm

OUTDOOR LIGHTING



L571 BLACK

Aluminium and Clear Glass, IP44

- 1 x 60W ES (Not Included)

Width: 170mm
Height: 312mm
Depth: 190mm



L572 BLACK

Aluminium and Clear Glass
Pillar, IP44

- 1 x 60W ES (Not Included)

Width: 170mm
Height: 431mm



L573 BLACK

Aluminium and Clear Glass
Hanging, IP44

- 1 x 60W ES (Not Included)

Width: 170mm
Height: 314mm
Chain: 800mm
Ceiling Cup: 110mm



LFL038 BLACK

Aluminium and Clear Glass, IP44

- 1 x 60W ES (Not Included)

Width: 230mm
Height: 1200mm

LFL039 BLACK
Aluminium and Clear Glass, IP44

- 1 x 60W ES (Not Included)

Width: 230mm
Height: 2230mm



Supplementary



WB400/2 BLACK



WB401/2 SATIN



WB402/2 ANTIQUE

Metal Wall Bracket with 2 Switches and Opal Plastic Cover


- 1 x G9 (Max. 5W) (Not Included)
- 1 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 150

Width: 120mm
Height: 250mm
Depth: 150mm



WB403/2 BLACK



WB404/2 SATIN



WB405/2 ANTIQUE

Metal Wall Bracket with 2 Switches and Opal Plastic Cover

- 1 x G9 (Max. 5W) (Not Included)
- 1 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 150

Width: 120mm
Height: 260mm
Depth: 155mm

Supplementary



WB406/3 BLACK



WB407/3 SATIN



WB408/3 ANTIQUE

Metal Wall Bracket with 2 Switches and White Shade

- 1 x 40W ES (Not Included)
- 2 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 350

Width: 250mm
Height: 300mm
Base: 160mm x 110mm
Depth: 180mm



WB396 SATIN

Satin Chrome and Acrylic Wall Bracket
Colour: Satin Nickel

- 1 x 40W (11W) ES (E27) (Not Included)

Width: 150mm
Height: 260mm
Depth: 90mm



WB398/1 ANTIQUE

Metal Wall Bracket with Speckled Glass
Colour: Antique Bronze

- 1 x 40W (11W) SES

Width: 150mm
Height: 285mm
Depth: 175mm

Also Available:
CH398/3 ANTIQUE



WB409/1 AMBER

Metal Wall Bracket with Amber Glass
Colour: Gold with Amber Glass

- 1 x 40W SES (E14) (Not Included)

Width: 160mm
Height: 400mm
Depth: 220mm
Base: 120mm

Supplementary

LED

WB410 BLACK/WHITE WB411 GOLD

Metal LED Wall Light with Acrylic Diffuser

- 14W LED (Included)

Colour Temp: 4000K
Lumen: 1400

Width: 100mm
Height: 800mm



WB410

WB411




WB412 BK/GOLD

Aluminium and PC Picture Light, IP44
Colour: Black and Gold

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 1080

Length: 575mm
Height: 90mm
Depth: 175mm



WB413 BLACK

Aluminium and PC Picture Light, IP44

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 1080

Length: 600mm
Height: 50mm
Depth: 105mm

Also Available:
WB414 BLACK

WB414 BLACK


Aluminium and PC Picture Light, IP44

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 2160

Length: 1000mm
Height: 50mm
Depth: 105mm

Also Available:
WB413 BLACK



Supplementary



TL675 WOOD

Metal Table Lamp
with Light Wood Base

- 1 x 40W (11W) ES

Height: 230mm
Width: 195mm
Base: 120mm



TL676 WOOD

Metal Table Lamp
with Light Wood Base
Colour: Antique Brass

- 1 x 40W (11W) ES

Height: 230mm
Width: 160mm
Base: 120mm



Twin Pack

- 2 x 40W (11W) SES

Height: 280mm
Width: 120mm
Base: 100mm

TL679 ANTIQUE

Antique Brass Base with Hessian Shade



TL680 ANTIQUE

Antique Brass Base with Black Fabric Shade



TL691 BEIGE

Metal Base with White Fabric Shade
Colour: Antique Brass

- 1 x 40W (11W) ES

Height: 560mm
Shade: 280mm
Base: 180mm x 103mm



TL693 ANTIQUE

Antique Brass Table Lamp
with White Shade

- 1 x 40W (11W) ES

Height: 740mm
Width: 330mm
Base: 150mm

Supplementary



TL677 WOOD
Metal and Dark Wood Table Lamp

- 1 x 40W (11W) ES

Height: 100mm
Width: 100mm



TL678 WOOD
Metal and Light Wood Table Lamp

- 1 x 40W (11W) ES

Height: 100mm
Width: 100mm



TL699 WOOD
Metal and Wood Table Lamp
with Smoke Colour Glass
Colour: Black

- 1 x 40W (11W) ES (Not Included)

Height: 180mm
Width: 95mm
Base: 100mm



TL670 BLACK **TL669 WHITE**
Metal and Wood Table Lamp with moveable arm
Adjustable Height, IP20

- 1 x 40W (11W) ES (Not Included)

Head Width: 120mm
Arm: 600mm
Base: 160mm



TL668 BLACK **TL667 WHITE**
Metal and Wood Table Lamp with Flexi Arm
IP20

- 1 x 40W (11W) ES (Not Included)

Height: 500mm
Base: 150mm

Supplementary



SL414 BLACK

Metal and Wood
Adjustable Height
On/Off Foot Switch

- 1 x 40W (11W) ES (E27)
(Not Included)

Height: 1650mm
Base: 300mm



SL413 BLACK

Metal and Wood
On/Off Foot Switch

- 3 x 40W (11W) ES (E27)
(Not Included)

Height: 1505mm
Base: 230mm




SL419 ANTIQUE

Metal Standing Lamp
On/Off Foot Switch

- 1 x 40W (11W) ES
(Not Included)

Height: 1626mm
Base: 250mm



SL417 BLACK


Metal Base
with Smoke Colour Glass
On/Off Foot Switch

- 2 x 60W (11W) SES
(Not Included)

Width: 255mm
Height: 1555mm
Base: 260mm

Supplementary

LED



SL421 BLACK

LED, Metal and Acrylic
Moveable Arm
On/Off Foot Switch

- 27W LED (Included)

Colour Temp: 4000K
Lumen: 2430

Height: 1600mm
Base: 200mm x 245mm



SL411 GOLD

LED, Metal and Acrylic
On/Off Foot Switch
Colour: French Gold

- 15W LED (Included)

Colour Temp: 4000K
Lumen: 1500

Height: 1230mm
Base: 200mm



TL671 BLACK

LED Table Lamp, IP20
Material: Metal and Rubber

- 2W LED (Included)

Colour Temp: 3000K
Lumen: 80
CRI: >80
PF: 0.5

Height: 410mm
Base: 120mm



TL672 BLACK

LED Table Lamp, IP20
Material: Metal and Rubber

- 2W LED (Included)

Colour Temp: 3000K
Lumen: 80
CRI: >80
PF: 0.5

Height: 380mm
Base: 205mm

CAPE TOWN 11 Fourth Street Montague Gardens Cape Town 7441 PO Box 339 Milnerton 7435 GPS Co-ordinates: S33° 51' 34.3" E18° 31' 06.3" Tel: 021 - 551 7035 salescpt@brightstarlighting.co.za	JOHANNESBURG 40 - 42 Milkyway Avenue Linbro Business Park Linbro Park Johannesburg 2090 PO Box 1194 Highlands North 2037 GPS Co-ordinates: S26° 04' 01.7" E28° 06' 56.5" Tel: 011 - 444 8244 salesjhb@brightstarlighting.co.za
---	--

www.brightstarlighting.co.za sales@brightstarlighting.co.za

AGENTS			
AFRICA Tel: 011 - 444 8244 sales@brightstarlighting.co.za	DURBAN JOHN BENECKE Cell: 072 - 686 0465 john@brightstarlighting.co.za	FREE STATE NORTHERN CAPE GRANT VAN ASWEGEN Tel: 051 - 430 3321 Fax: 086 - 732 0783 Cell: 083 - 285 8911 LISE-MARIE: 083 - 554 9695 admin@gpvanas.co.za	EASTERN CAPE EAST LONDON PORT ELIZABETH SAMANTHA MINNIE Cell: 084 - 266 0989 samminnie75@gmail.com

PLEASE NOTE:

Specifications, sizes and colours printed in this catalogue, could vary from the actual product and are subject to change.
We regret any errors or omissions that may occur.