



Bright Star LIGHTING



NOVEMBER 2023

CAPE TOWN 021 551 7035 JOHANNESBURG 011 444 8244

www.brightstarlighting.co.za sales@brightstarlighting.co.za

Supplementary

EMERGENCY / RECHARGEABLE PRODUCTS



BULB LED 278
- 5W ES LED
Lampholder: E27



BULB LED 279
- 5W B22 LED
Lampholder: B22



BULB LED 294
- 7W ES LED
Lampholder: E27



BULB LED 295
- 7W B22 LED
Lampholder: B22

LED Emergency Rechargeable Bulb with Built in DOB Driver

Material: PC Lampshade and PBT Lampbody
Packaging: Blister Pack

Colour Temp: 3000K
Lumen: 500
Emergency Wattage: 2W / 200 Lumen
Emergency Time: 2.5 Hours

Width: 60mm
Height: 115mm

LED Emergency Rechargeable Bulb, No Clip

Material: Aluminium with Diamond Pattern PC
Packaging: Blister Pack

Colour Temp: 4000K
Lumen: 630
Battery: 1200mAh
Charging Time: 12 Hours
Working Time: 4 Hours

Width: 60mm
Height: 120mm



BULB LED 296
- 12W ES LED
Lampholder: E27



BULB LED 297
- 12W B22 LED
Lampholder: B22

LED Emergency Rechargeable Bulb with Clip and Switch

Material: Aluminium with Diamond Pattern PC
Packaging: Blister Pack

Colour Temp: 4000K
Lumen: 1080
Battery: 1200mAh
Charging Time: 12 Hours
Working Time: 4 Hours

Width: 70mm
Height: 195mm (Including Clip)

Supplementary

EMERGENCY / RECHARGEABLE PRODUCTS



BULB LED 298

Portable, Emergency Solar Bulb
Diamond Pattern PC with Aluminium Hook
USB Cable, IP44
Battery Indicator Light,
Moisture proof and Anticorrosive

- 5W LED

Battery: 1200mAh Lithium Ion
Material: ABS
Colour Temp: 6500K
Lumen: 450
CRI: >80
Solar Charging Time: 24 Hours
USB Charging Time: 2 Hours
Emergency Duration: 2-4 Hours

Width: 100mm
Height: 150mm
USB Cable: 300mm



LS010 EMERGENCY

Portable Emergency Bulb with Aluminium Hook and Solar Panel
Remote Control and USB Cord
Moisture proof and Anticorrosive

- 5W LED (Included)

Battery: 3600mAh Lithium Ion
Material: ABS
Colour Temp: 6500K
Lumen: 450

Solar Charging Time: 24 Hours
USB Charging Time: 5 Hours
Emergency Duration: 4-6 Hours

Solar Panel: IP65
Width: 135mm
Height: 220mm

Features:
Time Switch
Intelligent Light Control
15 Meters Distance Wireless Remote Control

Bulb: IP44
Width: 100mm
Height: 150mm

USB Cable: 300mm



CF270 LED

- 12W LED (Included)
Lumen: 1080

Diameter: 260mm

Also Available:
CF364 LED



CF271 LED

- 18W LED (Included)
Lumen: 1620

Diameter: 330mm

Also Available:
CF365 LED



CF272 LED

- 24W LED (Included)
Lumen: 2160

Diameter: 380mm

Also Available:
CF366 LED

LED Emergency Polycarbonate Ceiling Fitting
Bayonet Lock, IP20
Battery: 1800mAh Lithium-Ion
Colour Temp: 6000K

Emergency Time: 4 Hours
Emergency Wattage: 3W

Supplementary

EMERGENCY / RECHARGEABLE PRODUCTS



FAN019 WHITE

Portable and Rechargeable
3 Speed Clip On or Table Fan with USB Cable
Fan Power: 7W
Battery: 1800MAH
Material: Plastic
Colour: White with White Blades

Charging Time: 3 Hours
Discharging Time: 2 - 4 Hours

Width: 116mm
Height: 150mm



FAN020 BLACK

Portable and Rechargeable
3 Speed Clip On or Table Fan with USB Cable
Fan Power: 7W
Battery: 1800MAH
Material: Plastic
Colour: Black with Black Blades

Charging Time: 3 Hours
Discharging Time: 2 - 4 Hours

Width: 116mm
Height: 150mm



FAN021 BLACK


16" Rechargeable Oscillating Floor Fan
3 Speed
Fan Power: 15W
Battery: 2500mAh
Voltage: AC220V/DC12V
Material: Plastic
Colour: Black

Charging Time: 3 Hours
Discharging Time: 3 - 5 Hours

Width: 430mm
Height: 1200mm
Base: 360mm

Supplementary


EMERGENCY / RECHARGEABLE PRODUCTS



FTL109

T5 Emergency Linear Cabinet Light with On/Off Side Switch, IP20

Includes: 2 Clips, 2 Screws, 1 Connector, 2 Pin Power Cable
Fitting is Extendable




- 9W LED


Material: Plastic
Colour Temp: 4000K
Lumen: 810
Battery: 1800mAh
Chips: SMD2835
PF: >0.5
Power Cable: 1200mm

Emergency Time: 4 Hours
Emergency Wattage: 3W

Length: 578mm
Width: 23mm
Height: 35mm



TL682 BLACK



TL683 WHITE



Magnetic LED Table or Wall Light with Touch Control, USB Cable
Rechargeable and Multifunctional
Can be used as a Table Lamp, Wall Light,
Under Counter Light or Hand Carry Torch

- 3W LED (Included)

Material: ABS
Colour Temp: CCT 2800K, 4000K, 6500K and Dimmable
Battery: 1200mAh Lithium-Ion

Charging time: 3 Hours
Working time: 3 - 8 Hours

Width: 30mm
Length: 250mm

Supplementary

EMERGENCY / RECHARGEABLE PRODUCTS



TL686 BLACK

Rechargeable Multifunctional Magnetic LED Table Lamp
with Touch Control and Type C USB Cable

Can be used as a Table Lamp, Wall Light, or Hand Carry Torch
Light Bar can be separated as a hand carry torch during load shedding

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable

Battery: 800mAh Lithium-Polymer

Charging time: 3 Hours

Working time: 2 - 5 Hours

Head Length: 368mm

Height: 375mm

Base: 172mm x 102mm

Also Available:

TL687 WHITE



Supplementary

EMERGENCY / RECHARGEABLE PRODUCTS



TL687 WHITE

Rechargeable Multifunctional Magnetic LED Table Lamp
with Touch Control and Type C USB Cable

Can be used as a Table Lamp, Wall Light, or Hand Carry Torch
Light Bar can be separated as a hand carry torch during load shedding

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable

Battery: 800mAh Lithium-Polymer

Charging time: 3 Hours

Working time: 2 - 5 Hours

Head Length: 368mm

Height: 375mm

Base: 172mm x 102mm

Also Available:

TL686 BLACK



Supplementary

EMERGENCY / RECHARGEABLE PRODUCTS



CL009

Rechargeable Mini LED Clip on Table Lamp
with Touch Control Switch and Type-C USB Charging Cable
180 Degree Up and Down

- 3.5W LED (Included)

Material: ABS
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh

Charging Time: 3 Hours
Discharging Time: 3-8 Hours

Width: 60mm
Height: 232mm
Length: 120mm

Colours Available:
Black, White



TL660 BLACK TL661 WHITE

Rechargeable LED Table Lamp
with Touch Control and Type C USB Cable

- 3W LED (Included)

Material: Metal and Plastic
Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable
Battery: 1200mAh Lithium-Ion

Charging time: 3-4 Hours
Working time: 8-9 Hours

Width: 114mm
Height: 380mm
Base: 95mm



TL658 BLACK

TL658 BLACK TL659 WHITE

Rechargeable Mini LED Table Lamp
with Touch Control Switch
and Type-C USB Charging Cable
40 Degree Front and Back Foldable Head
180 Degree Left or Right Swing

- 4W LED (Included)

Material: ABS
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh

Charging Time: 4 Hours
Discharging Time: 4-5 Hours

Width: 91mm
Height: 280mm



TL659 WHITE

Supplementary

EMERGENCY / RECHARGEABLE PRODUCTS



TL684 BLACK

Rechargeable LED Table Lamp with Flexible Arm
Touch Control and Type C USB Cable

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS and Silica Gel

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable

Battery: 1200mAh Lithium-Ion

Charging time: 4 Hours

Working time: 2.5 - 5 Hours

Head Length: 246mm

Height: 430mm

Base: 160mm



TL685 WHITE



TL688 BLACK

Colour: Black with Rose Gold

Colour: White with Rose Gold

Rechargeable LED Table Lamp with Flexible Arm
Touch Control, USB Cable

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable

Battery: 1200mAh Lithium-Ion

Charging time: 4 Hours

Working time: 4 - 5 Hours

Head Width: 116mm

Height: 395mm

Base: 165mm



TL689 WHITE



TL701 BLACK

TL701 BLACK

TL702 WHITE

Multi-functional Rechargeable Folding Desk Lamp
with Touch Switch and USB Cable

Multi-angle Adjustment for Lamp Head and Arm
Lamp Head can be rotated left and right 180 degrees

- 3W LED (Included)

Material: ABS

Colour: Imitation Leather Appearance

Quantity of LED: 26 SMD LED

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable

Battery: 1200mAh Lithium-Ion

Charging Time: 4 Hours

Working Time: 2-10 Hours

Height: 343mm

Base: 170mm x 120mm



TL702 WHITE

Supplementary



FCF083 WHITE
6 White Blades, 30" (76.2cm)

Metal Ceiling Fan with Opal Glass
AC Motor
60W Copper Coil Reversible Motor
Pull Chain with 3 Speed Control

– 1 x 60W ES (Not Included)

Width: 760mm
Height: 410mm



FCF084 BLACK
6 Dark Wood Blades, 30" (76.2cm)



Reversible White Blades



FCF085 WHITE

Metal Ceiling Fan with 3 MDF Reversible Blades, 50" (127cm)
35W Copper Coil DC Motor
Remote Control with 6 Speed Control,
Forward and Reverse Setting, Time Setting
Balancing Kit Included
CRI: >70
PF: >0.6

– 12W LED (Included)

Colour Temp: 6500K
Lumen: 800

Width: 1270mm
Height: 270mm



Reversible Wood Grain Blades

Supplementary



FCF086 WHITE

FCF086 WHITE

FCF087 BLACK

3 ABS Blades, 60" (152cm)
29W Copper Coil DC Motor
Pole or Flush Mount

– 18W LED (Included)

Colour Temp: 4000K

Lumen: 1400

Remote Control with 6 Speed Control

Time Setting

Balancing Kit Included

Width: 1520mm

Height: 395mm



FCF087 BLACK



FCF088 WHITE

Metal Fan with 3 ABS Blades, 35" (89cm), No Light
32W Copper Coil DC Motor

Remote Control with 6 Speed Control

Time Setting

Balancing Kit Included

Width: 890mm

Height: 290mm

FCF089 WHITE

Metal Fan with 3 ABS Blades, 48" (122cm)
30W Copper Coil DC Motor

- 24W LED (Included)

Colour Temp: CCT 3000K – 6000K

Lumen: 1600

CRI: >80

PF: >0.8

Remote Control with 6 Speed Control,

Dimmable, Time Setting

Balancing Kit Included

Width: 1220mm

Height: 323mm



Supplementary




CF274 BK/WH

Metal and Acrylic LED Ceiling Fitting, IP20
Colour: Black and White

- 36W LED (Included)

Colour Temp: 4000K
Lumen: 2520
CRI: >80
PF: 0.9

Length: 555mm
Width: 450mm
Height: 55mm




CF275 BK/WH

Metal and Acrylic LED Ceiling Fitting, IP20
Colour: Black and White

- 40W LED (Included)

Colour Temp: 4000K
Lumen: 2800
CRI: >80
PF: 0.9

Width: 555mm
Height: 55mm




CF277 BK/WH

Metal, Acrylic and PVC Ceiling Fitting
with 2.4G Dimmable Remote Control
Colour: Sandy White and Black

- 75W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 3700
CRI: >80
PF: >0.64

Length: 550mm
Width: 440
Height: 80mm



CF278 BK/WH

Metal, Acrylic and PVC Ceiling Fitting
with 2.4G Dimmable Remote Control
Colour: Sandy White and Black

- 69W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 4100
CRI: >80
PF: >0.64

Width: 500mm
Height: 60mm



CF279 BK/WH

Metal, Acrylic and PVC Ceiling Fitting
with 2.4G Dimmable Remote Control
Colour: Sandy White and Black

- 70W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 4800
CRI: >80
PF: >0.64

Width: 550mm
Height: 60mm



Supplementary



CF194 LED

Metal and Plastic Ceiling Fitting with Remote Control

- 50W LED (Included)

Material: Metal and Plastic

Colour Temp: CCT - 3000K, 4000K, 6000K

Lumen: 4000

Width: 400mm

Length: 600mm

Height: 65mm



CF442 WHITE

Metal and Plastic Ceiling Fitting

- 50W LED (Included)

Colour Temp: 4500K

Lumen: 3600

Diameter: 520mm

Height: 60mm



CF443 WHITE

Metal and Plastic Ceiling Fitting

- 50W LED (Included)

Colour Temp: 4500K

Lumen: 3600

Diameter: 520mm

Height: 60mm



CF446 LED

Polished Chrome ABS with Polycarbonate Cover

- 27W LED

Colour Temp: 6500K
Lumen: 2000

Width: 520mm
Height: 95mm



Metal Ceiling Fitting with Clear PMMA and Gold Rim
Colour Temp: 4000K

CF437 GOLD

- 24W LED (Included)
Lumen: 1600

Diameter: 390mm
Height: 75mm

CF438 GOLD

- 36W LED (Included)
Lumen: 2300

Diameter: 495mm
Height: 75mm



CF276 GOLD

LED Ceiling Fitting

Material: Aluminium, Acrylic and Metal, IP20
Colour: Brushed Gold

- 28W LED (Included)

Colour Temp: 4000K
Lumen: 1960
CRI: >80
PF: 0.9

Diameter: 400mm
Height: 85mm

Supplementary



CF273 LED

Polished Chrome LED Ceiling Fitting
with Glass and Clear Acrylic Crystals

- 12W LED (Included)
Colour Temp: 4000K
Lumen: 1080

Width: 280mm
Height: 110mm



CF339 BK/AQ

Metal Ceiling Fitting
Colour: Black and Antique Brass

- 1 x 40W (11W) ES (Not Included)

Width: 350mm
Height: 300mm

Also Available:
PEN861 BLACK (Page 28)



CF439 BLACK/GOLD

Metal Ceiling Fitting
Colour: Black and Gold

- 2 x 40W ES (Not Included)

Width: 340mm
Height: 155mm



CF441 BK/WOOD

Metal and Wood Ceiling Fitting

- 2 x 40W (11W) ES (Not Included)

Width: 300mm
Height: 145mm

Supplementary



CF434/9 BRASS

Metal Ceiling Fitting

Colour: Antique Brass and Matt Black

- 9 x 40W (11W) ES (Not Included)

Width: 730mm
Height: 355mm
Ceiling Cup: 120mm



CH394/6 GOLD


Metal and Opal Glass Chandelier

- 6 x 5W G9 LED (Not Included)

Width: 650mm
Height: 600mm
Ceiling Cup: 120mm

Also Available:

CH393/6 BLACK



CH393/6 BLACK

Metal and Opal Glass Chandelier

- 6 x 5W G9 LED (Not Included)

Width: 650mm
Height: 600mm
Ceiling Cup: 120mm

Also Available:

CH394/6 GOLD

Supplementary



CF196/3 CHROME

Polished Chrome Ceiling Fitting with White Glass
Colour: Polished Chrome

- 3 x 40W ES (Not Included)

Length: 590mm
Width: 220mm
Height: 230mm
Ceiling Cup: 145mm




CH490/5 CHROME

Polished Chrome Chandelier
with Silver Trim White Glass

Adjustable Arm to change direction of the Glass

- 5 x 40W ES (Not Included)

Length: 780mm
Height: 240mm
Width Glass sideways: 350mm
Ceiling Cup: 120mm



CH488/5 CHROME

Polished Chrome Chandelier with Frosted Glass

- 5 x 40W SES (Not Included)

Width: 550mm
Height: 170mm
Ceiling Cup: 150mm



CH493/3 WHITE

Metal Chandelier with White Fluted Glass

- 3 x 40W ES (Not Included)

Width: 420mm
Height: 225mm
Ceiling Cup: 120mm



CH489/3 ANTIQUE

Metal Chandelier with White Glass
Colour: Antique Brass

- 5 x 40W ES (Not Included)

Width: 570mm
Height: 175mm
Ceiling Cup: 150mm



CF435/6 BRASS

Metal Ceiling Fitting with Cognac Colour Glass
Colour: Antique Brass and Matt Black

- 6 x 40W (11W) ES (Not Included)

Width: 622mm
Height: 200mm
Ceiling Cup: 120mm



CH492/3 GOLD

Metal Chandelier with Amber Patterned Glass
Colour: Gold

- 3 x 40W ES (Not Included)

Width: 420mm
Height: 265mm
Ceiling Cup: 120mm



CF195/3 GOLD

Metal Ceiling Fitting with Patterned White Glass
Colour: Polished Gold

- 3 x 40W ES (Not Included)

Width: 380mm
Height: 235mm
Ceiling Cup: 120mm



CH491/3 GOLD

Metal Chandelier with White Patterned Glass
Colour: Gold

- 3 x 40W ES (Not Included)

Width: 500mm
Height: 235mm
Ceiling Cup: 130mm

Also Available:
CH491/5 GOLD



CH491/5 GOLD

Metal Chandelier with White Patterned Glass
Colour: Gold

- 5 x 40W ES (Not Included)

Width: 540mm
Height: 235mm
Ceiling Cup: 130mm

Also Available:
CH491/3 GOLD

Supplementary

2 IN 1 - FITTING CAN BE ASSEMBLED AS A CEILING FITTING OR PENDANT



PEN826 GOLD

2 in 1 Pendant and Ceiling Light

Metal and Crystal Fitting with Gold Cable

- 1 x 40W SES (Not Included)

Width: 230mm

Ceiling Fitting Height: 300mm

Pendant Height: 180mm

Cord: 500mm

Ceiling Cup: 130mm



PEN827 CHROME

2 in 1 Pendant and Ceiling Light

Polished Chrome and Crystal Fitting with Clear Cable

- 1 x 40W SES (Not Included)

Width: 230mm

Ceiling Fitting Height: 300mm

Pendant Height: 180mm

Cord: 500mm

Ceiling Cup: 130mm



Supplementary

2 IN 1 - FITTING CAN BE ASSEMBLED AS A CEILING FITTING OR PENDANT



PEN828 GOLD

2 in 1 Pendant and Ceiling Light

Metal and Crystal Fitting with Gold Cable

- 2 x 40W SES (Not Included)

Width: 230mm

Ceiling Fitting Height: 300mm

Pendant Height: 150mm

Cord: 500mm

Ceiling Cup: 130mm



PEN829 CHROME

2 in 1 Pendant and Ceiling Light

Polished Chrome and Crystal Fitting with Clear Cable

- 2 x 40W SES (Not Included)

Width: 230mm

Ceiling Fitting Height: 300mm

Pendant Height: 150mm

Cord: 500mm

Ceiling Cup: 130mm



Supplementary



PEN844/3 ANTIQUE

Metal Pendant
Colour: Antique Brass

- 3 x 40W (11W) ES (Not Included)

Width: 215mm
Length: 850mm
Height: 365mm

Also Available:
WB397/2 ANTIQUE



WB397/2 ANTIQUE

Metal Wall Bracket
Colour: Antique Brass

- 2 x 40W (11W) ES

Width: 485mm
Height: 182mm
Depth: 275mm

Also Available:
PEN844/3 ANTIQUE



PEN853/3 GOLD

Metal Pendant
Colour: Antique

- 3 x 40W ES (Not Included)

Length: 1080mm
Width: 280mm
Height: 310mm
Chain: 1000mm
Ceiling Cup: 440mm x 80mm

Supplementary



PEN851/11 BLACK/GOLD

Metal Pendant

Colour: Black and Gold

- 11 x 3W LED (Included)

Colour Temp: 3000K

Lumen: 900

CRI: >70

PF: >0.5

Base: 890mm

Height: 1500mm

PEN753 BLACK

Metal Pendant
with White PVC Inner Shade

- 1 x 60W ES (Not Included)

Width: 250mm

Height: 250mm

Cord: 900mm

Ceiling Cup: 100mm

Also Available:
PEN754 BLACK

PEN754 BLACK

Metal Pendant
with White PVC Inner Shade

- 3 x 60W ES (Not Included)

Width: 400mm

Fitting Height: 250mm

Cord: 900mm

Ceiling Cup: 240mm

Also Available:
PEN753 BLACK





PEN848/1 SMOKE

Metal Pendant with Smoke Colour Outer Glass
and Frosted Inner Glass

- 1 x G9 LED (Not Included)

Width: 105mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 100mm

PEN847/11 SMOKE

Metal Pendant with Smoke Colour Outer Glass
and Frosted Inner Glass

- 11 x G9 LED (Not Included)

Base: 890mm
Height: 1500mm



PEN850/1 AMBER

Metal Pendant with Amber Glass

- 1 x 40W (7W) SES (Not Included)

Width: 90mm
Height: 320mm
Cord: 1100mm
Ceiling Cup: 100mm

PEN849/11 AMBER

Metal Pendant with Amber Glass

- 11 x 40W (7W) SES (Not Included)

Base: 890mm
Height: 1500mm

Supplementary

PEN815 MATT BLACK

Matt Black Metal and Flexible LED Silicone Tubing Pendant with Remote Control

The LED Silicon Tubing is Flexible and can be hung in whatever shape or form is preferred around the fitting

- 40W LED (Included)

1 x LED Driver (Included)

Colour Temp: CCTT 3000K-6000K and Dimmable

Lumen: 2400

CRI: >80

PF: >0.9


Length: 1500mm

Height: 1300mm

Ceiling Cup: 445mm x 40mm

Also Available:

PEN816 MATT BLACK



PEN816 MATT BLACK

Matt Black Metal and Flexible LED Silicone Tubing Pendant

The LED Silicon Tubing is Flexible and can be hung in whatever shape or form is preferred around the fitting

- 27W LED (Included)

1 x LED Driver (Included)

Colour Temp: 3000K

Lumen: 2200

CRI: >80

PF: >0.9


Length: 1000mm

Height: 1200mm

Ceiling Cup: 360mm x 40mm

Also Available:

PEN815 MATT BLACK



Supplementary



PEN835 BLACK

Metal and Bamboo Pendant

- 1 x 11W ES (LED or CFL)

Width: 500mm
Height: 120mm
Cord: 1500mm
Ceiling Cup: 120mm



PEN852 NATURAL

Metal and Rope Pendant

- 1 x 11W ES (LED or CFL)

Width: 300mm
Height: 350mm
Cord: 1000mm
Ceiling Cup: 100mm




PEN862 BAMBOO

Metal and Bamboo Pendant

- 1 x 11W ES (LED or CFL)

Width: 290mm
Height: 210mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN865 NATURAL

Metal and Paper String Pendant

- 1 x 11W ES (LED or CFL)

Width: 600mm x 520mm
Height: 160mm
Cord: 850mm
Ceiling Cup: 120mm




PEN836 NATURAL

Metal, Acrylic and Wood Pendant

- 7W LED (Included)

Colour Temp: 4000K
Lumen: 945
CRI: >80
PF: >0.5

Width: 600mm
Height: 500mm
Cord: 1300mm
Ceiling Cup: 120mm



Supplementary



PEN843 ANTIQUE

Antique Brass LED Pendant, IP20
Material: Metal, Glass and Clear PC

- 10W LED (Included)

Colour Temp: 4000K
Lumen: 700
CRI: >80
PF: >0.9

Diameter: 200mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN856 GOLD

Metal Pendant with Smoke Colour Glass

- 1 x 40W ES (Not Included)

Width: 180mm
Height: 160mm
Cord: 1300mm
Ceiling Cup: 100mm



PEN854 WHITE

Metal Pendant with White Fluted Glass

- 1 x 40W SES (Not Included)

Width: 100mm
Height: 350mm
Cord: 1100mm
Ceiling Cup: 80mm



PEN855 GOLD

Metal Pendant with Cognac Colour Glass

- 1 x 40W SES (Not Included)

Width: 100mm
Height: 350mm
Cord: 1100mm
Ceiling Cup: 80mm

Supplementary



PEN837 BLACK
Metal and Wood Pendant

- 1 x 40W ES (Not Included)

Width: 250mm
Height: 200mm
Cord: 1200mm
Ceiling Cup: 120mm



PEN863 BK/GOLD
Metal Pendant

- 1 x 11W ES (LED or CFL)

Width: 140mm
Height: 160mm
Cord: 850mm
Ceiling Cup: 100mm



PEN861 BLACK
Metal Pendant

Colour: Black and Gold

- 1 x 40W (11W) ES (Not Included)

Width: 300mm
Height: 290mm
Cord: 1000mm
Ceiling Cup: 110mm



PEN864 ROSE GOLD
Rose Gold Metal Pendant

- 1 x 11W ES LED (Not Included)


Width: 250mm
Height: 270mm
Cord: 800mm
Ceiling Cup: 100mm



Also Available:
CF339 BK/AQ (page 14)


Supplementary

CCT - SWITCH ON THE FITTING



PEN866/36 BLACK

Colour: Matt Black



PEN868/36 WHITE

Colour: Matt White

Material: Metal and PC
Suspended or Surface Mount LED Panel, IP20

- 36W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K

Lumen: 2880

CRI: >80


PF: 0.5

Beam Angle: 120 Degrees

Length: 1200mm

Width: 70mm

Height: 40mm



PEN867/72 BLACK

Colour: Matt Black

Material: Metal and PC
Suspended or Surface Mount LED Panel, IP20

- 72W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K

Lumen: 5760

CRI: >80

PF: 0.5

Beam Angle: 120 Degrees

Length: 2400mm

Width: 70mm

Height: 40mm




PEN869/72 WHITE

Colour: Matt White


Supplementary

CCT - SWITCH ON THE FITTING



DL518 BLACK

Colour: Matt Black



DL519 WHITE


Colour: Matt White

Surface Mounted Panel Light, IP20
Material: Metal and PC

- 18W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 1800
CRI: >80
PF: 0.5
Beam Angle: 120 Degrees

Length: 620mm
Width: 150mm
Height: 34mm



DL520 BLACK

Colour: Matt Black

Material: Metal and PC
Surface Mounted Panel Light, IP20

- 32W LED (Included)


Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 3200
CRI: >80
PF: 0.5

Beam Angle: 120 Degrees
Length: 1240mm
Width: 150mm
Height: 34mm



DL521 WHITE

Colour: Matt White



FTL051 WHITE

4 Foot LED W-Channel U Fitting, IP20
Material: Metal Base with PC Diffuser

- 38W LED

Colour Temp: 6500K
Lumen: 5000
CRI: >80
PF: >0.9

Length: 1200mm
Width: 80mm
Height: 70mm

Supplementary

4 YEAR GUARANTEE

Aluminium and Tempered Glass UFO High-Bay
IP65
(Excludes Chain and Ceiling Hook)

Colour Temp: 5000K
CRI: >80
PF: >0.9
Beam Angle: 110 Degrees

Also Available:

PART110: 1200mm Chain & Ceiling Hook
PART111: Black Chain sold per meter



PEN926/100W BLACK

- 100W LED (Included)
Lumen: 14000

Diameter: 230mm
Height: 138mm

Also Available:

PEN923/100W BLACK



PEN927/150W BLACK

- 150W LED (Included)
Lumen: 21000

Diameter: 275mm
Height: 138mm

Also Available:

PEN924/150W BLACK



PEN928/200W BLACK

- 200W LED (Included)
Lumen: 28000

Diameter: 320mm
Height: 148mm

Also Available:

PEN925/200W BLACK



S098/1 BLACK

Slim Line Track Light
Material: PS and Aluminium

- 15W LED

Colour Temp: 4000K
Lumen: 1350
Beam Angle: 90 Degrees

Length: 600mm
Height: 95mm



S099/1 BLACK

Slim Line Track Light
Material: PS and Aluminium

- 10W LED

Colour Temp: 4000K
Lumen: 900
Beam Angle: 90 Degrees

Length: 300mm
Height: 95mm

Supplementary



DL140 WHITE

Colour Temp: 3000K

DL141 WHITE

Colour Temp: 4000K

DL142 WHITE

Colour Temp: 6000K

Metal with Polycarbonate Cover, Tilt

- 5W LED (Included)

Lumen: 400
CRI: >70
PF: >0.8

Cut Out: 70mm
Diameter: 88mm

Also Available:
DL143/3 WHITE



DL143/3 WHITE

Triple Pack LED Down Lights

Metal with Polycarbonate Cover, Tilt

Colour Temp: 4000K
Lumen: 400
CRI: >70
PF: >0.8

Cut Out: 70mm
Diameter: 88mm

Also Available:
DL140 WHITE
DL141 WHITE
DL142 WHITE



DL062 BLACK

Polycarbonate Clip in
Straight without Lampholder

Cut Out: 70mm
Diameter: 89mm

Also Available:
DL062 WHITE



DL063 BLACK

Polycarbonate Clip in
Straight without Lampholder

Cut Out: 70mm
Diameter: 89mm

Also Available:
DL063 WHITE



DL064 BLACK

Polycarbonate Clip in
Straight without Lampholder

Cut Out: 60mm
Diameter: 82mm

Also Available:
DL064 WHITE



BULB LED 274

Energy Saving High-Bay LED Lamp
Material: PC and Aluminium

- 100W B22

Lampholder: B22
Not Dimmable

Do not use under a reflector
220V – 240V

Colour Temp: 6000K
Lumen: 9000
CRI: 80Ra

Width: 152mm
Height: 265mm

Also Available:
BULB LED 267
BULB LED 273

Supplementary



WB040/1 BLACK

Metal Wall Fitting with Gooseneck Arm and Switch

- 1 x 1W LED
1 x LED Electronic Transformer

Colour Temp: 3000K
Lumen: 120

Width: 60mm
Height: 80mm
LED Gooseneck Arm: 330mm

Also Available:
WB040/1 SATIN
WB041/1 CHROME




ML064 BLACK

Metal and Plastic Mirror with On/Off Switch
Dimmable, IP44

- 36W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 1500

Diameter: 600mm
Depth: 100mm



WB399 LED

Metal and Plastic Clock Wall Bracket
Colour: Black and Gold

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 800

Width: 260mm
Height: 710mm



WB281 BK/GD

Metal and Acrylic LED Wall Bracket, IP20
Colour: Sand Black and Painted Gold

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 840
CRI: >80
PF: >0.9

Length: 610mm
Width: 145mm
Depth: 52mm

Supplementary



WB268 MATT WHITE

LED, Metal Wall Bracket with Remote Control
Dimmable

- 20W LED (Included)

1 x Remote Control
Colour Changeable: 3000K, 4000K, 6000K
Lumen: 410
Power Factor: 0.5
CRI: 85

Width: 300mm
Length: 1200mm
Depth: 80mm



WB269 MATT WHITE

LED, Metal Wall Bracket with Remote Control
Dimmable

- 32W LED (Included)

1 x Remote Control
Colour Changeable: 3000K, 4000K, 6000K
Lumen: 660
Power Factor: 0.5
CRI: 85

Width: 600mm x 600mm
Depth: 80mm

Supplementary



WB275 BLACK
Metal Wall Bracket
with Black Fabric Shade

- 1 x 40W ES

Base: 80mm
Width: 180mm
Height: 300mm
Depth: 220mm



WB276 SATIN
Satin Chrome Wall Bracket
with White Fabric Shade

- 1 x 40W ES

Base: 80mm
Width: 180mm
Height: 300mm
Depth: 220mm



WB277 ANTIQUE
Metal Wall Bracket
with White Fabric Shade

- 1 x 40W ES

Base: 80mm
Width: 180mm
Height: 300mm
Depth: 220mm



WB278 BLACK
Metal Wall Bracket
with Black Fabric Shade and 2 Switches

- 1 x 40W ES
- 1 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 150

Base: 200mm x 80mm
Width: 180mm
Height: 370mm
Depth: 220mm



WB279 SATIN
Satin Chrome Wall Bracket
with White Fabric Shade and 2 Switches

- 1 x 40W ES
- 1 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 150

Base: 200mm x 80mm
Width: 180mm
Height: 370mm
Depth: 220mm



WB280 ANTIQUE
Metal Wall Bracket
with White Fabric Shade and 2 Switches

- 1 x 40W ES
- 1 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 150

Base: 200mm x 80mm
Width: 180mm
Height: 370mm
Depth: 220mm

Supplementary



TL697 WHITE/GOLD

Metal Table Lamp with White Shade

- 1 x 40W ES LED Only

Height: 490mm

Base: 130mm

Shade: H: 200mm x W: 250mm



TL698 BLACK/GOLD

Metal Table Lamp with Black Shade

- 1 x 40W ES LED Only

Height: 490mm

Base: 130mm

Shade: H: 200mm x W: 250mm



TL692 BLACK

Metal Table Lamp with Black Fabric Shade

- 1 x 40W (11W) ES

Width: 300mm

Height: 520mm

Base: 180mm



TL673 ANTIQUE

Metal Table Lamp
Colour: Antique Brass

- 1 x 40W ES (Not Included)

Width: 165mm

Adjustable Height: 610mm (Max.), 420mm (Min.)

Base: 150mm



TL694 ANTIQUE

Metal and Crystal Table Lamp
with White Fabric Shade
Colour: Antique Brass

- 1 x 40W ES

Width: 300mm

Height: 700mm

Base: 160mm


Supplementary



TL681 BLACK
Metal Table Lamp
with White Fabric Shade

- 1 x 40W ES

Width: 250mm
Height: 640mm



TL662 BLACK
Metal Table Lamp with White Fabric Shade
Type A and Type C USB Ports
Colour: Matt Black

- 1 x 60W (11W) ES

Height: 602mm
Base: 200mm
Shade: 220mm x 250mm x 200mm



TL674 BEIGE
Smoke Colour Glass Table Lamp
with Beige Shade

- 1 x 40W ES

Glass Width: 200mm
Height: 410mm
Shade: 250mm (W) x 200 (H)



TL696 RATTAN
Rattan Base with White Fabric Shade

- 1 x 40W ES

Base Width: 190mm
Shade Width: 300mm
Height: 450mm



TL695 BLACK
Metal Table Lamp
with Polished Chrome Centre Rod
and Beige Fabric Shade

- 1 x 40W ES

Width: 340mm
Height: 570mm



SL420 BLACK
Metal Floor Lamp
with Polished Chrome Centre Rod
and Beige Fabric Shade
On/Off Foot Switch

- 1 x 40W ES

Height: 1530mm
Base: 280mm x 210mm
Shade: 400mm (W) 250mm (H)

Supplementary



SL415 BEIGE

Wood and Polished Chrome Floor Lamp
with Beige Fabric Shade
On/Off Foot Switch

- 1 x 60W (11W) ES

Width: 730mm
Adjustable Height:
1200mm – 1500mm
Shade: 450mm (W), 280mm (H)



TL700 BEIGE

Wood and Polished Chrome Table Lamp
with Beige Fabric Shade

- 1 x 60W (11W) ES

Width: 320mm
Height: 660mm
Shade: 300mm (W), 220mm (H)



TL690 BLACK

Wood and Polished Chrome Table Lamp
with Black Fabric Shade

- 1 x 60W (11W) ES

Width: 320mm
Height: 660mm
Shade: 300mm (W), 220mm (H)




SL416 BLACK

Wood and Polished Chrome Floor Lamp
with Black Fabric Shade
On/Off Foot Switch

- 1 x 60W (11W) ES

Width: 730mm
Adjustable Height:
1200mm – 1500mm
Shade: 450mm (W), 280mm (H)



Supplementary



SL407 BLACK

Aluminium, LED and PC Floor Lamp
On/Off Foot Switch

- 24W LED (Included)

Colour Temp: 3000K
Lumen: 1300
CRI: >80
PF: >0.8

Height: 1250mm
Width: 200mm
Base: 220mm x 180mm




SL408 BLACK

Metal Floor Lamp
On/Off Foot Switch

- 1 x 40W ES (Not Included)

Height: 1500mm
Width: 180mm
Base: 220mm

Also Available
TL620 BLACK




SL409 WHITE

Metal Floor Lamp
On/Off Foot Switch

- 1 x 40W ES (Not Included)

Height: 1500mm
Width: 180mm
Base: 220mm

Also Available
TL621 WHITE



SL410 SATIN

Metal Floor Lamp
On/Off Foot Switch

- 1 x 40W ES (Not Included)

Height: 1500mm
Width: 180mm
Base: 220mm

Also Available
TL622 SATIN

Supplementary



SL418 BLACK

Metal Floor Lamp
with Black Smoke Glass
On/Off Foot Switch

- 2 x 40W (11W) ES (Not Included)

Width: 400mm
Height: 1700mm
Base: 250mm



SL422 BRASS

Metal Floor Lamp
with Clear Wavy Glass
On/Off Foot Switch

- 1 x 40W ES (Not Included)

Height: 1000mm
Base: 240mm



SL423 AMBER

Metal Floor Lamp
with Amber Glass
On/Off Foot Switch
Colour: Black with Antique Brass

- 3 x 40W ES (Not Included)

Height: 1850mm
Width: 535mm
Base: 355mm x 200mm



SL424 SMOKE

Metal Floor Lamp
with Smoke Colour Glass
On/Off Foot Switch
Colour: Black with Antique Brass

- 3 x 40W ES (Not Included)

Height: 1850mm
Width: 535mm
Base: 355mm x 200mm

Supplementary

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT
THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY



BULB LED 299

Replacement bulb for WSC009
(Solar String Light)

- 2W ES LED

Colour Temp: 3000K

Lumen: 1800

CRI: >80

Beam Angle: 270 degrees

Width: 45mm

Height: 85mm



WSC009 SOLAR

Solar Outdoor String Lights, IP65
Material: Plastic, Copper and Aluminium

- 10 x 2W ES LED (Included)

Sockets: 10 sockets 1M apart

Cord Length: 10M

Charging Time: 4-5 Hours

Discharge Time: 8 Hours

Includes:

Solar Panel:

Width: 100mm

Height: 1100mm

Spike

Battery: 1200mAh Built in High Capacity

Features:

4 Brightness Adjustments

4 Step Timing Adjustments

Integrated Day/Night Sensor built into the Solar Panel

2 Installation methods: Can either be Ground or Wall Mounted

Also Available:

BULB LED 299 (replacement bulb)



LS032 BLACK

Up and Down Facing Outdoor Solar Panel Light, IP65

Solar Panel: 5.5V 275mA

Battery: 3.7V 1500mAh

Material: ABS

- 4 x 1W LED (Included)

Colour Temp: 2700K

Lumen: 200

Charging Time: 8 Hours

Working Time: 8-12 Hours when fully charged

Width: 100mm

Length: 155mm

Depth: 60mm

Supplementary



L544 BLACK

Aluminium Fitting with Fluted Clear Glass
IP44

- 1 x 60W ES (Not Included)

Width: 125mm
Height: 345mm
Depth: 127mm



L545 BLACK

Aluminium Fitting
with Smoke Colour Plastic Cover
IP44

- 1 x ES LED (Not Included)

Width: 104mm
Height: 250mm
Depth: 110mm



L570 BLACK

4 Panel, Down Facing
Polypropylene with Clear PC
IP44

Material: PP and PC

- 1 x 11W ES (Not Included)

Width: 170mm
Height: 310mm
Depth: 233mm



GS016 BLACK

Garden Spike
with Clear Glass Cover, IP65
Material: ABS, PC and Glass

- 1 x 5W GU10 LED (Not Included)

Width: 98mm
Length: 100mm
Bracket and Spike: 230mm




GS015 BLACK

Garden Bracket
with Clear Glass Cover, IP65
Material: ABS, PC and Glass

- 1 x 5W GU10 LED (Not Included)

Width: 98mm
Length: 100mm
Bracket: 70mm



L129 BLACK

Down Facing PC Fitting
IP65

- 1 x 7W GU10 LED (Not Included)

Beam Angle: 120 Degrees

Width: 110mm
Height: 110mm
Depth: 85mm

L566 BLACK

LED, Up and Down Facing Fitting
with White PC Cover
IP65

Material: ABS and PC


- 12W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 700

Length: 230mm
Height: 90mm
Depth: 100mm



Supplementary



LFL032 BLACK

Plastic Bollard with Clear PC Cover, IP54

- 1 x GU10 LED Max. 7W (Not Included)

Width: 251mm
Head Width: 120mm
Height: 800mm
Base: 150mm



L567 BLACK

Plastic Base with Clear PC Cover, IP54

- 1 x GU10 LED Max. 7W (Not Included)

Width: 118mm
Height: 92mm
Depth: 152mm



LFL034 BLACK

6 Panel, Polypropylene Base with Clear PC, IP44
Material: PP and PC

- 3 x 11W ES (Not Included)

Width: 529mm
Height: 2210mm
Base: 225mm



LFL035 BLACK

6 Panel, Polypropylene Base
with Clear PC, IP44
Material: PP and PC

- 1 x 11W ES (Not Included)

Width: 173mm
Height: 1263mm
Base: 190mm

LFL033 BLACK

Plastic Base with PC Diffuser, IP54
Material: ABS and PC

- 1 x 18W ES LED (Not Included)

Height: 1000mm
Base: 160mm



Supplementary



L568 BLACK

6 Panel, Up Facing,
Polypropylene Base with Clear PC
IP44

Material: PP and PC

- 1 x 11W ES (Not Included)

Width: 176mm
Height: 411mm
Depth: 238mm
Base: 190mm x 120mm



LFL036 BLACK

6 Panel
Polypropylene Base with Clear PC
IP44

Material: PP and PC

- 1 x 11W ES (Not Included)

Width: 176mm
Height: 1280mm
Base: 130mm



L569 BLACK

6 Panel, Pillar,
Polypropylene Base with Clear PC
IP44

Material: PP and PC

- 1 x 11W ES (Not Included)

Width: 176mm
Height: 476mm
Base: 190mm



LFL037 BLACK

6 Panel
Polypropylene Base with Clear PC
IP44

Material: PP and PC

- 3 x 11W ES (Not Included)

Width: 533mm
Height: 2224mm
Base: 225mm

Supplementary



PART190

2 Core White Cable with On/Off Switch
and 2 Pin Plug
Cord Length: 1.8 Meters



PART191

2 Core Black Cable with On/Off Switch
and 2 Pin Plug
Cord Length: 1.8 Meters



PART192

2 Core White Cable with On/Off Foot Switch
and 2 Pin Plug
Cord Length: 3.5 Meters



PART193

2 Core Black Cable with On/Off Foot Switch
and 2 Pin Plug
Cord Length: 3.5 Meters



Black Metal Extension Rod
for Ceiling Fans

PART640 BLACK

Length: 600mm
Width: 25mm

PART643 BLACK

Length: 1200mm
Width: 25mm

Must be used with either:
PART646 – AC WIRE PACK
PART647 – DC WIRE PACK



White Metal Extension Rod
for Ceiling Fans

PART641 WHITE

Length: 600mm
Width: 25mm

PART644 WHITE

Length: 1200mm
Width: 25mm

Must be used with either:
PART646 – AC WIRE PACK
PART647 – DC WIRE PACK



Satin Chrome Metal Extension Rod
for Ceiling Fans

PART642 SATIN

Length: 600mm
Width: 25mm

PART645 SATIN


Length: 1200mm
Width: 25mm

Must be used with either:
PART646 – AC WIRE PACK
PART647 – DC WIRE PACK



PART646

Extension Wire for AC Fan
Length: 800mm



PART647

Extension Wire for DC Fan
Length: 800mm

Use both sets of wires for DC Fan with a Light
Use only Pink/Grey/Red Wire for DC Fan with No Light

Only compatible with:

FCF078, FCF079, FCF080, FCF081, FCF082

Only compatible with:

FCF044, FCF045, FCF046, FCF047, FCF059, FCF060, FCF074

Supplementary



PART114
Black Cable Ties
100 Pieces per pack

Width: 5mm
Length: 200mm



PART115
Black Cable Ties
100 Pieces per pack

Width: 3mm
Length: 120mm



PART116
12 PIN 10A Terminal Block Bar
5 Pieces per pack

Width: 20mm
Length: 100mm



PART117
12 PIN 20A Terminal Block Bar
5 Pieces per pack

Width: 20mm
Length: 120mm



PART118
CE2X Connector
50 Pieces per pack

Width: 8mm
Length: 20mm



PART119
CE5X Connector
50 Pieces per pack

Width: 11mm
Length: 25mm



PART120
2P Connectors
50 Pieces per pack

Width: 20mm
Length: 23mm



PART121
3P Connectors
50 Pieces per pack

Width: 30mm
Length: 23mm

CAPE TOWN 11 Fourth Street Montague Gardens Cape Town 7441 PO Box 339 Milnerton 7435 GPS Co-ordinates: S33° 51' 34.3" E18° 31' 06.3" Tel: 021 - 551 7035 salescpt@brightstarlighting.co.za	JOHANNESBURG 40 - 42 Milkyway Avenue Linbro Business Park Linbro Park Johannesburg 2090 PO Box 1194 Highlands North 2037 GPS Co-ordinates: S26° 04' 01.7" E28° 06' 56.5" Tel: 011 - 444 8244 salesjhb@brightstarlighting.co.za
---	--

www.brightstarlighting.co.za sales@brightstarlighting.co.za

AGENTS			
AFRICA Tel: 011 - 444 8244 sales@brightstarlighting.co.za	DURBAN JOHN BENECKE Cell: 072 - 686 0465 john@brightstarlighting.co.za	FREE STATE NORTHERN CAPE GRANT VAN ASWEGEN Tel: 051 - 430 3321 Fax: 086 - 732 0783 Cell: 083 - 285 8911 LISE-MARIE: 083 - 554 9695 admin@gpvanas.co.za	EASTERN CAPE EAST LONDON PORT ELIZABETH SAMANTHA MINNIE Cell: 084 - 266 0989 samminnie75@gmail.com

PLEASE NOTE:

Specifications, sizes and colours printed in this catalogue, could vary from the actual product and are subject to change.
We regret any errors or omissions that may occur.